

**MACOMB COUNTY 2017 REMONUMENTATION GRANT
PROGRAM FOR CLINTON TOWNSHIP
OC-061**

Section One

Index

Pictures in the four cardinal directions; found monumentation and after setting the required monumentation.

Section Two

Surveyor's Report

Land Corner Recordation Certificate

Section Three

1-3. Field Notes

4. GLO Map Clinton Township (no date)

5-6. GLO Map Clinton Township 1817 (2 pages)

7. GLO Map Clinton Township 1818

8. Partial enlarged copy of GLO Map Clinton Township 1818

9. Tax Map of Clinton Township Fractional Sec 1, Sheet #1

10. Map of Clinton Township – 1875

11. Map of Clinton Township – 1895

12. Map of Clinton Township – 1916

13. Map of Clinton Township – 2006

14. Macomb County Composite Map 11-01B

15. Macomb County Composite Map 11-01C

16. Macomb County Composite Map 11-01F

17. Macomb County Composite Map 11-01G

Section Four

1. 1810-Greeley, Surveyor of Private Claim 141, pages one, two, three & four of four

2. 1810-Greeley, Surveyor of Private Claim 626, pages one, two, three & four of four

3. 1930-"PALISADES MANOR SUBDIVISION, Liber 44, page 35, Sheet one of one

4. 1946-"SUPERVISOR'S PLAT OF OBERLIESEN SUBDIVISION", Liber 23, page 30, Sheet one of one

5. 1966-"EDGAR L. KIGHT SUBDIVISION", Volume 57, pages 15-16, Sheets one and two of two

6. 1987-"LAKE INDUSTRIAL CENTER SUBDIVISION", Liber 83, pages 46-48, Sheets one, two and three of three

7. 1990-"EAST POINTE INDUSTRIAL SUBDIVISION", Liber 92, pages 47-50




CLINTON TWP
T2N, R13E
OC-061

WADSWORTH COUNTY MONUMENT, MI
OC-061
1982

**CLINTON TWP
T2N, R13E
OC-061**







**2017
MACOMB COUNTY REMONUMENTATION
GRANT PROGRAM FOR
CLINTON TOWNSHIP
Research Dossier
OC-061**

Prepared by:
Kennedy Surveying, Inc.
105 North Washington Street
Oxford, Michigan 48371

**Sources of Information Researched
For Macomb County 2017 Remonumentation Grant Program
for Clinton Township**

- 1) GLO Notes
- 2) Act 74 Recorded LCRC
- 3) Act 132 Recorded Surveys
- 4) Personal History and Records
- 5) LCRC's and Surveys
- 6) Letters to the Following, Requesting Unrecorded information
 - a) Anderson, Eckstein & Westrick
 - b) BMJ Engineers & Surveyors
 - c) Community Engineering & Surveying
 - d) David Little Land Surveyor
 - e) David P. Smith & Associates, Inc.
 - f) Fenn & Associates Surveying, Inc.
 - g) George Jerome & Company
 - h) Grant Ward Surveyors
 - i) Great Lakes Geomatics
 - j) JCK Group, Inc.
 - k) James Land Surveying
 - l) Kem-Tec & Associates
 - m) Kieft Engineering, Inc.
 - n) Lehner Associates, Inc.
 - o) Metco Land Sea Corp.,
 - p) Milletics & Associates
 - q) R. A. Duthler Land Surveyor, LLC
 - r) Reichert Surveying
 - s) R. J. Donnelly & Associates
 - t) Road Commission for Macomb County
 - u) Rowe Professional Services
 - v) Spalding, DeDecker & Associates
 - w) Urban Land Consultants, LLC
 - x) William J. Angus & Associates

OC-061 TOWN 02 NORTH, RANGE 13 EAST, CLINTON TOWNSHIP

Northeast corner of Private Claim 141 common with the Northwest corner of Private Claim 626 located on the South line of Fractional Section 1.

EXISTING FIELD CONDITIONS

The corner has not been perpetuated due to possible ongoing tree and brush removal. The re-established corner falls in an undeveloped area with no occupational features extending in any of the four cardinal directions.

RECORDED AND UNRECORDED INFORMATION USED TO RECOVER AND VERIFY THE LOCATION OF THIS CORNER

July 14, 1810 – Aaron Greeley, Surveyor of Private Claim #141.

July 14, 1810 – Aaron Greeley, Surveyor of Private Claim #626

April 7, 1930 – “PALISADES MANOR SUBDIVISION” a plat recorded in Liber 44 of Plats on page 35 of Macomb County Records.

May 1, 1946 – “SUPERVISOR’S PLAT OF OBERLIESEN SUBDIVISION” a plat recorded in Liber 23 of Plats of page 30 of Macomb County Records.

September 12, 1966 – “EDGAR L. KIGHT SUBDIVISION” a plat recorded in volume 57 of Plats, on pages 15-16 of Macomb County Records.

October 7, 1987 – “LAKE INDUSTRIAL CENTER SUBDIVISION” a plat recorded in Liber 83, pages 46-48 of Macomb County Records.

December 13, 1990 – “EAST POINTE INDUSTRIAL SUBDIVISION” a plat recorded in Liber 92, pages 47-50 of Macomb County Records.

RECORDED, UNRECORDED AND FIELD MEASUREMENTS BETWEEN ADJACENT CORNERS

OC-061 to PC-002 (NE corner Private Claim #626 East to NW corner Private Claim #172

Greeley 26 chains 41 links = 1743.06 Ft.
S88°37'43" E 1982.10 Ft. (mea. 2017)

OC-061 to PC-048 (NW corner Private Claim #141 also the NE corner Private Claim #139

Greeley 47 chains 48 links = 3133.68 Ft.
N88°41'39" W 3013.40 Ft. (mea. 2017)

OC-061 West to SW corner “LAKE INDUSTRIAL CENTER SUBDIVISION”


“LAKE INDUSTRIAL CENTER SUBDIVISION” = 1285.02 Ft.
N88°40'06" W 1322.67 Ft. (mea. 2017)

OC-061 West to SW corner “PALISADES MANOR SUBDIVISION”

“PALISADES MANOR SUBDIVISION” = 1322.67 Ft. (mea. 2017)
N88°40'06" W 1322.67 Ft. (mea. 2017)

SURVEYOR'S RECOMMENDATION

The corner has not been perpetuated possibly due to the ongoing tree and brush removal. The corner was re-established on the line between OC-062 (K-03) and OC-059 (M-03) at the distance calculated from "PALISADES MANOR SUBDIVISION", 1322.67 feet from the southwest corner of fractional Section 1, which is different than the distance of 1285.02 feet as depicted on "LAKE INDUSTRIAL CENTER SUBDIVISION". The difference being 37.65 feet which is very close to the distance from the northeast corner of Lot 142 of "PALISADES MANOR SUBDIVISION" to the line common to Private Claim's 141 & 626. I therefore, recommend to the Macomb County Survey Peer Group that they accept this location for OC-061 as the best evidence to be perpetuated.


Huston K. Kennedy, RS
Kennedy Surveying, Inc.

HKK/clh


Land Corner Recordation Certificate
2017 Annual Grant Agreement
Authority: MICH. 1970 PA 74, MCL 54.205

Surveyor's Name: Huston K. Kennedy
For Corner(s) in: Macomb County

Field Survey Date: October 27, 2017
Municipality: Clinton Township

Corner Type	Section Private Claim	Survey Township	Corner Code	Other Code
Original Public Land Survey Corner	Sec. 1 PC 141/626	T 02 N R 13 E	141/626/SEC1F	061

Other Code Corner Description: Northeast corner of Private Claim 141 with the Northwest corner of Private Claim 626 located on the south line of Fractional Section 1



mead 5.

C

Part A: Corner History:

- 1.) 1810 - Greely, Surveyor of Private Claim #141
- 2.) 1810 - Greely, Surveyor of Private Claim #626
- 3.) 1930 - "PALISADES MANOR SUBDIVISION", a plat recorded in Liber 44 of Plats, on page 35.
- 4.) 1946 - "SUPERVISOR'S PLAT OF OBERLIESEN SUBDIVISION" a plat recorded in Liber 23 of Plats, on page 30.
- 5.) 1966 - "EDGAR L. KIGHT SUBDIVISION" a plat recorded in volume 57 of Plats, on pages 15-16.
- 6.) 1987 - "LAKE INDUSTRIAL CENTER SUBDIVISION" a plat recorded in Liber 83 of Plats, pgs. 46-48.
- 7.) 1990 - "EAST POINTE INDUSTRIAL SUBDIVISION" a plat recorded in Liber 92 of Plats, pgs. 47-50.

Part B: Surveyor's Report on Perpetuation, Restoration, Reestablishment or Monumentation of Corner:

The corner has not been perpetuated possibly due to the ongoing tree and brush being removed. The corner was re-established on the line between OC-062 (K-03) and OC-059 (M-03) at the distance calculated from "PALISADES MANOR SUBDIVISION" 1322.67 feet from the southwest corner of fractional Section, which is different than the distance of 1285.02 feet as depicted on "LAKE INDUSTRIAL CENTER SUBDIVISION". The difference being 37.65 feet which is very close to the distance from the northeast corner of Lot 142 of "PALISADES MANOR SUBDIVISION" to the line common to Private Claim's 141 & 626.

RECORDED, UNRECORDED AND FIELD MEASUREMENTS BETWEEN ADJACENT CORNERS

OC-061 to PC-002 (NE corner Private Claim #626 East to NW corner Private Claim #172

Greeley 26 chains 41 links = 1743.06 Ft.
S88°37'43" E 1982.10 Ft. (mea. 2017)

OC-061 to PC-048 (NW corner Private Claim #141 also the NE corner Private Claim #139

Greeley 47 chains 48 links = 3133.68 Ft.
N88°41'39" W 3013.40 Ft. (mea. 2017)

OC-061 West to SW corner "LAKE INDUSTRIAL CENTER SUBDIVISION"

"LAKE INDUSTRIAL CENTER SUBDIVISION" = 1285.02 Ft.
N88°40'06" W 1322.67 Ft. (mea. 2017)

OC-061 West to SW corner "PALISADES MANOR SUBDIVISION"

"PALISADES MANOR SUBDIVISION" = 1322.67 Ft. (mea. 2017)
N88°40'06" W 1322.67 Ft. (mea. 2017)


Part C: Field Evidence of Perpetuation or Monumentation of Corner:

OC-061 I set a 4" diameter 36" long concrete monument with a 1/2" iron rod with a 2" diameter aluminum cap stamped "Macomb County Monument, MI Act #345, PS #17623" (OC-061)

Accessories:

S60°W59.46 Ft. Set Mag Nail w/washer stamped "Macomb County Witness Tag" NW face 8" Walnut
N40°E 186.76' Set Mag Nail w/washer stamped "Macomb County Witness Tag" SE face 18" Walnut
N30°W 207.54' Set Mag Nail w/washer stamped "Macomb County Witness Tag" East face 10" Walnut
N82°W 324.02' Set Mag Nail w/washer stamped "Macomb County Witness Tag" North face power pole
S15°W 8.92' Chiseled "x" on north rim of a man hole cover

I, Huston K. Kennedy, P.S., in a field survey on October 27, 2017 certify under the requirements of the State Survey and Remonumentation Act, 1990 PA 345, MCL 54.261 to 54.279, and the Corner Recordation Act, 1970 PA 74, MCL 54.201 to 54.210d, that the corner identified and described hereon has been perpetuated or monumented as described in Parts A, B, and C above, pursuant to the laws and rules of the State of Michigan.



Huston K. Kennedy, P.S.

November 3, 2017

Date

Professional Surveyor's License No.:17623

Prepared By:
Huston K. Kennedy, PS
105 North Washington Street
Oxford, Michigan 48371



Land Corner Recordation Certificate

T 02 N R 13 E Code 061

Geodetic Coordinate Data for corner

Corner Code and Narrative Description: OC-061 141/626/SEC1F

Date of Observation	Latitude	Longitude	Datum and Adjustment Year	Epoch Date
05 December 2017	N42°37'18.01563"	W-82°52'04.72255"	NAD83 (2011)	2010.0000

Method for Latitude-Longitude determination: Dual Frequency Static Observations constraining to the CORS stations of Auburn Hills (AJ5557), Livonia (DK7841) and Brighton (AJ5553), with 3 dimensional least square adjustment.

Disclaimer on accuracy of values reported relative to their use: 1' ±.

State Plane Coordinates in international feet: N-412356.76 E-13526689.37

Standard Deviation: N-0.04 E-0.06

Zone South

Combined Factor: 0.99989

NGSPID: = Washington Station (DH 9019)

Survey Method: GPS C2-11

Orthometric Height: 607.42

Elev. Datum: NAVD 88

I, Joseph C. Kapelczak, state under the requirements of the State Survey and Remonumentation Act, 1990 PA 345, MCL 54.261 to 54.279, that the Latitude and Longitude reported hereon were observed by me for the corner identified hereon and that the data reported meets the requirements prescribed for the State Survey and Remonumentation Program.

Joseph C. Kapelczak

Joseph C. Kapelczak, P.S.

Nov. 3, 2017

Date

Professional Surveyor's License No.: 24598

JCK Group, Inc.
8615 Richardson Road
Suite 100
Commerce Township, MI 48390



I, Martin C. Dunn, state that the corner identified and described hereon and perpetuated or monumented as described in Parts A, B, and C above was presented to and reviewed by the Peer Review Group on October 31, 2017 and is accepted for filing in the Macomb County Remonumentation Program.

Martin C. Dunn



Martin C. Dunn, P.S.

12-19-2017

Date

Macomb County Surveyor Representative
License No. 30081

SKETCH OF CORNER LOCATION



Scale
 Not To Scale


Land Corner Recordation Certificate
 T 02 N R 13 E Code 061

2017
MACOMB COUNTY REMONUMENTATION
GRANT PROGRAM CLINTON TOWNSHIP
OC-061

184 00 03

A189 1A-7209

7-19-77
T.G. EK




PT	186-16	PT	196	HL	188-196	FD 1/2"
1	02-43-55				71.88	176.41
2	05-27-50					
M	02-43-55					
PT	186-16	PT	197	HL	188-197	FD 1/2"
1	122-23-25				385.27	K005Z
2	244-46-50					
M	122-23-25					
PT	185-16	PT	198	HL	186-198	5CT 1/2" CI #
1	175-48-50				100.99	R L-03
2	351-37-40				100.99	M
M	175-48-50				0.00	
PT	186-16	PT	210	HR	189-210	OC-061, #
1	04-56-07				290.06	5CT 1/2" CI #
2	09-52-20				290.06	R
M	04-56-07				0.00	M
PT	186-16	PT	211	HR	189-211	FD 1/2"
1	78-49-05				34.43	5-18
2	157-38-10					
M	78-49-05					

(2)

2	PT	186-29-30	PT 191	HR	188-191	BROKEN CONC, MDN
1	48-	29-30			389.16	
2	96-	59-00				
M	48-	29-30				
2	PT	186-37-05	PT 192	HR	188-192	1/2" CI # 41094
1	47	37-05			377.69	
2	95-	14-10				
M	47-	37-05				
2	PT	186-28-05	PT 193	HR	188-193	1/2" CI # 40194
1	34-	28-05			214.44	
2	68-	56-10				
M	34-	28-05				
2	PT	186-22-35	PT 194	HR	188-194	1/2" CI # 40194
1	27-	22-35			150.75	
2	54-	45-10				
M	27-	22-35				
2	PT	186-01-10	PT 195	HR	188-195	1/2" CI # 40194
1	26-	01-10			142.66	
2	52-	02-20				
M	26-	01-10				

898	293		Y	186-185 TRAY	PT	898.36
2	PT	185-00-40	PT 187	HL	186-187	1/2" CI # 3-----
1	180-	00-40			237.71	
2	360-	01-20				
M	180-	00-40				
2	PT	185-15-00	PT 188	HL	186-188 TRAY	1/2" CI # 500.75
1	61-	15-00			500.75	
2	122-	29-55				
M	61-	14-58				
2	PT	185-47-40	PT 189	HL	186-189 TRAY	1/2" CI # 1399.20
1	180-	47-40			1399.20	
2	361-	35-15				
M	180-	47-38				
2	PT	186-59-00	PT 190	HR	185-190	1/2" CI # 55.16
1	99-	59-00			55.16	
2	199-	58-00				
M	99-	59-00				

(3)



Township N^o II North , Range N^o XIII East of Mer. (Mich. Ter.)

surveyed by W^m Preston .

1817

Description of the soil on the interior sectional lines

Between Section	Quality &c	Between Section	Quality &c
6-7	Wet clay, heavy, with N. Oak, B. Ash, Spruce, & Birch	29-30	Land / dry, Brat. N. Oak, Birch, Sugar
6-7	Land / wet, Brat. B. Oak, Elm, Spruce	19-20	Same
7-8	Same - (part dry)	19-21	1 of the plain same
7-8	Same	32-33	1st & same part N. Oak, Brat. Ash, Elm
18-19	Wet clay, Brat. N. Oak, Birch, Spruce, Elm, Ash, Spruce	29-30	Land, but dry, N. Oak, Birch, B. Ash, Spruce & Birch
18-19	Same	23-24	Brat. N. Oak
19-20	Land, but dry, N. Oak, Birch, B. Ash, Spruce, Elm	20-21	Same
2-3	Dry, Brat. Birch, Spruce, Spruce	16-17	Same
2-3	Same	16-17	Same
3-4	Same - (part wet)	25-26	Same with Birch, Spruce, Maple, good land
3-4	Land / wet, Brat. B. Oak, Elm, Spruce	21-22	Same
16-17	Wet, but Brat. - Spruce, Spruce, N. Oak, Birch, Spruce	27-28	Same
17-18	Land, good, Brat. N. Oak, Birch, Spruce, Spruce	27-28	Same
2-3	Dry, Brat. - Birch, N. Oak, Ash, Spruce	29-30	Same
4-5	Same	31-32	Same
2-3	Same	26-27	Same
3-4	Land / swampy, Brat. Spruce, B. Oak, Elm	16-17	Same
16-17	Same	21-22	Same
2-3	Land, dry, Brat. - N. Oak, Birch, Spruce	21-22	Same
2-3	Same	21-22	Same

Section	Surveyor	Acres	Quality of the Soil	Section	Surveyor	Acres	Quality of the Soil
A	W Oak	5	Common	5, 6, 7, 8	Lynn	5	776 E
"	B. Ash	3	Common	9	Maple	26	5 26 E
B	Cluster of Maple trees			7, 8, 17, 18	Hornbeam	3	Common
C	Beech	18	5 65 E	17, 18, 19, 20	Beech	6	5 81 E
"	Do	6	5 55 W	"	Do	7	5 10 E
"	Hornbeam	3	Common	21, 22, 23, 24	Lynn	5	5 75 W
D	Elm	18	5 46 W	25	Beech	8	5 82 W
"	B. Ash	20	5 53 E	26	Do	7	5 81 W
"	Maple	12	5 17 E	27	Lynn	5	5 75 W
"	Hornbeam	5	5 10 E	28	Beech	8	5 82 W
E	Beech	9	5 16 W	29, 30, 31, 32	Hornbeam	6	Common
"	Do	20	5 43 W	33	Do	7	5 10 E
"	Hornbeam	10	5 43 E	34	Lynn	12	5 75 W
"	Elm	22	5 50 W	35	Do	11	5 30 E
F	Beech	16	Common	36	B. Ash	13	5 32 E
G	Hickory	4	Common	37, 38, 39, 40	Hornbeam	6	Common
H	Lynn	18	5 65 E	41	Do	7	5 10 E
"	Do	20	5 77 W	42	Lynn	18	Common
I	Beech	11	5 75 E	43	Do	19	5 18 E
J	Beech	10	Common	44	Do	12	5 35 E
K	Beech	8	5 45 W	45	Hornbeam	10	Common
"	Do	18	5 41 E	46	Do	11	5 30 E
L	Elm	18	Common	47	Do	17	5 35 E
M	Sycamore	40	Common	48	Do	10	Common
N	Hickory	7	Common	49	Do	18	Common
O	Hornbeam	3	Common	50	Do	19	5 26 E
P	Willow	8	Common	51	Do	17	5 35 E
Q	Common	13	5 41 W	52	Do	17	5 35 E
"	W Oak	25	5 51 W	53	Do	17	5 35 E
R	Post	in Swamp		54	Do	17	5 35 E
S	B. Ash	18	5 30 E	55	Do	17	5 35 E
"	Beech	8	5 40 W	56	Do	17	5 35 E
T	Small Beech	Common		57	Do	17	5 35 E
U	Lynn	14	5 87 W	58	Do	17	5 35 E
"	W Oak	6	5 10 W	59	Do	17	5 35 E
"	Lynn	8	5 65 W	60	Do	17	5 35 E
V	Post in Swamp	in trees		61	Do	17	5 35 E
W	Sugar	8	5 75 W	62	Do	17	5 35 E
X	Hickory	10	5 30 W	63	Do	17	5 35 E
"	W Oak	11	5 25 W	64	Do	17	5 35 E
"	Elm	8	5 32 W	65	Do	17	5 35 E
Y	Elm	14	5 12 E	66	Do	17	5 35 E
"	Hickory	8	5 77 W	67	Do	17	5 35 E
"	Maple	8	5 30 W	68	Do	17	5 35 E
Z	Maple	8	5 30 W	69	Do	17	5 35 E
AA	Maple	8	5 30 W	70	Do	17	5 35 E
AB	Maple	8	5 30 W	71	Do	17	5 35 E
AC	Maple	8	5 30 W	72	Do	17	5 35 E
AD	Maple	8	5 30 W	73	Do	17	5 35 E
AE	Maple	8	5 30 W	74	Do	17	5 35 E
AF	Maple	8	5 30 W	75	Do	17	5 35 E
AG	Maple	8	5 30 W	76	Do	17	5 35 E
AH	Maple	8	5 30 W	77	Do	17	5 35 E
AI	Maple	8	5 30 W	78	Do	17	5 35 E
AJ	Maple	8	5 30 W	79	Do	17	5 35 E
AK	Maple	8	5 30 W	80	Do	17	5 35 E
AL	Maple	8	5 30 W	81	Do	17	5 35 E
AM	Maple	8	5 30 W	82	Do	17	5 35 E
AN	Maple	8	5 30 W	83	Do	17	5 35 E
AO	Maple	8	5 30 W	84	Do	17	5 35 E
AP	Maple	8	5 30 W	85	Do	17	5 35 E
AQ	Maple	8	5 30 W	86	Do	17	5 35 E
AR	Maple	8	5 30 W	87	Do	17	5 35 E
AS	Maple	8	5 30 W	88	Do	17	5 35 E
AT	Maple	8	5 30 W	89	Do	17	5 35 E
AU	Maple	8	5 30 W	90	Do	17	5 35 E
AV	Maple	8	5 30 W	91	Do	17	5 35 E
AW	Maple	8	5 30 W	92	Do	17	5 35 E
AX	Maple	8	5 30 W	93	Do	17	5 35 E
AY	Maple	8	5 30 W	94	Do	17	5 35 E
AZ	Maple	8	5 30 W	95	Do	17	5 35 E
BA	Maple	8	5 30 W	96	Do	17	5 35 E
BB	Maple	8	5 30 W	97	Do	17	5 35 E
BC	Maple	8	5 30 W	98	Do	17	5 35 E
BD	Maple	8	5 30 W	99	Do	17	5 35 E
BE	Maple	8	5 30 W	100	Do	17	5 35 E


Corners on Huron River.

1	Beech	10	5 2 E	70
2	Sycamore	30	5 62 E	46
3	Hickory	8	Common	
4	W Oak	20	5 52 E	67
"	B. Ash	18	5 53 W	48
5	Maple	8	Common	
6	B. Ash	7	Common	
7	Beech	14	5 70 W	19
"	Do	10	5 5 E	39
8	Sycamore	12	5 53 W	10
"	Elm	16	5 51 W	30


Anterior Quarter section Corners

1	W Oak	8	Common
2	Beech	10	Common
3	Hornbeam	6	Common
4	Beech	26	5 6 E
5	Do	8	5 5 E
6	Lynn	18	Common
7	Hickory	14	Common
8	Hornbeam	6	Common
9	Sycamore	22	Common
10	Elm	8	Common
11	Do	7	Common
12	Do	7	Common
13	Do	7	Common
14	Do	7	Common
15	Do	7	Common
16	Do	7	Common
17	Do	7	Common
18	Do	7	Common
19	Do	7	Common
20	Do	7	Common
21	Do	7	Common
22	Do	7	Common
23	Do	7	Common
24	Do	7	Common
25	Do	7	Common
26	Do	7	Common
27	Do	7	Common
28	Do	7	Common
29	Do	7	Common
30	Do	7	Common
31	Do	7	Common
32	Do	7	Common
33	Do	7	Common
34	Do	7	Common
35	Do	7	Common
36	Do	7	Common
37	Do	7	Common
38	Do	7	Common
39	Do	7	Common
40	Do	7	Common
41	Do	7	Common
42	Do	7	Common
43	Do	7	Common
44	Do	7	Common
45	Do	7	Common
46	Do	7	Common
47	Do	7	Common
48	Do	7	Common
49	Do	7	Common
50	Do	7	Common
51	Do	7	Common
52	Do	7	Common
53	Do	7	Common
54	Do	7	Common
55	Do	7	Common
56	Do	7	Common
57	Do	7	Common
58	Do	7	Common
59	Do	7	Common
60	Do	7	Common
61	Do	7	Common
62	Do	7	Common
63	Do	7	Common
64	Do	7	Common
65	Do	7	Common
66	Do	7	Common
67	Do	7	Common
68	Do	7	Common
69	Do	7	Common
70	Do	7	Common
71	Do	7	Common
72	Do	7	Common
73	Do	7	Common
74	Do	7	Common
75	Do	7	Common
76	Do	7	Common
77	Do	7	Common
78	Do	7	Common
79	Do	7	Common
80	Do	7	Common
81	Do	7	Common
82	Do	7	Common
83	Do	7	Common
84	Do	7	Common
85	Do	7	Common
86	Do	7	Common
87	Do	7	Common
88	Do	7	Common
89	Do	7	Common
90	Do	7	Common
91	Do	7	Common
92	Do	7	Common
93	Do	7	Common
94	Do	7	Common
95	Do	7	Common
96	Do	7	Common
97	Do	7	Common
98	Do	7	Common
99	Do	7	Common
100	Do	7	Common

Range N.° XIII East of Mer. (Mich. Ter.)




S: 2017 RESEARCH: FENNELL TR. R. REF: OLD MAP SHEET




MAP OF CLINTON TOWNSHIP

TP 2 N R 3E




Drawn and Compiled by O.B. Crane




MAP OF
CLINTON
 TOWNSHIP
 Scale 2 inches to 1 mile

Fractional Township 2 North, Range 13 East of the Michigan Meridian



1914 12

SEE PAGE 15



SEE PAGE 10

SEE PAGE 12

SEE PAGE 9

Macomb County, MI

© 2006 Rockford Map Publs., Inc.

2006



BOSS ENGINEERING

engineers • surveyors • planners • landscape architects


3121 EAST GRAND RIVER • HOWELL, MI 48843 • (517) 546-4836
 24435 HALSTED • FARMINGTON HILLS, MI 48335 • (248) 626-2677
www.bosseng.com

- Residential Subdivisions
- Commercial Developments
- Planned Unit Developments

- Wastewater Treatment Plants
- Septic System Design
- Construction Staking

- Land Divisions
- Boundary and Lot Surveys
- Topographical Surveys
- ALTA Surveys






Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200



CLINTON TWP SHEET INDEX



DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER

13-19-302-018

- AREA NUMBER: 13 (Macomb County)
 - SUB AREA NUMBER: 19 (Clinton Township)
 - BLOCK NUMBER: 302 (Industrial Area)
 - PARCEL NUMBER: 018 (Parcel 18)
- Legend**
- Platted Area Boundary Line
 - Property Line
 - Property Split Line
 - Property Combined Line
 - Township Boundary Line
 - Traverse Line
 - Dimension Extent Marks
 - Dimension Start Marks

11-01B
 CLINTON TWP.

E. 12 N.W.1/4 SEC.1 T.2N. R.13E.

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project

Note: Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet. This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586) 469-5265.



14



Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER

13-19-302-018

AREA NUMBER (with 4 digit township and range)
 TWP NUMBER (with 4 digit township and range)
 BLOCK NUMBER (with 4 digit block number)
 PARCEL NUMBER (with 4 digit parcel number)

11-01C



HARRISON TWP.

W.1/2 N.E.1/4 SEC.1 T.2N. R.13E.

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project

Note: Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.


This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-5295.



Legend

- Flatted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks





Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-302-018

AREA NUMBER: 13
 SUB AREA NUMBER: 19
 BLOCK NUMBER: 302
 PARCEL NUMBER: 018

11-01F


CLINTON TWP.
 E. 1/2 S.W. 1/4 SEC. 1 T. 2N. R. 13E.

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophoto Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.
 This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-5285.

Legend

- Platted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks



AREA	SUB AREA	BLOCK	PARCEL	DESCRIPTION
13	19	302	018	...
13	19	302	019	...
13	19	302	020	...
13	19	302	021	...
13	19	302	022	...
13	19	302	023	...
13	19	302	024	...
13	19	302	025	...
13	19	302	026	...
13	19	302	027	...
13	19	302	028	...
13	19	302	029	...
13	19	302	030	...
13	19	302	031	...
13	19	302	032	...
13	19	302	033	...
13	19	302	034	...
13	19	302	035	...
13	19	302	036	...
13	19	302	037	...
13	19	302	038	...
13	19	302	039	...
13	19	302	040	...
13	19	302	041	...
13	19	302	042	...
13	19	302	043	...
13	19	302	044	...
13	19	302	045	...
13	19	302	046	...
13	19	302	047	...
13	19	302	048	...
13	19	302	049	...
13	19	302	050	...
13	19	302	051	...
13	19	302	052	...
13	19	302	053	...
13	19	302	054	...
13	19	302	055	...
13	19	302	056	...
13	19	302	057	...
13	19	302	058	...
13	19	302	059	...
13	19	302	060	...
13	19	302	061	...
13	19	302	062	...
13	19	302	063	...
13	19	302	064	...
13	19	302	065	...
13	19	302	066	...
13	19	302	067	...
13	19	302	068	...
13	19	302	069	...
13	19	302	070	...
13	19	302	071	...
13	19	302	072	...
13	19	302	073	...
13	19	302	074	...
13	19	302	075	...
13	19	302	076	...
13	19	302	077	...
13	19	302	078	...
13	19	302	079	...
13	19	302	080	...
13	19	302	081	...
13	19	302	082	...
13	19	302	083	...
13	19	302	084	...
13	19	302	085	...
13	19	302	086	...
13	19	302	087	...
13	19	302	088	...
13	19	302	089	...
13	19	302	090	...
13	19	302	091	...
13	19	302	092	...
13	19	302	093	...
13	19	302	094	...
13	19	302	095	...
13	19	302	096	...
13	19	302	097	...
13	19	302	098	...
13	19	302	099	...
13	19	302	100	...

COPYRIGHT 2009
 MACOMB COUNTY, MI
 All Rights Reserved



GIS MACOMB COUNTY
 Planning and Economic
 Development Department
 Published: Aug 15 2016

16





Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-302-018
 AREA NUMBER (Township and Range)
 SUB AREA NUMBER (Section)
 BLOCK NUMBER (Platted Area)
 PARCEL NUMBER (Individual Parcel)

11-01G
 HARRISON TWP.
 W. 1/2 S.E. 1/4 SEC. 1 T. 2N. R. 13E.



Legend

- Platted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey of engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.

This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586) 468-5265.



No. 492

No. 141 Confirmed to
Christian Clemans

NORTH SIDE OF RIVER HURON

Description No. 141 Confirmed to Christian Clemans commencing at a White Oak tree standing on the border of River Huron, between this tract and a tract confirmed to Henry Connor thence north thirty degrees west twenty four chains seventy links to a white oak tree, thence north one hundred and twenty four chains seventy seven links to a hickory tree thence east forty seven chains forty eight links to a post the northwest corner of a tract confirmed to the claimant thence south one hundred and twenty six chains twenty three links to a post standing on the border of River Huron, thence along the border of said river up stream, south seventy five degrees west seven chains, thence north eighty five degrees west nineteen chains thence south forty degrees west eleven chains thence south twelve degrees west eleven chains fifty links to the place of beginning, containing six hundred and twenty acres and eighty seven hundredths of an acre _____

Detroit July 14, 1810

Aaron Greeley Surveyor
of private claims

Ms. 492


North Side / River Huron

Description No. 141 Confirmed to Christian
Gleason commencing at a White Oak Tree
Standing on the border of River Huron, between
this tract and a tract confirmed to Henry
Gannon thence North thirty degrees west twenty
four chains seventy links, to a White Oak
Tree, thence north, one hundred and twenty
four chains seventy seven links, to a Hickory
Tree, thence East forty seven chains forty
eight links, to a post the north west corner
of a tract confirmed to the claimant thence
South, one hundred and twenty six chains
twenty three links to a post standing on
the border of River Huron, thence along the
border of said River up stream South seventy
five degrees west seven chains, thence north
Eighty five degrees west, Nineteen chains
thence South forty degrees west Eleven
chains, thence South twelve degrees west
Eleven chains fifty links, to the place
of beginning, containing Six hundred
and twenty one Eighty seven hundredths
of an acre

Dated July 14, 1810

Amos Grubbs Surveyor
of private Claims

Recorded
No. 141 confirmed
to Christian Christians



No. 491

No. 626 Confirmed to
Christian Clemans

NORTH SIDE OF RIVER HURON

Description No. 626 Confirmed to Christian Clemans commencing at a post standing on the border of River Huron between this tract and a tract confirmed to the claimant thence north one hundred and twenty six chains twenty three links to a post thence east twenty six chains forty one links to a post the northwest corner of a tract confirmed to John Askin Junior thence south one hundred and fifty two chains fifteen links to a buttonwood tree standing on the border of River Huron thence along the border of said river up stream north eighty eight degrees west seven chains thence north forty one degrees west six chains thence north north three chains thence north twenty four degrees east seventeen chains thence north forty one degrees west seven chains thence south eighty one degrees thirty minutes west eighteen chains to the place of beginning, containing three hundred and fifty one acres and one tenth of an acre _____

Detroit July 14th, 1810

Aaron Greeley Surveyor
of private claims

No 491

North Side of River Hudson


Description of 626 Acres conferred to Christian
Clemens Commencing at a post standing
on the border of Peter Thomson between the
tract and a tract conferred to the claimant
thence north one hundred and twenty six
chains twenty three links to a post thence
East thence six chains forty one links to
a post the north west corner of a tract con-
ferred to John Astor Junior thence South
one hundred and fifty two chains fifteen
links to a Button wood Tree standing on the
border of Peter Thomson thence along the
border of said River up stream North eighty
eight degrees west seven chains thence North
forty one degrees west six chains thence South
North three chains thence North twenty four degrees
east Seventeen chains thence North fifty
one degrees west seven chains thence South
eighty one degrees thirty minutes west eight
teen chains to the place of beginning
Containing three hundred and fifty six
acres and one tenth of an acre

Detroit July 24th 1840

Aaron Gurley Surveyor
of private Claims

20-620 to 20-621
to Class Room 6-10-1919

SKETCH OF PRIVATE CLAIM 626



P.C. 626 CONFIRMED TO CHRISTIAN CLEMENS

Description No. 626 confirmed to Christian Clemens commencing at a post standing on the border of River Huron between this tract and a tract confirmed to the claimant, thence north one hundred and twenty six chains twenty three links to a post, thence east twenty six chains forty one links to a post the northwest corner of a tract confirmed to John Askin Junior thence south one hundred and fifty two chains fifteen links to a buttonwood tree standing on the border of River Huron thence along the border of said river up stream north eighty eight degrees west seven chains thence north forty one degrees west six chains thence north three chains thence north twenty four degrees east seventeen chains thence north forty one degrees west seven chains thence south eighty one degrees thirty minutes west eighteen chains to the place of beginning, containing three hundred and fifty acres and one tenth of an acre.

Detroit July 14, 1810
 Aaron Greeley Surveyor
 of Private Claims

Private Claim # 141

N00°00'00"W

8331.18'

Private Claim # 626
 (North side of River Huron)

Private Claim # 172

10041.90'

S00°00'00"W

OC-061 N90°00'00"E 1743.06'(R) 1267.20'(R) OC-059
 1982.10'(M) 1286.03'(M)

PC-012
 Clinton Twp.
 Liber 19502
 Pgs 761-762

PC-002
 Harrison Twp.
 Liber 19502
 Pgs 763-764

SE Cor.
 Fractional Sec 1

N41°00'00"W 462.00'

S81°30'00"W 1188.00'


N24°00'00"E 1122.00'

RIVER HURON (NOW KNOWN AS CLINTON RIVER)

N00°00'00"W 198.00'

N41°00'00"W 396.00'

N88°00'00"W 462.00'



PALISADES MANOR SUBDIVISION

A PART OF THE N.W. 1/4 OF SEC. 1 & PART OF SEC. 141 & 142 T. 2 N. R. 13 E.

CLINTON TWP.

MACOMB CO.

MICH. April 24 1930
J. S. Frazier

25213

Palisades Manor
April 25
High C. Whiting

April 24-1930
J. S. Frazier

April 28-1930
J. S. Frazier

KNOW ALL MEN by these presents that I, BELLE PINEL, as proprietor, and we, CHRISTIAN SCHULZ and ~~WILLIAM~~ SCHULZ, his wife, WILL C. HARTWAY and GRACE I. HARTWAY, his wife, CHARLES SCHROEDER, ANGELINE F. MORSE, JOHN L. FOX, and NELLIE G. FOX, his wife, ROBERT DOPP, and BERTHA DOPP, his wife, as vendees under land contract, have caused the land embraced in the annexed plat, to be surveyed, laid out and platted to be known as PALISADES MANOR SUBDIVISION, A PART OF THE NORTHWEST QUARTER OF SEC. 1 OF TOWNSHIP TWO NORTH, RANGE THIRTEEN (13) EAST CLINTON TOWNSHIP, MACOMB COUNTY, MICHIGAN, and that the streets and alleys as shown on said plat are hereby dedicated to the use of the public.

Witness my hand and seal this 24th day of April 1930.
Belle Pinel (L.S.)
Christian Schulz (L.S.)
Will C. Hartway (L.S.)
Charles Schroeder (L.S.)
Angeline F. Morse (L.S.)
John L. Fox (L.S.)
Nellie G. Fox (L.S.)
Robert D. Opp (L.S.)
Bertha D. Opp (L.S.)
Signed and sealed in presence of
Robert F. Madson (L.S.)
H. J. Fuller (L.S.)
Christian Schulz (L.S.)
Will C. Hartway (L.S.)
Charles Schroeder (L.S.)
Angeline F. Morse (L.S.)
John L. Fox (L.S.)
Nellie G. Fox (L.S.)
Robert D. Opp (L.S.)
Bertha D. Opp (L.S.)

STATE OF MICHIGAN)
County of Macomb) ss

On this 24th day of January, 1930, before me, a Notary Public in and for said county, personally came the above named Belle Pinel, Christian Schulz & Grace I. Hartway & Grace I. Hartway, Charles Schroeder, Angeline F. Morse, John L. Fox, Nellie G. Fox, Robert D. Opp, and Bertha D. Opp, known to me to be the persons who executed the above dedication, and acknowledged the same to be their free act and deed.

Notary Public Macomb Co., Mich.

My Commission expires Nov. 1st 1933

DESCRIPTION

The land embraced in the annexed plat of PALISADES MANOR SUBDIVISION, a part of the N.W. 1/4 of Sec. 1 and part of Sec. 141 & 142, T. 2 N., R. 13 E., Clinton Twp., Macomb Co., Mich., is described as follows:
Beginning at the N.W. corner-post of Sec. 1, T. 2 N., R. 13 E., Clinton Twp., Macomb Co., Mich., which is West a distance of 1566.0 ft. from the point of beginning. Thence East a distance of 324.0 ft. Thence S. 60 deg. 00' W. a distance of 1331.68 ft. Thence S. 87 deg. 21' W. a distance of 1324.4 ft. Thence S. 00 deg. 02' W. a distance of 1622.24 ft. Thence S. 85 deg. 45' W. a distance of 1057.65 ft. Thence S. 22 deg. 44' W. a distance of 424.45 ft. Thence N. 85 deg. 28' W. a distance of 274.03 ft. Thence S. 22 deg. 42' W. a distance of 742.41 ft. Thence N. 85 deg. 28' W. a distance of 1246.00 ft. Thence N. 05 deg. 44' E. a distance of 561.20 ft. Thence N. 05 deg. 34' W. a distance of 365.75 ft. Thence North 00 deg. 24' E. a distance of 1433.65 ft. Thence N. 23 deg. 18' E. a distance of 1647.77 ft. to the point of beginning, excepting a parcel of land described as commodity of the N.W. 1/4 of Sec. 1, T. 2 N., R. 13 E., Clinton Twp., Macomb Co., Mich., which is West a distance of 1566.0 ft. from the point of beginning.

ENGINEER'S CERTIFICATE

I hereby certify that the plat hereon delineated is a correct one and that permanent metal monuments of not less than one inch in diameter and fifteen inches in length set in concrete bases at least four inches in diameter and forty-eight inches in depth have been placed at points marked thus (b) as thereon shown at all angles in the boundaries of the land platted, at all the intersections of streets, intersections of alleys, or of streets and alleys, and at the intersections of streets and alleys with the boundaries of the plat as shown on said plat.

H. J. Fuller
REGISTERED SURVEYOR


CERTIFICATE OF TOWNSHIP APPLICANT

This plat was approved by the Township Board of the Township of Clinton, at a meeting held Jan 5 1930
J. S. Frazier
CLERK


COUNTY TREASURER'S CERTIFICATE

This is to Certify that there are no Tax Liens on this land by the State or any individual agent, and that all Taxes on land described in the annexed instrument have been paid FIVE YEARS prior to the date thereof, according to the records of this Office.
J. S. Frazier
County Treasurer, Macomb County, Mich.

This plat was approved by the County Board of Macomb County, Michigan, at a meeting held May 10-1930
J. S. Frazier
County Clerk



Vertical note: Vertical note - May 1st 1930
All of this plat lying north of center line of Hartweg Drive
Volume # 1150 - 65-31



OC-061

10408


"SUPERVISOR'S PLAT OF OBERLIESEN SUB."

OF PARTS OF FRAC. SEC. 2, & P.C. 141, T. 2 N., R. 13 E.,
CLINTON TWP., MACOMB CO., MICH.

Scale 1 in. = 200 FT. NOTE: All dimensions in feet and decimals thereof.

Walter J. Lehner,
M.C. Clemens, Mich.

L. 13
P. 30



DESCRIPTION OF LAND PLATTED
Land embraced in the annexed plat of
"SUPERVISOR'S PLAT OF OBERLIESEN SUB."
Of parts of Frac. Sec. 2, & P.C. 141,
T. 2 N., R. 13 E., Clinton Township,
Macomb County, Michigan, is described as
follows: Commencing at the S.E. corner
of Frac. Sec. 2, T. 2 N.R., 13 E., and
thence extending S. 86°-27'-20" E. 364.38
ft; thence S. 4°-27'-10" W. 573.14
ft; thence S. 40°-49' W. 591.76 ft; thence
N. 86°-08'-10" W. 1649.16 ft; thence N.
86°-28' W. 361.83 ft; thence N. 3°-27' E.
1423.0 ft; thence N. 24°-08' E. 336.0 ft;
thence S. 86°-05' E. 963.18 ft; thence
S. 28°-32'-15" W. 635.25 ft; thence S.
86°-27'-20" E. 878.25 ft. to the point
of beginning.

Examined and Approved
Margaret E. Carter
MAYOR JEWELL FARDY
Deputy Auditor General

DEDICATION
KNOW ALL MEN BY THESE PRESENTS, That I, Paul Stepnitz, Supervisor of the township of Clinton of Macomb County, State of Michigan, by virtue of authority in me vested by Section 51, Act 172, of 1929, having been duly authorized by the Township Board have caused the land described in the annexed plat to be surveyed, laid out and platted, to be known as "SUPERVISOR'S PLAT OF OBERLIESEN SUB." of parts of Frac. sec. 2, and P.C. 141, T. 2N., R. 13E., Clinton Township, Macomb County, Michigan, and that the streets as shown on said plat are now being used for such purposes.

Witnesses,
Walter V. Williams Paul Stepnitz
Walter V. Williams Supervisor of Clinton Twp.
Hugo Nieman

STATE OF MICHIGAN)
COUNTY OF MACOMB)
On this 26 day of April, A.D. 1946, before me a Notary Public in and for said county, personally came the above named Paul Stepnitz, Supervisor of Clinton Township, known to me to be the person who executed the above dedication and acknowledged the same to be his free act and deed as such Supervisor.

Margaret E. Carter
Margaret E. Carter
Notary Public in and for
Macomb Co.

My Commission expires Feb. 15, 1949

SURVEYOR'S CERTIFICATE
I hereby certify that the plat hereon delineated is a correct one and that permanent metal monuments consisting of bars not less than one half inch in diameter and 48 inches long, encased in a concrete cylinder at least four inches in diameter and 48 inches in depth have been placed at points marked thus (o) as thereon shown at all angles in the boundaries of the land platted, at all the intersections of streets, and at the intersections of streets with the boundaries of the plat as shown on said plat.

Walter J. Lehner
Walter J. Lehner
Registered Land Surveyor

CERTIFICATE OF TOWNSHIP APPROVAL
This plat was approved by the Township Board of the Township of Clinton at a meeting held April 26, A.D. 1946.

Walter J. Lehner
Walter J. Lehner
Clinton Twp. Clerk

CERTIFICATE OF APPROVAL BY COUNTY BOARD
This plat was approved on the 29 day of April A.D. 1946.

Henry L. Brown Register of Deeds
Guy A. Brown County Clerk
Wm. G. Miller County Treasurer

CERTIFICATE OF APPROVAL BY BOARD OF COUNTY ROAD COMMISSIONERS
This plat has been examined and approved on the 26 day of April 1946 by the Board of County Road Commissioners of Macomb County.

Wm. E. Malow Chairman
Roy Conner Vice-Chairman
Ray Conner Member

REGISTER'S OFFICE,
County of Macomb
Received for Record this 1st day of May A.D. 1946 at 10:37 o'clock A.M. and Recorded in Liber 23 of 1946 on Page 30
Wm. E. Malow Register



Exhibit L-3874 P-233

4


ORIGINAL

"EDGAR L. KIGHT SUB."

PART OF P.C. 141, T.2N., R.13E.
CLINTON TWP. MACOMB CO. MICH.

NOTE: All dimensions are in feet and decimals thereof.
All curvilinear dimensions are in arc lengths.

Scale: 1" = 100'



617080

PREPARED & DRAFTED BY:
LEHNER ASSOCIATES INC.
REG. CIVIL ENG. & SURVEYORS
MT. CLEMENS, MICHIGAN


Note:
All easements shown on plat are private easements for public utilities and drainage.

EXAMINED AND APPROVED
Date: 9-12-66

Allison Green
ALLISON GREEN
STATE TREASURER
By: *Richard E. Lomas*
Richard E. Lomas - Plat Examiner

REGISTER'S OFFICE
COUNTY OF MACOMB

Received for Record
September 12, 1966
at 9:30 o'clock A.M. and recorded
in Vol. 57 of PLATS in
Page 15 of 16
Raymond R. Craig
Deputy Register of Deeds



Restrictions per plat 4 thru 19 of 1955-P-11

L-57-P-15

"EDGAR L. KIGHT SUB."

PART OF P.C. 141, T.2N., R.13E.
CLINTON TWP. MACOMB CO. MICH.

817080

DEDICATION

KNOW ALL MEN BY THESE PRESENTS, That we, Norman W. Butt and Gloria F. Butt, his wife, as proprietors; Frederick F. Spaller and Nellie J. Spaller, his wife, as mortgagors and Mt. Clemens Federal Savings & Loan Association, A U.S. Corporation, as mortgagess; Paul H. Miller and Evalyn K. Miller, his wife, as mortgagors and Mt. Clemens Federal Savings & Loan Association, A U.S. Corporation, as mortgagess; Burnett M. Gibson and Mabel Gibson, his wife, as mortgagors and The Old Line Life Insurance Company of America, A Wisconsin Corporation, as mortgagess, have caused the land embraced in the annexed plat to be surveyed, laid out and platted to be known as "Edgar L. Kight Sub.", Part of P.C. 141, T. 2 N., R. 13 E., Clinton Twp., Macomb Co., Mich., and that the streets as shown on said plat are hereby dedicated to the use of the public, and that the private easements shown on said plat are hereby reserved for the use of the Public Utilities, or for the use of specific utilities as thereon noted, subject to the regulation and control of the use thereof by the local governmental authorities, and that no permanent structures are to be erected within the lines of said easements.

Signed In the presence of:

Duncan K. Allan witness
Marion E. Harris witness
Julie C. Sirtzema witness
John D. Leimer witness
Al Scaglin witness

Norman W. Butt L.S.
22300 Hall Road - Mt. Clemens, Michigan
Frederick F. Spaller L.S.
23514 Easy Street - Mt. Clemens, Michigan
Nellie J. Spaller L.S.
23514 Easy Street - Mt. Clemens, Michigan
Paul H. Miller L.S.
23572 Easy Street - Mt. Clemens, Michigan
Evalyn K. Miller L.S.
23572 Easy Street - Mt. Clemens, Michigan
Burnett M. Gibson L.S.
23540 Easy Street - Mt. Clemens, Michigan
Mabel Gibson L.S.
23540 Easy Street - Mt. Clemens, Michigan

Gloria F. Butt L.S.
22300 Hall Road - Mt. Clemens, Michigan
Mt. Clemens Federal Savings & Loan Association
A U.S. Corporation
77 S. Gratiot Avenue - Mt. Clemens, Michigan
A. D. Brewer L.S.
A. D. Brewer - President
Howard E. Dady L.S.
Howard E. Dady - Vice President
John Visser L.S.
John Visser - Secretary

SURVEYOR'S CERTIFICATE

I hereby certify that the plat hereon delineated is a correct one and permanent metal monuments consisting of bars not less than 1/2 inch in diameter and 6 inches in length, encased in a concrete cylinder at least 4 inches in diameter and 36 inches in depth have been placed at points marked thus (o) as hereon shown at all angles in the boundaries of the land platted, at all intersections of the lines of streets, and at the intersections of the lines of streets with the boundaries of the plat as shown on said plat.

John D. Leimer
Registered Land Surveyor, No. 5787
Mt. Clemens, Michigan

DESCRIPTION OF LAND PLATTED

The land embraced in the annexed plat of "Edgar L. Kight Sub." part of P.C. 141, T. 2 N., R. 13 E., Clinton Twp., Macomb Co., Mich. is described as follows:
Commencing at a point 770.68 feet S. 87°-14' E., 1696.14 feet S. 21°-15' W. and 328.30 feet N. 76°-16'-30" W. from the Northwest corner of P.C. 626 and thence extending

S. 21°-15' W. 244.61 feet; thence N. 81°-45' W. 954.69 feet; thence N. 86°-15'-30" W. 229.86 feet; thence N. 4°-07'-50" E. 383.76 feet; thence S. 76°-16'-30" E. 1713.95 feet to the point of beginning.
This plat contains Lots 1 thru 19, Inclusive.



ACKNOWLEDGMENTS

STATE OF MICHIGAN
County of Macomb
On this 20th day of October, A.D., 1965, before me a Notary Public In and for said County, personally came the above named Norman W. Butt and Gloria F. Butt, his wife; Frederick F. Spaller and Nellie J. Spaller, his wife; Paul H. Miller and Evalyn K. Miller, his wife and Burnett M. Gibson and Mabel Gibson, his wife, known to me to be the persons who executed the above dedication and acknowledged the same to be their free act and deed.
My Commission Expires: June 10, 1969

STATE OF MICHIGAN
County of Macomb
On this 10th day of August, A.D., 1965, before me South Rawa, a Notary Public in and for said county appeared A. D. Brewer and A. DeWitt Brewer to me personally known, who being each by me duly sworn did say that they are the President and Vice President respectively of the Mt. Clemens Federal Savings & Loan Association, a Wisconsin Corporation, and that the seal affixed to said instrument is the corporate seal of said corporation and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors and the said A. D. Brewer and DeWitt Brewer acknowledged said instrument to be the free act and deed of said corporation.
My Commission Expires: NOVEMBER 24, 1967

STATE OF WISCONSIN
County of Milwaukee
On this 29th day of August, A.D., 1965, before me N. R. Olson, a Notary Public In and for said county appeared Howard E. Dady and John Visser to me personally known, who being each by me duly sworn did say that they are the Vice President and Secretary respectively of the Old Line Life Insurance Company of America, a Wisconsin Corporation, and that the seal affixed to said instrument is the corporate seal of said corporation and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors and the said Howard E. Dady and John Visser acknowledged said instrument to be the free act and deed of said corporation.
My Commission Expires: September 29, 1968

CERTIFICATE OF MUNICIPAL APPROVAL

This plat was approved by the Township Board of the Township of Clinton at a meeting held JAN. 26, 1966, and complies with Sec. 19A and the width of lots is in compliance with requirements of Section 30, Act 172, of 1929, as amended.

CERTIFICATE OF APPROVAL BY COUNTY BOARD

This plat was approved on the 16th day of FEBRUARY, 1966, by the Macomb County Plat Board.
James J. Walker - Clerk
Thomas J. Walsh - Drain Commissioner
Lynn Whalen - County Treasurer
Edna Miller - County Clerk

CERTIFICATE OF APPROVAL BY BOARD OF COUNTY ROAD COMMISSIONERS

This plat has been examined and was approved on the 8 day of February, 1966, by the Macomb County Board of Road Commissioners.
Ernest McCollom - Chairman
Lawrence Osbunke - Vice Chairman
Keith Boyenschen - Member

This is to certify that according to the County Treasurer's records there are no taxes on this property and that taxes are paid for this year provided to date of this instrument.
Date: FEB - 9 1966
Lynn Whalen, Macomb County Treasurer, Per: 16
This certification does not include current taxes now being collected.

REGISTER'S OFFICE COUNTY OF MACOMB

Received for Record
September 12, 1966
at 9:30 o'clock A.M., and recorded
in Vol. 57 of PLATS, on
Page 15 of 16.
Raymond E. Hoag
Deputy Register of Deeds

L.57-P16

LAKE INDUSTRIAL CENTER SUBDIVISION

PART OF THE N.W. 1/4 OF FRAC'L. SECTION 1, T.2N., R.13E.,
CLINTON TOWNSHIP, MACOMB COUNTY, MICHIGAN

REGISTER # 8194417

SHEET 1 OF 3

- PLAT LEGEND**
- ALL DIMENSIONS ARE IN FEET.
 - ALL DIMENSIONS ARE SHOWN ON THE ARC.
 - R. = RADIUS, DELTA = DELTA, CHORD = CHORD, BEARING = BEARING, NOT RADIAL.
 - R. = RADIUS, DELTA = DELTA, CHORD = CHORD, BEARING = BEARING, NOT RADIAL.
 - PERMANENT METAL CONCRETE CYPILINDERS NOT LESS THAN ONE-HALF (1/2) INCH IN DIAMETER, THIRTY-SIX (36) INCHES IN LENGTH, ENCASED IN A CONCRETE CYLINDER AT LEAST FOUR (4) INCHES IN DIAMETER AND THIRTY-SIX (36) INCHES IN DEPTH, HAVE BEEN PLACED AT A POINT MARKED THUS: "O"
 - ALL LOT MARKERS ARE STEEL BARS 1" LONG, 1/2" IN BEARINGS ARE RELATED TO PALISADES MANOR SUBDIVISION RECORDED IN LIBER 14, PAGE 35, MACOMB COUNTY RECORDS (G.T.W. R.R.)



CURVE DATA (1 THRU 8)


NO	RADIUS	ARC	DELTA	CHORD	BEARING
1	2500	59.17	89°46'23"	35.29	S.69°08'49"W.
2	2500	39.27	50°00'00"	35.35	S.44°46'23"E.
3	5000	39.19	4°58'15"	38.19	N.67°46'31"E.
4	7000	32.83	28°48'28"	39.17	N.00°13'32"E.
5	5000	32.19	4°54'15"	38.19	S.67°19'17"E.
6	5000	32.19	44°54'13"	38.19	S.67°46'51"W.
7	7000	28.88	17°34'26"	18.99	N.44°46'23"W.
8	5000	32.19	44°54'13"	38.19	N.22°40'44"E.

SURVEYOR'S CERTIFICATE

I, GEORGE F. DELY SURVEYOR, CERTIFY:
THAT I HAVE SURVEYED, DIVIDED AND MAPPED THE LAND ON THIS PLAT DESCRIBED AS FOLLOWS:
"LAKE INDUSTRIAL CENTER SUBDIVISION" A PARCEL OF LAND OF PART OF THE N.W. 1/4 OF FRACTIONAL SECTION 1, T.2N., R.13E., CLINTON TOWNSHIP, MACOMB COUNTY, MICHIGAN, BEGINNING AT A POINT ON THE EAST LINE OF PALISADES MANOR SUBDIVISION, RECORDED IN LIBER 14, PAGE 35, MACOMB COUNTY RECORDS, MEASURING EAST 991.80 FEET ALONG THE NORTH LINE OF FRACTIONAL SECTION 1, THENCE S.29°10'00" N. 1647.77 FEET FROM THE N.W. CORNER OF SAID FRACTIONAL SECTION 1, THENCE EAST 592.66 FEET, THENCE S.00°04'38"E. 773.37 FEET, THENCE EAST 400.00 FEET, THENCE IN LIBER 41 ON PAGE 35 OF MACOMB COUNTY RECORDS, THENCE S.00°04'38"E. 773.37 FEET, THENCE S.00°04'38"E. 773.37 FEET TO A POINT IN THE NORTH LINE OF PALISADES MANOR SUB., RECORDED IN LIBER 23 OF MACOMB COUNTY RECORDS, SAID LINE BEING THE SOUTH FRACTIONAL LINE OF SECTION 1, T.2N., R.13E., CLINTON TOWNSHIP, MACOMB COUNTY, BEGINNING AND CONTAINING 20 LOTS, 1 THROUGH 20 INCLUSIVE, AND 25.545 ACRES OF LAND AND OUTLOT A. THAT I HAVE MADE SUCH SURVEY, LAND DIVISION AND PLAT BY THE DIRECTION OF THE OWNERS OF SUCH LAND. THAT SUCH PLAT IS A CORRECT REPRESENTATION OF ALL EXTERIOR BOUNDARIES OF THE LAND SURVEYED AND THE SUBDIVISION OF IT.
THAT THE REQUIRED MONUMENTS AND LOT MARKERS HAVE BEEN LOCATED IN THE GROUND OR THAT SURVEY HAS BEEN DEPOSITED WITH THE MUNICIPALITY, AS REQUIRED BY SECTION 125 OF THE ACT.
THAT THE BEARINGS AND DISTANCES SHOWN ON THIS PLAT ARE TRUE TO THE ACT, AND THAT THE BEARINGS SHOWN ON THE PLAT ARE EXPRESSED AS REQUIRED BY SECTION 125 (3) OF THE ACT AND AS EXPANDED IN THE LEGEND.

DATED January 23, 1987

George F. Dely, RUS #234
3708 E. 21st St.
Mt. Clemens, Michigan 48043



UNPLATTED

UNPLATTED

UNPLATTED

UNPLATTED

UNPLATTED

UNPLATTED

L-83 P.46

PREPARED BY: GEORGE F. DELY - MT. CLEMENS, MICH.

6

LAKE INDUSTRIAL CENTER SUBDIVISION

SHEET 2 OF 3

PART OF THE NW. 1/4 OF FRAC'L. SECTION 1, T.2N., R.13E., CLINTON TOWNSHIP, MACOMB COUNTY, MICHIGAN.

COUNTY TREASURER'S CERTIFICATE

THE RECORDS IN MY OFFICE SHOW NO UNPAID TAXES OR SPECIAL ASSESSMENTS FOR THE FIVE YEARS PRECEDING SEP. 4, 1987 INVOLVING THE LANDS INCLUDED IN THIS PLAT.

Mary Jane Kummholz
 COUNTY TREASURER, Mary Jane Kummholz
 MACOMB COUNTY

COUNTY DRAIN COMMISSIONER'S CERTIFICATE

APPROVED ON 10/6/87 AS COMPLYING WITH SECTION 182 OF ACT 288, P.A. 1967 AND THE APPLICABLE PUBLISHED RULES AND REGULATIONS EXCEPT WHERE IN THIS COUNTY OF MACOMB.

Thomas S. Welsh
 THOMAS S. WELSH, DRAIN COMMISSIONER
 MACOMB COUNTY.

CERTIFICATE OF COUNTY ROAD COMMISSIONERS

APPROVED ON Sept. 15, 1987 AS COMPLYING WITH SECTION 183 OF ACT 288, P.A. 1967 AND THE APPLICABLE PUBLISHED RULES AND REGULATIONS OF THE BOARD OF ROAD COMMISSIONERS OF MACOMB COUNTY.

Matthew J. Gaherty
 CHAIRMAN, MATTHEW J. GAHERTY

John J. Zoccola
 VICE CHAIRMAN, JOHN J. ZOCOLA

Mary Louise Diener
 COMMISSIONER, MARY LOUISE DIENER

COUNTY PLAT BOARD CERTIFICATE

THIS PLAT HAS BEEN REVIEWED AND IS APPROVED BY THE MACOMB COUNTY PLAT BOARD ON Sept. 15, 1987 AS BEING IN COMPLIANCE WITH ALL OF THE PROVISIONS OF ACT 266, P.A. 1967, AND THE PLAT BOARD'S APPLICABLE RULES AND REGULATIONS.

Edna Miller
 EDNA MILLER, CLERK-REGISTER OF DEEDS

Mark A. Steenburgh
 BOARD OF COUNTY COMMISSIONERS
 MARK A. STEENBURGH, CHAIRMAN

Adam E. Nowakowski
 COUNTY TREASURER
 ADAM E. NOWAKOWSKI

CERTIFICATE OF MUNICIPAL APPROVAL

I CERTIFY THAT THIS PLAT WAS APPROVED BY THE TOWNSHIP BOARD OF THE TOWNSHIP OF CLINTON AT A MEETING HELD MAY 11, 1987 AND WAS REVIEWED AND FOUND TO BE IN COMPLIANCE WITH ACT 288, P.A. 1967. SURVEY HAS BEEN POSTED FOR THE INSTALLATION OF MONUMENTS AND LOT CENTER MARKERS WITHIN ONE YEAR. PUBLIC SPWER AND WATER SERVICES HAVE BEEN INSTALLED AND ARE READY FOR CONNECTION.

Dennis C. Tomlinson
 DENNIS C. TOMLINSON, CLERK

PROPRIETOR'S CERTIFICATE

We as Proprietors, certify that we caused the land embraced in this plat to be surveyed, divided, mapped and dedicated to the public use on this plat and that the streets are for the use of the public and that the public utility easements are private easements and that all other easements are for the uses shown on the plat. Outlet A is reserved for future ingress and egress to adjoining parcel.

C-W Investment Co.
 A Michigan Co-Partnership
 33414 Kelly Road
 Fraser, Michigan - 48026
 Register File No. 86-6186
 County of Macomb
 Filed October 6, 1986

Witness:

John B. Woodcock
 JOHN B. WOODCOCK

Anthony Sarotte
 ANTHONY SAROTTE

Wayne A. Abbate
 WAYNE A. ABBATE, CO-PARTNER

Francis E. Champagne
 FRANCIS E. CHAMPAGNE, CO-PARTNER

ACKNOWLEDGEMENT

STATE OF MICHIGAN)
 COUNTY OF MACOMB) SS.

Personally came before me this 3rd day of February, 1987 before me, Notary Public, and Francis E. Champagne, Co-Partner of the above named partnership, and known to be the persons who executed the foregoing instrument, and to whom the same pertains, partners of said co-partnership and acknowledge that they executed the foregoing instrument as such co-partners as the free act and deed of said partnership.

Notary Public *Jane L. Wenslav*
 JANE L. WENSLAV
 Macomb County
 Michigan

My Commission Expires March 31, 1990

RECORDING CERTIFICATE

STATE OF MICHIGAN)
 COUNTY OF MACOMB) S.S.

THIS PLAT WAS RECEIVED FOR RECORD ON THE 17th DAY OF OCTOBER, A.D., 1987 AT 9:15 A.M. O'CLOCK AND IS RECORDED IN BOOK 23 OF PLAT BOOKS ON PAGES 41, 42, 43, 44.

Edna Miller
 EDNA MILLER, CLERK-REGISTER OF DEEDS
 PHYLIS J. KESSELA
 CHIEF DEPUTY CLERK-REGISTER OF DEEDS



LAKE INDUSTRIAL CENTER SUBDIVISION

PART OF THE NW 1/4 OF FRAC'L. SECTION 1, T.2N., R.13E.,
CLINTON TOWNSHIP, MACOMB COUNTY, MICHIGAN

SHEET 3 OF 3

PROPRIETOR'S CERTIFICATE

Hartford Corp., a Michigan Corporation duly organized and operating under the laws of the State of Michigan by Michael McClain, President, and Michael McClain, Secretary/Treasurer, as proprietor, has caused a certain parcel of land, hereinafter mapped and dedicated as represented, to be surveyed, divided, and platted into lots, streets, and easements. The streets, easements are for the use of the public; that the public utility easements are private easements and that all other easements are for the uses shown on the plat. Outlot A is reserved for future ingress and egress to adjoining parcel.

Hartford Corp.
27950 Orchard Lake Road
Farmington Hills, Michigan 48016

WITNESS:

Anthony Sarrate
Anthony Sarrate

Anthony Sarrate
Anthony Sarrate

Michael McClain
Michael McClain, President

Michael McClain
Michael McClain
Secretary/Treasurer

EXAMINED AND APPROVED

On Oct. 5, 1987

BY THE DEPARTMENT
OF CONSUMER

Richard E. P.
Richard E. Lovvick, RLS
Manager, Plat Section

ACKNOWLEDGMENT

State of Michigan) S.S.
County of Macomb)

Personally came before me this 5th day of Oct., 1987
Michael McClain, Secretary/Treasurer of the above
named Corporation to me known to be the
same person who executed the
foregoing instrument and to me known to be such President and
Secretary/Treasurer of said Corporation and acknowledged that
he executed the foregoing instrument as such officers as the
free act and deed of said Corporation, by its authority.

NOTARY PUBLIC *George F. Dely* Macomb County, Michigan.
My Commission Expires 2/28/1990

George F. Dely



L.83 P.48




Prepared by: GEORGE F. DELY - MT. CLEMENS, MICHIGAN

EAST POINTE INDUSTRIAL SUBDIVISION
 A SUBDIVISION OF PART OF EAST 1/2 & 2.8 WEST 1/2 OF
 FRACTIONAL SECTION 1, T.2N., R.13E., CLINTON TOWNSHIP,
 MACOMB CO., MICHIGAN

Register # B 531176

LOT	AREA	LONG. CHORD	CHORD	DELT.
1	388.95	5.7735467° E.	150.053	27.42827
2	305.00	5.7735467° E.	175.071	26.22277
3	385.00	5.8714239° E.	81.02	0.78145
4	385.00	5.8714239° E.	81.02	0.78145
5	312.00	5.8714239° E.	50.11	0.57739

UNPLATTED,



LEGEND
 ALL DIMENSIONS ARE SHOWN IN FEET.
 ALL CURVED NEAR DIMENSIONS ARE SHOWN
 ALONG THE CHORD.
 THE SYMBOL "S" INDICATES A 4" DIAMETER
 36" LONG W/1/2" IRON ROD CENTER CONCRETE
 MONUMENT.
 (R) INDICATES RURAL LOT LINES.
 (R) INDICATES RURAL LOT LINES.
 ALL LOT MARKERS ARE 18" LONG 1/2" IRON.
 BEARINGS BASED ON THE WESTERN LINE OF
 NORTH GROESBECK HIGHWAY AS RECORDED IN
 LIBER 21 PAGE 1. NO DIRECT VEHICULAR ACCESS
 TO GROESBECK AVENUE (R.13E) FROM LOTS 1 AND 17
 AND THAT THERE SHALL BE NO DIRECT VEHICULAR
 ACCESS TO THE L-94 CONNECTOR (SHOVER ROAD)
 FROM LOTS 8 AND 9.



Robert L. Smith
 ROBERT L. SMITH

P.C. 626
 CLINTON TOWNSHIP


P.C. 172
 HARRISON TOWNSHIP

7

EAST POINTE INDUSTRIAL SUBDIVISION
 A SUBDIVISION OF PART OF EAST 1/2 & WEST 1/2 OF
 FRACTIONAL SECTION 1, T.2N., R.13E., CLINTON TOWNSHIP,
 MACOMB CO., MICHIGAN

CURVE DATA																																																										
STATION	CHORD BEGINS	CHORD ENDS	DELTA																																																							
1	100.00	100.00	180°																																																							
2	100.00	100.00	180°																																																							
3	100.00	100.00	180°																																																							
4	100.00	100.00	180°																																																							
5	100.00	100.00	180°																																																							
6	100.00	100.00 <table border="1" <tr> <td>7</td> <td>1700</td> <td>1700</td> <td>180°</td> </tr> <tr> <td>8</td> <td>5000</td> <td>5000</td> <td>180°</td> </tr> <tr> <td>9</td> <td>527</td> <td>527</td> <td>180°</td> </tr> <tr> <td>10</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>11</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>12</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>13</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>14</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>15</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>16</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>17</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>18</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>19</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr> <tr> <td>20</td> <td>5127</td> <td>5127</td> <td>180°</td> </tr>	7	1700	1700	180°	8	5000	5000	180°	9	527	527	180°	10	5127	5127	180°	11	5127	5127	180°	12	5127	5127	180°	13	5127	5127	180°	14	5127	5127	180°	15	5127	5127	180°	16	5127	5127	180°	17	5127	5127	180°	18	5127	5127	180°	19	5127	5127	180°	20	5127	5127	180°
7	1700	1700	180°																																																							
8	5000	5000	180°																																																							
9	527	527	180°																																																							
10	5127	5127	180°																																																							
11	5127	5127	180°																																																							
12	5127	5127	180°																																																							
13	5127	5127	180°																																																							
14	5127	5127	180°																																																							
15	5127	5127	180°																																																							
16	5127	5127	180°																																																							
17	5127	5127	180°																																																							
18	5127	5127	180°																																																							
19	5127	5127	180°																																																							
20	5127	5127	180°																																																							

UNPLATTED



MATCH LINE SEE SHEET 1 OF 4

HARRISON TOWNSHIP

UNPLATTED

SOUTH LINE OF FRACTIONAL SECTION 1

P.C. 172

N. 82° 25' 39" W. 2433.07'


N. 82° 30' 15" W. 8722'

N. 03° 24' 00" E. 4523.9'


N. 03° 24' 00" W. 2288.1'

1-94 CONNECTOR (SNOVER ROAD) 219' R.O.W.
 HARRISON TOWNSHIP
 LIBER 672, PAGES 408 & 409

UNPLATTED



SCALE 1" = 80'



LEGEND
 ALL DIMENSIONS ARE SHOWN IN FEET.
 ALL CURVED LINEAR DIMENSIONS ARE SHOWN ALONG THE CHORD.
 THE SYMBOL "S" INDICATES A 4" DIAMETER 36" LONG W/ 1/2" IRON ROD CENTER CONCRETE MONUMENT.
 ALL LOT MARKERS ARE 18" LONG 1/2" IRONS.
 (R) INDICATES RADIUS OF CURVE.
 (C) INDICATES CHORD OF CURVE.
 BEARINGS BASED ON THE WESTERLY LINE OF LIBER 214 & 215, MACOMB COUNTY RECORDS. THERE SHALL BE NO OTHER PARTICULAR ACCESS TO GRANT TO BE MADE FROM LOTS 1 AND 17. ACCESS TO THESE SHALL BE BY DIST. BERGQUIST ACCESS TO THE 1-94 CONNECTOR (SNOVER ROAD) FROM LOTS 8 AND 9.



Robert L. Smith
 ROBERT L. SMITH

EAST POINTE INDUSTRIAL SUBDIVISION
A SUBDIVISION OF PART OF EAST 1/2 & WEST 1/2 OF
FRACTIONAL SECTION 1, T.2N., R.13E., CLINTON TOWNSHIP,
MACOMB CO., MICHIGAN

COUNTY TREASURER'S CERTIFICATE

The records in my office show no unpaid taxes or special assessments for the five years preceding 12/1/52, involving the lands included in this plat.

Gloria J. Springer
GLORIA J. SPRINGER, CLERK COUNTY
TREASURER COUNTY OF MACOMB

CERTIFICATE OF MUNICIPAL APPROVAL

I certify that this plat was approved by the Township Board of the Township of Clinton, at a meeting held 1/11/53 and was reviewed and found to be in compliance with Act 288, P.A. of 1967 and that the public sewer and public water services have been investigated and are ready for use within this plat.

and that survey is posted for one year to insure the placement of monuments and lot markers.

Bertie J. Johnson
BERTIE JOHNSON, TOWNSHIP CLERK

COUNTY DEAN, COMMISSIONER'S CERTIFICATE

Approved on 12/1/52, as complying with Section 192 of Act 288, P.A. 1967, and the applicable rules and regulations published by my office in the County of Macomb.

Thomas S. Nelson
THOMAS S. NELSON, COMMISSIONER OF PUBLIC WORKS

MICHIGAN DEPARTMENT OF TRANSPORTATION

APPROVED ON 12/1/52 AS COMPLYING WITH ACT 288, P.A. OF 1967 AND THE APPLICABLE PUBLISHED RULES AND REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

James P. Pitts
JAMES P. PITTS, DIRECTOR

CERTIFICATE OF COUNTY ROAD COMMISSIONER'S

Approved on 12/1/52 as complying with Section 183 of Act 288, P.A. 1967 and the applicable published rules and regulations of the Board of Road Commissioners of Macomb County.

Raymond J. Liberty
RAYMOND J. LIBERTY, CHAIRPERSON
JOHN J. WOLLA, VICE-CHAIRPERSON
COMMISSIONER

COUNTY PLAT BOARD CERTIFICATE

This plat has been reviewed and is approved by the Macomb County Plat Board on 12/1/52 and is being in compliance with all of the provisions of Act 288, P.A. 1967, and the plat board's applicable rules and regulations.

Robert C. Stuebel
ROBERT C. STUEBEL
CHAIRMAN, COUNTY BOARD OF
COMMISSIONERS

Edgar Miller
EDGAR MILLER, CLERK REGISTER OF DEEDS

RECORDING CERTIFICATE

STATE OF MICHIGAN
 MACOMB COUNTY

This plat was received for record on the 13th day of December, 1952 at 1:00 P.M. and recorded in Liber 92 of Deeds, Map 114, 1/2 S. 28.

John A. Bebeau
JOHN A. BEBEAU, REGISTER OF DEEDS
 by *Judith A. Bebeau*
Judith A. Bebeau, Deputy Register of Deeds



Robert L. Smith
ROBERT L. SMITH