

MACOMB COUNTY
INDEX OF SUPPORTING DOCUMENTS FOR

OC-069 316-NW/162-SW
Northwest corner of Private Claim 316,
Common with the
Southwest corner of Private Claim 162

CLINTON TOWNSHIP
T. 02 N., R. 13 E.

SECTION 1

<u>DATE</u>	<u>ITEM DESCRIPTION</u>
2018	INDEX
2018	PHOTOS OF CORNER

SECTION 2

<u>DATE</u>	<u>ITEM DESCRIPTION</u>
1 2018	LCRC
2 2018	SURVEYOR'S REPORT
3 2018	FIELD NOTES

SECTION 3

<u>DATE</u>	<u>ITEM DESCRIPTION</u>
1 1875	Atlas Clinton Twp
2 1895	Atlas Clinton Twp
3 1916	Atlas Clinton Twp
4 2018	PLAT BOOK MAP
5 2018	COMPOSITE MAPS WITH AERIAL IMAGE & TAX MAP

SECTION 4

<u>DATE</u>	<u>RECORD ITEM AND SOURCE</u>	<u>SURVEYOR & LICENSE</u>
1 1810	PC 645 notes - Handwritten & Transcribed	Aaron Greeley
2 1810	PC 736 notes - Handwritten & Transcribed	Aaron Greeley
3 1818	GLO Plats, County records	WM Preston
4 1933	Supervisors Plat No. 4 L16, P17	WJ Lehner (CE), #123
5 1920est	Private Claims map of PCs 220-645-736	n/a
6 1950est	Section 35 map	n/a
7 1978est 2009rev	MDOT ROW sheet129	n/a
8 2002	Anthony Estates MCCP 746	JR Fenn #23505

OC-069, Clinton Twp, T-02-N, R-13-E



Looking Northeasterly up Harper



Looking Southeasterly



Looking Southwesterly down Harper




Looking Northwesterly







Looking NE up Harper



Looking SE



Looking SW down Harper



Looking NW




Land Corner Recordation Certificate
2018 Annual Grant Agreement
Authority: MICH. 1970 PA 74, MCL 54.205

Surveyor's Name: Christopher A. Asiala
For Corner(s) in: Macomb County

Field Survey Date: April 17, 2018
Municipality: Clinton Township

Corner Type	Private Claim	Clinton Township	Corner Code	Other Code
Original Public Land Survey Corner	PC 316/162	T 02 N R 13 E	316-NW/162-SW	069

Other Code Corner Description: Northwest corner of Private Claim 316,
Common with the Southwest corner of Private Claim 162



48

C

Part A: Corner History:

<u>DATE</u>	<u>RECORD ITEM AND SOURCE</u>	<u>SURVEYOR & LICENSE</u>	<u>CORNER DESCRIPTION</u>
1 1810	PC 645 notes - Handwritten & Transcribed	Aaron Greeley	Post
2 1810	PC 736 notes - Handwritten & Transcribed	Aaron Greeley	Post
3 1818	GLO Plats, County records	WM Preston	
4 1933	Supervisors Plat No. 4 L16, P17	WJ Lehner (CE), #123	Shows PC line at lake
5 1920est	Private Claims map of PCs 220-645-736	n/a	Depicts corner, No description or Dimensions
6 1950est	Section 35 map	n/a	Depicts corner, No description or Dimensions
7 1978est 2009rev	MDOT ROW sheet129	n/a	Depicts corner, No description or Dimensions
8 2002	Anthony Estates MCCP 746	JR Fenn #23505	Point of Commencement is corner OC-069

Part B: Surveyor's Report on Perpetuation, Restoration, Reestablishment or Monumentation of Corner:

Nothing was found at the corners position at Harper Avenue north of the I-94 freeway. There is no occupation directly on the Private Claim lines to the SE, NE, or SW.

The corner is the point of commencement for the Anthony Estates Condo. The position as shown on the Anthony Estates Condo is the best evidence for the corner's position and is what I am using to reestablish it. The lake terminus of the PC line was established as OC-069 Harrison Twp.

This position is 9.40' southeasterly of the Harper centerline and PC line shown on the MDOT Right of Way map page 129.

See sketch for distances to adjacent corners

Part C: Field Evidence of Perpetuation or Monumentation of Corner:

I set a 3/4" x 24" iron rod with a 2" aluminum cap stamped "MACOMB COUNTY MONUMENT MI ACT 345, CAA 49376, OC-069" in a new monument box in the concrete pavement. Note: this is not at the current physical or legal centerline of Harper Road.

Accessories:

- N04°W 96.51' Set MAG nail W/MCR washer in top of southern-most guardrail post.
- N89°E 33.07' Set MAG nail W/MCR washer in north face of light pole.
- S18°W 134.28' Set MAG nail W/MCR washer in west face of light pole.
- S52°W 119.26' Set MAG nail W/MCR washer in top of northern-most guardrail post.

<u>Date of Observation</u>	<u>Latitude</u>	<u>Longitude</u>	<u>Datum and Adjustment Year</u>	<u>Epoch Date</u>
12-08-2018	N42° 33' 14.25255"	W082° 52' 15.04773"	NAD83(2011)	2010.0000

Method for Latitude-Longitude determination: NGS OPUS RS Solution

Disclaimer on accuracy of values reported relative to their use: 0.1' ±.

State Plane Coordinates in international feet:

N: 387671.19

E: 13526355.96

Standard Deviation: N-0.03 / E-0.030

MI South Zone

Combined Factor: 0.99990097

NGSPID: AB5951

Survey Method: MC GPS

Orthometric Height: 584.74'

Elev. Datum: NAVD88

I, Christopher A. Asiala, P.S., in a field survey on **April 17, 2018**, certify under the requirements of the State Survey and Remonumentation Act, 1990 PA 345, MCL 54.261 to 54.279, and the Corner Recordation Act, 1970 PA 74, MCL 54.201 to 54.210d, that the corner identified and described hereon has been perpetuated or monumented as described in Parts A, B, and C above, pursuant to the laws and rules of the State of Michigan.

Christopher A. Asiala

12-17-18

Christopher A. Asiala, P.S.

Date

Professional Surveyor's License No.: 49376

Prepared By: Giffels Webster
28 W. Adams, Suite 1200
Detroit, MI 48226



I, Martin C. Dunn, state that the corner(s) identified and described hereon and perpetuated or monumented as described in Parts A, B, and C above was presented to and reviewed by the Peer Review Group on **October 09, 2018** and is accepted for filing in the Macomb County Remonumentation Program.

Martin C. Dunn


12-20-2018

Martin C. Dunn, P.S.

Date

Macomb County Surveyor Representative
License No. 30081

SKETCH OF CORNER LOCATION



CLINTON TOWNSHIP

2018 MACOMB COUNTY REMON

OC-069

28 West Adams Road Suite 1290 Detroit, MI 48226 p (313) 962-4442 f (313) 962-5066 www.giffelswebster.com	Executive: JNR Manager: CAA Designer: CAA Quality Control: Reviewer Section: PC 162 & 316 T-02-N R-13-E	Developed For: Macomb County Register of Deeds	<table border="1"> <thead> <tr> <th>DATE:</th> <th>ISSUE:</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	DATE:	ISSUE:									Date: 12-10-2018 Scale: NTS Sheet: Project: 13784.60 Copyright © 2018 G. Mels Wenster. No reproduction shall be made without the prior written consent of Giffels Webster.
	DATE:	ISSUE:												
Engineers Surveyors Planners Landscape Architects														

Land Corner Recordation Certificate

T 02 N R 13 E Code 069
 Page 4 of 4

OC-069 316-NW/162-SW

Northwest corner of Private Claim 316,

Common with the Southwest corner of Private Claim 162

Clinton Township T-02-N, R-13-E

2018 Macomb Remonumentation Report.

The Private Claims were surveyed in 1810 by Aaron Greeley and the township was subdivided in 1817 by WM Preston. A post was set in 1810 at the corner.

Records:

<u>DATE</u>	<u>RECORD ITEM AND SOURCE</u>	<u>SURVEYOR & LICENSE</u>	<u>CORNER DESCRIPTION</u>
1 1810	PC 645 notes - Handwritten & Transcribed	Aaron Greeley	Post
2 1810	PC 736 notes - Handwritten & Transcribed	Aaron Greeley	Post
3 1818	GLO Plats, County records	WM Preston	
4 1933	Supervisors Plat No. 4 L16, P17	WJ Lehner (CE), #123	Shows PC line at lake
5 1920est	Private Claims map of PCs 220-645-736	n/a	Depicts corner, No description or Dimensions
6 1950est	Section 35 map	n/a	Depicts corner, No description or Dimensions
7 1978est 2009rev	MDOT ROW sheet129	n/a	Depicts corner, No description or Dimensions
8 2002	Anthony Estates MCCP 746	JR Fenn #23505	Point of Commencement is corner OC-069

Summary:

Nothing was found at the corners position at Harper Avenue north of the I-94 freeway. There is no occupation directly on the Private Claim lines to the SE, NE, or SW.

The corner is the point of commencement for the Anthony Estates Condo. The position as shown on the Anthony Estates Condo is the best evidence for the corner's position and is what I am using to reestablish it. The lake terminus of the PC line was established as OC-069 Harrison Twp.

This position is 9.40' southeasterly of the Harper centerline and PC line shown on the MDOT Right of Way map page 129.

Measurements to adjacent corners:

069 to 057

498.19' M 2018

496.98' R PC notes (7.53 ch)

069 to 041

328.99' M 2018

213.84' R PC notes (3.24 ch)


069 to 069 Harrison Twp

5352.95' M 2018 to witness corner to OC-069


SECTION CORNER WITNESS FIELD REPORT

(1)

CORNER CODE/DESC: OC-069
 TOWNSHIP: CLINTON
 TOWN 02N RANGE 13E
 DATE: 12-8-18
 CREW: DA CM
 WEATHER: 19° CLEAR
 DEPTH: 0.30



LOCATION OF CORNER INSIDE N.B. LANE OF HARPER
3.24' EASTERLY OF EASTERLY PAINT STRIPE OF LEFT TURN LANE
FD NOMING
 WHAT WAS FOUND? SET MCR CAP ON 3/4" IRON IN MON BOX




SET MAG NAIL w/MCR
 WASHER IN TOP OF
 SOUTHERN MOST
 WOOD BOARD RAIL POST
 96.51'
 N04°W

SET MAG NAIL w/MCR
 WASHER IN TOP OF
 Northern most wood
 Guard rail POST
 119.26'
 S52°W

SET MAG NAIL w/MCR
 WASHER N. FACE LIGHT
 POLE. 33.07'
 N89°E

SET MAG NAIL w/MCR WASHER
 W. FACE LIGHT POLE.
 134.28'
 S18°W



I-94 OVERPASS


1895

MAP OF CLINTON

Township 2 North Range 13 East

Scale 2 Inches to one Mile.

of the Meridian of Michigan




1916

MAP OF
CLINTON
TOWNSHIP


Scale 2 inches to 1 mile

Fractional Township 2 North, Range 13 East of the Michigan Meridian



CLINTON

T. 2 N.-R. 13 E



Reproduced with permission of Rockford Map Publishers, Inc.
Rockford, Illinois



Date of Photography: Spring 2012
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-302-018

11-35D
 CLINTON TWP.


E. 1/2 N.E. 1/4 SEC. 35 T.2N. R.13E.

Source: Macomb County Department of Planning and Economic Development
 - 2008 Digital Orthophotography Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.
 This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-5285.

Legend

- Plotted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks



AREA NUMBER	SUB AREA NUMBER	BLOCK NUMBER	PARCEL NUMBER
13-19-302-018	1	1	11-35-226-001
13-19-302-018	1	2	11-35-226-002
13-19-302-018	1	3	11-35-226-003
13-19-302-018	1	4	11-35-226-004
13-19-302-018	1	5	11-35-226-005
13-19-302-018	1	6	11-35-226-006
13-19-302-018	1	7	11-35-226-007
13-19-302-018	1	8	11-35-226-008
13-19-302-018	1	9	11-35-226-009
13-19-302-018	1	10	11-35-226-010
13-19-302-018	1	11	11-35-226-011
13-19-302-018	1	12	11-35-226-012
13-19-302-018	1	13	11-35-226-013
13-19-302-018	1	14	11-35-226-014
13-19-302-018	1	15	11-35-226-015
13-19-302-018	1	16	11-35-226-016
13-19-302-018	1	17	11-35-226-017
13-19-302-018	1	18	11-35-226-018
13-19-302-018	1	19	11-35-226-019
13-19-302-018	1	20	11-35-226-020
13-19-302-018	1	21	11-35-226-021
13-19-302-018	1	22	11-35-226-022
13-19-302-018	1	23	11-35-226-023
13-19-302-018	1	24	11-35-226-024
13-19-302-018	1	25	11-35-226-025
13-19-302-018	1	26	11-35-226-026
13-19-302-018	1	27	11-35-226-027
13-19-302-018	1	28	11-35-226-028
13-19-302-018	1	29	11-35-226-029
13-19-302-018	1	30	11-35-226-030
13-19-302-018	1	31	11-35-226-031
13-19-302-018	1	32	11-35-226-032
13-19-302-018	1	33	11-35-226-033
13-19-302-018	1	34	11-35-226-034
13-19-302-018	1	35	11-35-226-035
13-19-302-018	1	36	11-35-226-036
13-19-302-018	1	37	11-35-226-037
13-19-302-018	1	38	11-35-226-038
13-19-302-018	1	39	11-35-226-039
13-19-302-018	1	40	11-35-226-040
13-19-302-018	1	41	11-35-226-041
13-19-302-018	1	42	11-35-226-042
13-19-302-018	1	43	11-35-226-043
13-19-302-018	1	44	11-35-226-044
13-19-302-018	1	45	11-35-226-045
13-19-302-018	1	46	11-35-226-046
13-19-302-018	1	47	11-35-226-047
13-19-302-018	1	48	11-35-226-048
13-19-302-018	1	49	11-35-226-049
13-19-302-018	1	50	11-35-226-050
13-19-302-018	1	51	11-35-226-051
13-19-302-018	1	52	11-35-226-052
13-19-302-018	1	53	11-35-226-053
13-19-302-018	1	54	11-35-226-054
13-19-302-018	1	55	11-35-226-055
13-19-302-018	1	56	11-35-226-056
13-19-302-018	1	57	11-35-226-057
13-19-302-018	1	58	11-35-226-058
13-19-302-018	1	59	11-35-226-059
13-19-302-018	1	60	11-35-226-060
13-19-302-018	1	61	11-35-226-061
13-19-302-018	1	62	11-35-226-062
13-19-302-018	1	63	11-35-226-063
13-19-302-018	1	64	11-35-226-064
13-19-302-018	1	65	11-35-226-065
13-19-302-018	1	66	11-35-226-066
13-19-302-018	1	67	11-35-226-067
13-19-302-018	1	68	11-35-226-068
13-19-302-018	1	69	11-35-226-069
13-19-302-018	1	70	11-35-226-070
13-19-302-018	1	71	11-35-226-071
13-19-302-018	1	72	11-35-226-072
13-19-302-018	1	73	11-35-226-073
13-19-302-018	1	74	11-35-226-074
13-19-302-018	1	75	11-35-226-075
13-19-302-018	1	76	11-35-226-076
13-19-302-018	1	77	11-35-226-077
13-19-302-018	1	78	11-35-226-078
13-19-302-018	1	79	11-35-226-079
13-19-302-018	1	80	11-35-226-080
13-19-302-018	1	81	11-35-226-081
13-19-302-018	1	82	11-35-226-082
13-19-302-018	1	83	11-35-226-083
13-19-302-018	1	84	11-35-226-084
13-19-302-018	1	85	11-35-226-085
13-19-302-018	1	86	11-35-226-086
13-19-302-018	1	87	11-35-226-087
13-19-302-018	1	88	11-35-226-088
13-19-302-018	1	89	11-35-226-089
13-19-302-018	1	90	11-35-226-090
13-19-302-018	1	91	11-35-226-091
13-19-302-018	1	92	11-35-226-092
13-19-302-018	1	93	11-35-226-093
13-19-302-018	1	94	11-35-226-094
13-19-302-018	1	95	11-35-226-095
13-19-302-018	1	96	11-35-226-096
13-19-302-018	1	97	11-35-226-097
13-19-302-018	1	98	11-35-226-098
13-19-302-018	1	99	11-35-226-099
13-19-302-018	1	100	11-35-226-100





Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-302-018

11-35G
 CLINTON TWP.


W.1/2 S.E.1/4 SEC.35 T.2N. R.13E.

- Legend**
- Platted Area Boundary Line
 - Property Line
 - - - Property Split Line
 - - - Property Combined Line
 - - - Township Boundary Line
 - - - Traverse Line
 - Dimension Extent Marks
 - Dimension Start Marks

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.

This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-5265.



SE/1/4	SW/1/4	NE/1/4	NW/1/4
13-19-302-018	13-19-302-019	13-19-302-020	13-19-302-021
13-19-302-022	13-19-302-023	13-19-302-024	13-19-302-025
13-19-302-026	13-19-302-027	13-19-302-028	13-19-302-029
13-19-302-030	13-19-302-031	13-19-302-032	13-19-302-033
13-19-302-034	13-19-302-035	13-19-302-036	13-19-302-037
13-19-302-038	13-19-302-039	13-19-302-040	13-19-302-041
13-19-302-042	13-19-302-043	13-19-302-044	13-19-302-045
13-19-302-046	13-19-302-047	13-19-302-048	13-19-302-049
13-19-302-050	13-19-302-051	13-19-302-052	13-19-302-053
13-19-302-054	13-19-302-055	13-19-302-056	13-19-302-057
13-19-302-058	13-19-302-059	13-19-302-060	13-19-302-061
13-19-302-062	13-19-302-063	13-19-302-064	13-19-302-065
13-19-302-066	13-19-302-067	13-19-302-068	13-19-302-069
13-19-302-070	13-19-302-071	13-19-302-072	13-19-302-073
13-19-302-074	13-19-302-075	13-19-302-076	13-19-302-077
13-19-302-078	13-19-302-079	13-19-302-080	13-19-302-081
13-19-302-082	13-19-302-083	13-19-302-084	13-19-302-085
13-19-302-086	13-19-302-087	13-19-302-088	13-19-302-089
13-19-302-090	13-19-302-091	13-19-302-092	13-19-302-093
13-19-302-094	13-19-302-095	13-19-302-096	13-19-302-097
13-19-302-098	13-19-302-099	13-19-302-100	13-19-302-101
13-19-302-102	13-19-302-103	13-19-302-104	13-19-302-105
13-19-302-106	13-19-302-107	13-19-302-108	13-19-302-109
13-19-302-110	13-19-302-111	13-19-302-112	13-19-302-113
13-19-302-114	13-19-302-115	13-19-302-116	13-19-302-117
13-19-302-118	13-19-302-119	13-19-302-120	13-19-302-121
13-19-302-122	13-19-302-123	13-19-302-124	13-19-302-125
13-19-302-126	13-19-302-127	13-19-302-128	13-19-302-129
13-19-302-130	13-19-302-131	13-19-302-132	13-19-302-133
13-19-302-134	13-19-302-135	13-19-302-136	13-19-302-137
13-19-302-138	13-19-302-139	13-19-302-140	13-19-302-141
13-19-302-142	13-19-302-143	13-19-302-144	13-19-302-145
13-19-302-146	13-19-302-147	13-19-302-148	13-19-302-149
13-19-302-150	13-19-302-151	13-19-302-152	13-19-302-153
13-19-302-154	13-19-302-155	13-19-302-156	13-19-302-157
13-19-302-158	13-19-302-159	13-19-302-160	13-19-302-161
13-19-302-162	13-19-302-163	13-19-302-164	13-19-302-165
13-19-302-166	13-19-302-167	13-19-302-168	13-19-302-169
13-19-302-170	13-19-302-171	13-19-302-172	13-19-302-173
13-19-302-174	13-19-302-175	13-19-302-176	13-19-302-177
13-19-302-178	13-19-302-179	13-19-302-180	13-19-302-181
13-19-302-182	13-19-302-183	13-19-302-184	13-19-302-185
13-19-302-186	13-19-302-187	13-19-302-188	13-19-302-189
13-19-302-190	13-19-302-191	13-19-302-192	13-19-302-193
13-19-302-194	13-19-302-195	13-19-302-196	13-19-302-197
13-19-302-198	13-19-302-199	13-19-302-200	13-19-302-201



GIS **MACOMB COUNTY**
 Planning and Economic
 Development Department
 Published: Aug 15 2016




Date of Photography: Spring 2012
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-3021-018

11-36G
 HARRISON TWP.

W.1/2 S.E.1/4 SEC.36 T.2N. R.13E.



13-19-3021-018	13-19-3021-019	13-19-3021-020	13-19-3021-021	13-19-3021-022	13-19-3021-023	13-19-3021-024	13-19-3021-025	13-19-3021-026	13-19-3021-027	13-19-3021-028	13-19-3021-029	13-19-3021-030	13-19-3021-031	13-19-3021-032	13-19-3021-033	13-19-3021-034	13-19-3021-035	13-19-3021-036	13-19-3021-037	13-19-3021-038	13-19-3021-039	13-19-3021-040	13-19-3021-041	13-19-3021-042	13-19-3021-043	13-19-3021-044	13-19-3021-045	13-19-3021-046	13-19-3021-047	13-19-3021-048	13-19-3021-049	13-19-3021-050	13-19-3021-051	13-19-3021-052	13-19-3021-053	13-19-3021-054	13-19-3021-055	13-19-3021-056	13-19-3021-057	13-19-3021-058	13-19-3021-059	13-19-3021-060	13-19-3021-061	13-19-3021-062	13-19-3021-063	13-19-3021-064	13-19-3021-065	13-19-3021-066	13-19-3021-067	13-19-3021-068	13-19-3021-069	13-19-3021-070	13-19-3021-071	13-19-3021-072	13-19-3021-073	13-19-3021-074	13-19-3021-075	13-19-3021-076	13-19-3021-077	13-19-3021-078	13-19-3021-079	13-19-3021-080	13-19-3021-081	13-19-3021-082	13-19-3021-083	13-19-3021-084	13-19-3021-085	13-19-3021-086	13-19-3021-087	13-19-3021-088	13-19-3021-089	13-19-3021-090	13-19-3021-091	13-19-3021-092	13-19-3021-093	13-19-3021-094	13-19-3021-095	13-19-3021-096	13-19-3021-097	13-19-3021-098	13-19-3021-099	13-19-3021-100
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------

Legend

- Platted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks

Source: Macomb County Department of Planning and Economic Development
 - 2008 Digital Orthophotography Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.

This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-9285.





Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-302-018

AREA NUMBER TOWNSHIP UNITS COUNTY	SUB AREA NUMBER BLK/ALY/SECTION PROJECT	BLOCK NUMBER BLOCK NUMBER SECTION	PARCEL NUMBER CITY RECORD LOCAL LOT BLOCK
---	---	---	--

11-36H
 HARRISON TWP.

E. 1/2 S.E. 1/4 SEC. 36 T.2N. R. 13E.

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project


Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.
 This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-9285.

- Legend**
- Platted Area Boundary Line
 - Property Line
 - Property Split Line
 - Property Combined Line
 - Township Boundary Line
 - Traverse Line
 - Dimension Extent Marks
 - Dimension Start Marks



GIS MACOMB COUNTY
 Planning and Economic
 Development

Published: Aug 15 2016



13-19-302-018	13-19-302-019	13-19-302-020	13-19-302-021	13-19-302-022	13-19-302-023	13-19-302-024	13-19-302-025	13-19-302-026	13-19-302-027	13-19-302-028	13-19-302-029	13-19-302-030	13-19-302-031	13-19-302-032	13-19-302-033	13-19-302-034	13-19-302-035	13-19-302-036	13-19-302-037	13-19-302-038	13-19-302-039	13-19-302-040	13-19-302-041	13-19-302-042	13-19-302-043	13-19-302-044	13-19-302-045	13-19-302-046	13-19-302-047	13-19-302-048	13-19-302-049	13-19-302-050	13-19-302-051	13-19-302-052	13-19-302-053	13-19-302-054	13-19-302-055	13-19-302-056	13-19-302-057	13-19-302-058	13-19-302-059	13-19-302-060	13-19-302-061	13-19-302-062	13-19-302-063	13-19-302-064	13-19-302-065	13-19-302-066	13-19-302-067	13-19-302-068	13-19-302-069	13-19-302-070	13-19-302-071	13-19-302-072	13-19-302-073	13-19-302-074	13-19-302-075	13-19-302-076	13-19-302-077	13-19-302-078	13-19-302-079	13-19-302-080	13-19-302-081	13-19-302-082	13-19-302-083	13-19-302-084	13-19-302-085	13-19-302-086	13-19-302-087	13-19-302-088	13-19-302-089	13-19-302-090	13-19-302-091	13-19-302-092	13-19-302-093	13-19-302-094	13-19-302-095	13-19-302-096	13-19-302-097	13-19-302-098	13-19-302-099	13-19-302-100
---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------



Date of Photography: Spring 2015
 100 50 0 100 200 Feet

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER

13-19-302-018

AREA NUMBER
 CLUB AREA NUMBER
 BLOCK NUMBER
 PARCEL NUMBER

11-36E

HARRISON TWP.

W. 1/2 S.W. 1/4 SEC. 36 T. 2N. R. 13E.

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.
 This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)468-0265.

Legend

- Platted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks



GIS MACOMB COUNTY
 Planning and Economic
 Development Department
 Published: Apr 24 2017

1:1,200

COPYRIGHT 2009
 MACOMB COUNTY, MI
 All Rights Reserved

CLINTON TWP SHEET INDEX
13-19-302-018
13-19-302-019
13-19-302-020
13-19-302-021
13-19-302-022
13-19-302-023
13-19-302-024
13-19-302-025
13-19-302-026
13-19-302-027
13-19-302-028
13-19-302-029
13-19-302-030
13-19-302-031
13-19-302-032
13-19-302-033
13-19-302-034
13-19-302-035
13-19-302-036
13-19-302-037
13-19-302-038
13-19-302-039
13-19-302-040
13-19-302-041
13-19-302-042
13-19-302-043
13-19-302-044
13-19-302-045
13-19-302-046
13-19-302-047
13-19-302-048
13-19-302-049
13-19-302-050
13-19-302-051
13-19-302-052
13-19-302-053
13-19-302-054
13-19-302-055
13-19-302-056
13-19-302-057
13-19-302-058
13-19-302-059
13-19-302-060
13-19-302-061
13-19-302-062
13-19-302-063
13-19-302-064
13-19-302-065
13-19-302-066
13-19-302-067
13-19-302-068
13-19-302-069
13-19-302-070
13-19-302-071
13-19-302-072
13-19-302-073
13-19-302-074
13-19-302-075
13-19-302-076
13-19-302-077
13-19-302-078
13-19-302-079
13-19-302-080
13-19-302-081
13-19-302-082
13-19-302-083
13-19-302-084
13-19-302-085
13-19-302-086
13-19-302-087
13-19-302-088
13-19-302-089
13-19-302-090
13-19-302-091
13-19-302-092
13-19-302-093
13-19-302-094
13-19-302-095
13-19-302-096
13-19-302-097
13-19-302-098
13-19-302-099
13-19-302-100



11-36F

11-36F

Date of Photography: Spring 2015
 100 50 0 100 200 Feet
 1:1,200

CLINTON TWP SHEET INDEX

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER

13-19-302-018

AREA NUMBER
 SUB AREA NUMBER
 BLOCK NUMBER
 PARCEL NUMBER

11-36F



HARRISON TWP.

E. 1/2 S.W. 1/4 SEC. 36 T.2N. R.13E.

Source: Macomb County Department of Planning and Economic Development
 - 2015 Digital Orthophotography Project
 - Parcel Conversion Project

Note: Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.

This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-0255.



AREA NUMBER	SUB AREA NUMBER	BLOCK NUMBER	PARCEL NUMBER
13	19	302	018
13	19	302	019
13	19	302	020
13	19	302	021
13	19	302	022
13	19	302	023
13	19	302	024
13	19	302	025
13	19	302	026
13	19	302	027
13	19	302	028
13	19	302	029
13	19	302	030
13	19	302	031
13	19	302	032
13	19	302	033
13	19	302	034
13	19	302	035
13	19	302	036
13	19	302	037
13	19	302	038
13	19	302	039
13	19	302	040
13	19	302	041
13	19	302	042
13	19	302	043
13	19	302	044
13	19	302	045
13	19	302	046
13	19	302	047
13	19	302	048
13	19	302	049
13	19	302	050
13	19	302	051
13	19	302	052
13	19	302	053
13	19	302	054
13	19	302	055
13	19	302	056
13	19	302	057
13	19	302	058
13	19	302	059
13	19	302	060
13	19	302	061
13	19	302	062
13	19	302	063
13	19	302	064
13	19	302	065
13	19	302	066
13	19	302	067
13	19	302	068
13	19	302	069
13	19	302	070
13	19	302	071
13	19	302	072
13	19	302	073
13	19	302	074
13	19	302	075
13	19	302	076
13	19	302	077
13	19	302	078
13	19	302	079
13	19	302	080
13	19	302	081
13	19	302	082
13	19	302	083
13	19	302	084
13	19	302	085
13	19	302	086
13	19	302	087
13	19	302	088
13	19	302	089
13	19	302	090
13	19	302	091
13	19	302	092
13	19	302	093
13	19	302	094
13	19	302	095
13	19	302	096
13	19	302	097
13	19	302	098
13	19	302	099
13	19	302	100

- Legend**
- Platted Area Boundary Line
 - Property Line
 - Property Split Line
 - Property Combined Line
 - Township Boundary Line
 - Traverse Line
 - Dimension Extent Marks
 - Dimension Start Marks



GIS MACOMB COUNTY
 Planning and Economic
 Development Department

Published: Apr 24 2017

© COPYRIGHT 2009
 MACOMB COUNTY, MI
 All Rights Reserved

No. 451

No. 162 Confirmed to
Jean Marsac
Lake St. Clair

LAKE ST. CLAIR

Description No. 162 Confirmed to Jean Marsac commencing at a
^{OC-069}
post standing on the border of Lake St. Clair between this tract
and a tract confirmed to Louis Leduc, thence north sixty one
degrees thirty minutes west ninety two chains twenty five links
to a post, ^{OC-069 (Clinton Twp)} thence north twenty eight degrees thirty minutes east
three chains twenty four links, to a post the south west corner of a
tract confirmed to Joseph Sansfacon thence south ~~seventy two~~ degrees
East twenty two chains nine links to a maple tree ^{OC-058} thence south
sixty one degrees thirty minutes east seventy seven chains fifty five
links to a post ^{OC-068} standing on the border of Lake St. Clair between
this tract and a tract confirmed to Charles Chovin thence along
the border of said lake south seventy two degrees west ten chains
ten links to the place of beginning ___ containing sixty five
acres forty four hundredths of an acre ____.

Detroit July 18, 1810

Aaron Greeley Surveyor
of private claims

N. 451.

Lake St. Clair

Description N. 162, Confirmed
to Jean Marsac commencing at
^{OC-069} post standing on the border of Lake
St. Clair between this tract and a tract
confirmed to Louis Leane, thence north
sixty one degrees thirty minutes west
sixty two chains twenty five links
to a post. Thence north twenty eight
degrees thirty minutes East. three
chains twenty four links, to a post the
south west corner of a tract Confirmed
to Joseph Sanffacon, thence
south seventy two degrees East twenty
two chains nine links, to a Maple
Tree, thence south sixty one degrees
thirty minutes East. Seventy seven
chains fifty five links, to a post stand-
^{OC-068} ing on the border of Lake St. Clair
between this tract and a tract
confirmed to Charles Chouin, thence
along the border of said Lake south
seventy two degrees west ten chains ten
links to the place of beginning con-
taining Sixty five acres forty four
hundredths of an acre.

Detroit July 18. 1810

Aaron Greeley Surveyor
of private Claims.

No. 450

No. 316 Confirmed to
Louis Leduc
Lake St. Clair

LAKE ST. CLAIR

Description No. 316 Confirmed to Louis Leduc commencing at
a ^{OC-070} post standing on the border of Lake St. Clair between this
tract and a tract confirmed to Francois Duchane thence north
sixty one degrees thirty minutes west eighty nine chains twenty
links, to a ^{OC-057} post thence north twenty eight degrees thirty minutes
east seven chains fifty three links to a ^{OC-069} post the south west
corner of a tract confirmed to Jean Marsac thence south sixty
one degrees thirty minutes east ninety two chains twenty five
links to a ^{OC-069} post standing on the border of Lake St. Clair, thence
along the border of said Lake south fifty one degrees west eight
chains twelve links to the place of beginning, containing sixty
eight acres thirty five hundredths of an acre ____.

Detroit July 18, 1810

Aaron Greeley Surveyor
of claims.


N^o. 450.

Lake St. Clair

Description N^o 316 Confirmed to
Louis Seduc, Commencing at a post
standing on the border of Lake St. - OC-070
Clair between this tract and a tract
Confirmed to Francois Duchane,
thence north sixty one degrees thirty
minutes west eighty nine chains twenty
links, to a post OC-057 thence twenty eight de-
grees thirty minutes East seven chains
fifty three links, is a post the south
west corner of a tract Confirmed to
Jean Marsac, thence south sixty one
degrees thirty minutes East ninety two
chains twenty five links, to a post OC-069 stand-
ing on the border of Lake St. Clair
thence along the border of said Lake
south fifty one degrees west eight chains
twelve links, to the place of beginning
containing sixty eight acres, thirty
five hundredths of an acre.

Detroit. July 18. 1810

Aaron Greeley Surveyor
of private Claims.



Township N: II North , Range N: XIII East of Mer. (Mich. Ter.)


Surveyed by Wm. Preston.

1847

Description of the soil on the interior sectional lines

Section	Quality &c	Section	Quality &c
5. 6	Wk. dry, sandy, sh. sub. W. Oak, Bk. Lym. S. pine	29. 20	Land & dry S. rat. W. Oak, Bush, Sugar
6. 7	Land & wet S. rat. Bk. Sh. Bush, Elm, Lym.	19. 30	Same
7. 8	Same (part dry)	19. 20	S. of the line Same
7. 18	Same	32. 50	W. S. Same - wet S. rat. W. Oak, Bk. Lym. Sh. Elm.
17. 18	Moist dry S. rat. W. Oak, Bush, Sugar, Lym. Elm, Sh. Elm.	29. 30	Land, part dry W. Oak, Bush, Bk. Sh. Lym. S. pine
18. 14	Same	28. 29	S. rat. W. Oak
19. 20	Land & S. rat. Land & dry W. Oak, Bush, Bk. Sh. Sugar, Lym.	20. 21	Same
4. 5	Dry S. rat. Bush, Sugar, Lym.	16. 21	Same
5. 8	Same	20. 29	Same
8. 9	Same (W. Oak)	23. 30	Same with Bush, Sugar, S. pine, good land
8. 19	Land & wet S. rat. Bk. Sh. Elm, Lym.	28. 23	Same
16. 17	Wk. wet S. rat. Wk. dry, good W. Oak, Bush, Sugar.	27. 18	Same
17. 20	Land, good S. rat. W. Oak, Bush, Sugar, Lym. S. pine.	21. 22	Same
3. 4	Dry S. rat. Bush, W. Oak, Sh. Sugar	50. 55	Same
6. 7	Same	37. 36	Same
2. 3	Same	26. 27	Same
3. 10	Land & Swampy S. rat. Same as Bk. Sh. Elm.	22. 27	Same
10. 11	Same	22. 25	Same
2. 11	Land, dry S. rat. W. Oak, Bush, Sugar	23. 26	Same
		24. 35	Same

Township N. 11 North, Range N. XIII East of Mer. (Mich. Ter.)




A true Copy from the Original on file in the Office Acad. Dec
 Locality exclusive of private claims — 14, 202, 99
 Surveyor General's Office }
 Feb 20th 1818 }

Edward Tiffin
 Surveyor General

POOR COPY

Township N. II North, Range N. XIV East of the Mer. (Mich. Ter.)



D. S. C. L. A. I. R.

Quantity exclusive of Private Claims 226-39
3

A true copy from the Original on file in this Office

Surveyor General's Office
July 20 1818

James Tiffin
Surveyor General

POOR COPY



max 3-1933
Jefferson Ave

SUPERVISOR'S PLAT NO 4

OF PARTS OF PCS. 164,277, 162,316, 645, 736
220 & 506 HARRISON TOWNSHIP, MACOMB
COUNTY, MICH

SCALE 1"=200'

WALTER J. LEHNER REG. CE.
MT CLEMENS, MICH



DEDICATION.
KNOW ALL MEN BY THESE PRESENTS, that I, Floyd W. Rosso, Supervisor of the Township of Harrison, Macomb County, State of Michigan, by virtue of authority in me vested by section 11 Act 172 of P.A. 1932 having been duly authorized by the Township Board have caused the land embraced in the annexed plat to be surveyed, laid out and platted, to be known as SUPERVISOR'S PLAT NO. 4 of parts of P.C.S. 164, 277, 162, 316, 645, 736, 162 & 506 Harrison Township, Macomb County, Michigan, and that the streets as shown on said plat have been dedicated to the use of the public.
Witness my hand and the seal of said County at Harrison, Michigan, this 5th day of March, A.D. 1932 before me a Notary Public in and for said county personally came the above named Floyd W. Rosso, Supervisor of Harrison Twp., known to me to be the person who executed the above dedication and acknowledged the same to be his free act and deed as such Supervisor.
Floyd W. Rosso
Supervisor for Harrison Twp.
Wm J. Peters
STATE OF MICHIGAN } SS.
COUNTY OF MACOMB }
On this 5th day of March, A.D. 1932 before me a Notary Public in and for said county personally came the above named Floyd W. Rosso, Supervisor of Harrison Twp., known to me to be the person who executed the above dedication and acknowledged the same to be his free act and deed as such Supervisor.
Carl D. Jones
Notary Public in and for Macomb County.
My commission expires March 6, 1933

DESCRIPTION.
The land embraced in the annexed plat of SUPERVISOR'S PLAT NO. 4, of parts of P.C.S. 164, 277, 162, 316, 645, 736, 220, & 506 Harrison Township, Macomb County, Mich., is described as follows:
Beginning at the intersection of the southerly line of P.C. 164 and the center line of Jefferson Ave., so called, and thence extending N. 38°-28' E. 1322.09 ft. along the center line of said Jefferson Ave.; thence S. 81°-55' E. 30.08 ft.; thence S. 20°-16' E. 191.88 ft.; thence S. 43°-42' E. 65.80 ft.; to the acre at Lake St. Clair; thence S. 21° E. S. 1/2 along the shore line 1017.28 ft.; thence N. 61°-41' W. 667.38 ft. to the easterly side line of Jefferson Ave.; thence S. 02°-28' E. 275.25 ft.; thence S. 78°-07' E. 325.58 ft.; thence S. 1/2 E. S. 1/2 along the shore line of Lake St. Clair 840.58 ft.; thence S. 59°-05' S. 09' E. 651.54 ft. to the easterly side line of Jefferson Ave.; thence S. 33°-21' W. 710.30 ft.; thence S. 38°-25' E. 188.70 ft.; thence S. 29°-05' S. 02' E. 270.47 ft.; thence S. 1/2 along the shore line of Lake St. Clair 50.69 ft.; thence S. 59°-05' S. 02' W. 304.20 ft. to the center line of Jefferson Ave.; thence S. 06°-35' E. 208.84 ft.; thence S. 33°-21' W. 703.16 ft.; thence S. 33°-25' E. 3028.07 ft.; thence S. 58°-46' S. 09' W. 5123.49 ft.; thence S. 1°-52' S. 04' E. 100.25 ft.; thence S. 70°-05' S. 02' E. 3204.88 ft. to the place of beginning.

TOWNSHIP APPROVAL.
This plat was approved by the Township Board of the Township of Harrison at a meeting held Dec 5, 1932
Carl D. Jones
TOWNSHIP CLERK.
The plat was approved by the County Board for Macomb County Michigan, at a meeting held February 22, 1933.
Richard C. ... Judge of Probate
B. ... County Clerk
... County Treasurer

SURVYOR'S CERTIFICATE.
I hereby certify that the plat herein delineated is a correct one and that permanent metal monuments of not less than one inch in diameter and fifteen inches in length set in a concrete base at least four inches in diameter and forty eight inches in length have been placed at points marked thereon as shown thereon at all angles in the boundaries of the land platted, at all intersections of streets with the boundaries of the plat as shown on said plat.
Walter J. Lehner
Registered Civil Engineer.


L. 16
P. 17
See back of plat for Harrison's State page 21 Roll - 8-3-33 P. 17

LAKE ST CLAIR

JEFFERSON AVE

NOT PART OF THIS PLAT
PC 755
PC 220
PC 220
PC 505

OC-067
OC-068
OC-069
OC-070



SHEET NO. 35
324

SW-SE CLIVE DATA HARPER AVE
 FRACT. SEC. 26
 SE-SE CLINTON T.W.P.
 T2N-R13E
 FRACT. SEC. 26

CLIVE DATA HARPER AVE
 Δ 31° 29' 45" LT
 D - 405.36
 T - 288.63
 L - 562.43
 PC=103.458
 PI=108.0200
 PT=110.7280

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

CLIVE DATA CONST. C/L 194
 Δ 63° 55' 00" LT
 D - 407.0000
 T - 750.78
 L - 430.85
 PC=1909.86
 PI=1262.55
 PT=159.5835

PARCEL	GRANTOR	C.S. 5011			C.S. 5011		
		INST.	RECORDED	LIBER PAGE	INST.	RECORDED	LIBER PAGE
954	E. ANDERSON	D	09-20-82	1354-43	-	-	-
955	P. BOMERSCHON	D	09-20-82	1354-48	LA	-	-
956	H. BITTNER	D	09-20-82	1354-47	-	-	-
957	A. NAELER	D	09-20-82	1354-49	LA	-	-
958	F. KING	D	09-20-82	1351-77	-	-	-
959	J. RICCOBONO	D	09-20-82	1354-50	-	-	-
960	J. BRODEUR	D	09-20-82	1356-86	-	-	-
961	C. BISHOP	D	09-20-82	1354-51	-	-	-
962	C. BISHOP	D	09-20-82	1354-51	-	-	-
963	H. CHAMBERLAIN	D	07-31-82	1374-53	-	-	-
964	H. CHAMBERLAIN	D	07-31-82	1374-53	-	-	-
965	H. CHAMBERLAIN	D	09-04-82	1351-80	-	-	-
966	H. CHAMBERLAIN	D	09-04-82	1351-80	-	-	-
967	H. CHAMBERLAIN	D	09-04-82	1351-82	-	-	-
968	F. BARNWELL	D	09-20-82	1356-87	-	-	-
969	F. BARNWELL	D	09-20-82	1356-87	-	-	-
970	J. ANDRES	D	07-31-82	1374-53	-	-	-
971	W. WALKER [ECC]	D	04-23-83	1419-14	-	-	-
972	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
973	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
974	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
975	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
976	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
977	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
978	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
979	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
980	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
981	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
982	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
983	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
984	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
985	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
986	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
987	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
988	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
989	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
990	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
991	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
992	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
993	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
994	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
995	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
996	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
997	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
998	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
999	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-
1000	H. F. NUNLATER	D	04-23-83	1419-14	-	-	-

PARCEL	GRANTOR	INST.	RECORDED	LIBER PAGE
970	J. ANDRES	D	05-23-82	1367-42
971	W. CHOWN	D	05-23-82	1367-42
972	P. F. GILTON	D	05-20-82	1367-58
973	R. FORTON	D	07-31-82	1370-100
974	S. SIKHAI	D	12-04-82	1397-95
975	S. PARENT	D	09-20-82	1384-28
976	E. NUNLATER	D	09-20-82	1382-430
977	E. NUNLATER	D	09-20-82	1382-430
978	E. NUNLATER	D	09-20-82	1382-430
979	E. NUNLATER	D	09-20-82	1382-430
980	E. NUNLATER	D	09-20-82	1382-430
981	E. NUNLATER	D	09-20-82	1382-430
982	E. NUNLATER	D	09-20-82	1382-430
983	E. NUNLATER	D	09-20-82	1382-430
984	E. NUNLATER	D	09-20-82	1382-430
985	E. NUNLATER	D	09-20-82	1382-430
986	E. NUNLATER	D	09-20-82	1382-430
987	E. NUNLATER	D	09-20-82	1382-430
988	E. NUNLATER	D	09-20-82	1382-430
989	E. NUNLATER	D	09-20-82	1382-430
990	E. NUNLATER	D	09-20-82	1382-430
991	E. NUNLATER	D	09-20-82	1382-430
992	E. NUNLATER	D	09-20-82	1382-430
993	E. NUNLATER	D	09-20-82	1382-430
994	E. NUNLATER	D	09-20-82	1382-430
995	E. NUNLATER	D	09-20-82	1382-430
996	E. NUNLATER	D	09-20-82	1382-430
997	E. NUNLATER	D	09-20-82	1382-430
998	E. NUNLATER	D	09-20-82	1382-430
999	E. NUNLATER	D	09-20-82	1382-430
1000	E. NUNLATER	D	09-20-82	1382-430



PARCEL	SOLD TO	INST.	DATE	SALE NO.
A	ENRI ZIBODOWSKI	LC	04-6-73	M-83-A-6
B	CLIVE CREISE PUB. SCHOOL	D	04-3-84	9-52-71
C	B OF W COMM CITY DETROIT	D	07-31-87	M-87-T-1
D	B OF W COMM CITY DETROIT	D	01-10-73	M-87-T-1

RIGHT-OF-WAY MAP

MAP PREPARED ON 1.5.01.5.
 DRAWN: JIM HERRMAN 02/78
 REVISION:
 CHECKED: JEFF RUEST 11/81
 DATE:
 COUNTY: MACOMB CO.
 FILE NO.: 50-A-2

SW-NE FRACT. SEC. 35
 SE-NE FRACT. SEC. 35
 HARPER AVE.
 P.C. 736
 P.C. 645
 P.C. 316
 HARRISON T.W.P.
 T2N-R13E
 SHEET NO. 129

**MACOMB COUNTY CONDOMINIUM
SUBDIVISION PLAN No. 746**
**EXHIBIT "B" TO THE MASTER DEED OF
ANTHONY ESTATES**
**PART OF PRIVATE CLAIM 162 & PRIVATE CLAIM 316, T.2N., R.13E.
TOWNSHIP OF CLINTON, MACOMB COUNTY, MICHIGAN**

ATTENTION COUNTY REGISTER OF DEEDS:
THE CONDOMINIUM SUBDIVISION PLAN NUMBER MUST BE
ASSIGNED IN CONSECUTIVE SEQUENCE WHEN A NUMBER
HAS BEEN ASSIGNED TO THIS PROJECT. IT MUST BE
PROPERLY SHOWN IN THE TITLE SHEET 1, AND THE
SURVEYOR'S CERTIFICATE, SHEET 2.

PROPERTY DESCRIPTION

Units 1 thru 31

Part of Private Claim 162 and Private Claim 316, T.2N., R.13E., Clinton Township, Macomb County, Michigan described as:

DRAWING INDEX:

Commencing at the Northwest corner of Private Claim 316, being also the Southwest corner of Private Claim 162; thence S.51°16'50"E. 931.47 feet along the line common to Private Claims 162 and 316 to the point of beginning, said point being on the Easterly right of way line of I-94; thence N.59°22'39"E. 122.52 feet along the Easterly right of way line of I-94; thence N.80°06'39"E. 155.48 feet along the Easterly right of way line of I-94; thence S.61°41'24"E. 616.98 feet to the West right of way line of Union Lake Road (86.0 feet wide); thence S.00°05'35"W. 133.02 feet along the West right of way line of Union Lake Road; thence S.50.04 feet along a non-tangent curve to the right having a central angle of 090°07'35", a radius of 220.00 feet and a chord of N.66°15'21"W. 35.01 feet; thence N.61°41'33"W. 479.27 feet; thence S.23°35'58" feet along a tangent curve to the left having a central angle of 68°12'50", a radius of 285.00 feet and a chord of S.85°12'00"W. 305.87 feet; thence S.52°05'35"W. 85.18 feet; thence 12.81 feet along a tangent curve to the left having a central angle of 21°34'47", a radius of 34.00 feet and a chord of S.62°52'58"W. 12.73 feet; thence 163.94 feet along a tangent curve to the left having a central angle of 156°31'13", a radius of 62.00 feet and a chord of S.04°38'16"E. 117.50 feet; thence 12.81 feet along a tangent curve to the right having a central angle of 21°34'47", a radius of 34.00 feet and a chord of S.22°05'30"E. 12.73 feet; thence S.61°18'07"E. 819.93 feet; thence 102.40 feet along a tangent curve to the left having a central angle of 20°57'15", a radius of 280.00 feet and a chord of S.71°46'44"E. 101.83 feet to the West right of way line of Union Lake Road; thence S.00°05'35"W. 137.77 feet along the West right of way line of Union Lake Road to the Northernly line of Arcadia Lodge Subdivision as recorded in Iber 4, of Plat, page 100, Macomb County records; thence N.61°18'07"W. 1285.12 feet along the Northernly line of Arcadia Lodge Subdivision to the Easterly right of way line of I-94; thence N.30°35'49"E. 283.52 feet along the Easterly right of way line of I-94; thence N.25°17'04"E. 194.80 feet along the Easterly right of way line of I-94 to the point of beginning. Containing 6.745 acres, more or less.

- 1 > TITLE PAGE
- 2 > SURVEY PLAN
- 3 > SITE PLAN
- 4 > UTILITY PLAN
- 5 > UNIT DIMENSIONS
- 6 > UNIT DIMENSIONS

Units 32 thru 53

Part of Private Claim 162 and Private Claim 316, T.2N., R.13E., Clinton Township, Macomb County, Michigan described as:

Commencing at the Northwest corner of Private Claim 316, being also the Southwest corner of Private Claim 162; thence S.51°16'50"E. 931.47 feet along the line common to Private Claims 162 and 316, said point being on the Easterly right of way line of I-94; thence N.59°22'39"E. 142.53 feet along the Easterly right of way line of I-94; thence N.80°06'39"E. 156.48 feet along the Easterly right of way line of I-94; thence S.61°41'33"E. 636.98 feet to the West right of way line of Union Lake Road (86.0 feet wide); thence S.00°05'35"W. 195.71 feet along the West right of way line of Union Lake Road to the point of beginning; thence containing S.00°05'35"W. 266.18 feet along the West right of way line of Union Lake Road; thence 72.38 feet along a non-tangent curve to the right having a central angle of 185°07'58", a radius of 220.00 feet and a chord of N.70°43'35"W. 72.05 feet; thence N.81°13'07"W. 844.47 feet; thence N.52°45'35"E. 110.71 feet; thence 254.24 feet along a tangent curve to the right having a central angle of 66°12'50", a radius of 220.00 feet and a chord of N.85°12'00"E. 240.33 feet; thence S.61°41'33"E. 429.37 feet; thence 65.12 feet along a tangent curve to the left having a central angle of 13°19'34", a radius of 280.00 feet and a chord of S.68°21'20"E. 64.98 feet to the point of beginning. Containing 4.275 acres, more or less.


Subject to any and all easements and right of way of record or otherwise.



DEVELOPER:
UNION LAKE DEVELOPMENT, L.L.C.
P.O. BOX 1184
MT. CLEMENS, MI 48046

Jeffery M. Assoriatel Inc.
42802 Mound Road
Sterling Heights, Michigan 48314
PHONE: (586) 254-9577

PROPOSED: MARCH 26, 2002
MUST BE BUILT
SHEET 1 OF 6



POINT NUMBER	NORTH	EAST
1	5746.77	4993.29
2	5299.18	4104.17
3	5371.79	4228.82
4	5398.66	4380.97
5	5096.60	4941.78
6	4963.58	4941.57
7	4977.88	4809.52
8	5170.18	4400.18
9	5179.35	4182.76
10	5126.42	4114.77
11	5120.62	4103.44
12	5003.50	4112.88
13	4999.58	4124.99
14	4893.05	4044.21
15	4416.52	4940.62
16	5018.94	3839.73
17	5239.45	4017.95
18	4990.89	4941.46
19	4634.70	4941.03
20	4688.69	4873.02
21	5088.69	4873.02
22	5132.02	4718.62
23	5192.13	4458.11
24	4974.85	4881.07
25		

- = BUILDABLE UNIT
- = GENERAL COMMON ELEMENT
- 33** = UNIT NUMBER
- = BOUNDARY COORDINATE NUMBER
- *31** = UNIT COORDINATE NUMBER

JOHN R. FENN
PROFESSIONAL SURVEYOR
No. 23505





Fenn & Associates Inc.
42802 Mound Road
Sterling Heights, Michigan 48314
PHONE: (586) 254-9577

SITE PLAN

PROPOSED MARCH 26, 2002
MUST BE BUILT

ANTHONY ESTATES
SCALE: 1" = 50'
SHEET 3 OF 6



SURVEYOR'S CERTIFICATE

I, JOHN R. FENN, PROFESSIONAL SURVEYOR OF THE STATE OF MICHIGAN, HEREBY CERTIFY:

THAT THE SUBDIVISION PLAN KNOWN AS ANTHONY ESTATES MACOMB COUNTY CONDOMINIUM SUBDIVISION PLAN No. 7446, AS SHOWN ON THE ACCOMPANYING DRAWINGS REPRESENTS A SURVEY ON THE GROUND MADE UNDER MY DIRECTION AND THAT THERE ARE NO EXISTING ENCROACHMENTS UPON THE LANDS AND PROPERTY HEREIN DESCRIBED.


THAT THE REQUIRED MONUMENTS AND IRON MARKERS HAVE BEEN LOCATED IN THE GROUND AS REQUIRED BY RULES PROMULGATED UNDER SECTION 142 OF ACT NUMBER 59 OF THE PUBLIC ACTS OF 1978, AS AMENDED.

THAT THE ACCURACY OF THIS SURVEY IS WITHIN THE LIMITS REQUIRED BY THE RULES PROMULGATED UNDER SECTION 142 OF ACT NUMBER 59 OF THE PUBLIC ACTS OF 1978, AS AMENDED.

THAT THE BEARINGS AS SHOWN ARE NOTED ON THE SURVEY PLAN AS REQUIRED BY THE RULES PROMULGATED UNDER SECTION 142 OF ACT NUMBER 59 OF THE PUBLIC ACTS OF 1978, AS AMENDED.

DATE 03-28-02

John R. Fenn
 JOHN R. FENN, PROFESSIONAL SURVEYOR
 No. 23505
 FENN & ASSOCIATES, INC.
 42802 MOUND ROAD
 STERLING HEIGHTS, MICHIGAN 48314



PROPOSED MARCH 26, 2002
 MUST BE BUILT

ANTHONY ESTATES

SCALE: 1" = 60'

0 60 120 240
 SURVEY PLAN
 SHEET 2 OF 6

Fenn & Associates Inc.
 42802 Mound Road
 Sterling Heights, Michigan 48314
 PHONE: (586) 254-9577



○ = SET 4" CONCRETE MONUMENT WITH 1/2" STEEL BAR

NOTE:
 - THIS PROPERTY DOES NOT LIE IN A FLOOD HAZARD AREA AS DETERMINED BY NATIONAL FLOOD INSURANCE PROGRAM 260121-0010-E DATED AUG. 17, 1998

- BEARINGS AS SHOWN WERE DETERMINED FROM ARCADIA LODGE SUBDIVISION LIBER 4, PAGE 100, M.C.R.