# INDEX OC-080 149-NE/165-NW NORTHEAST CORNER OF PRIVATE CLAIM 149 COMMON WITH THE NORTHWEST CORNER OF PRIVATE CLAIM 165 ON THE SOUTH LINE OF PRIVATE CLAIM 176 HARRISON TOWNSHIP T2N, R14E

# **SECTION 1:**

- 1. Index
- 2. Before Pictures of Point and in Each Cardinal Direction
- 3. After Pictures of Point

# **SECTION 2:**


- 1. LCRC
- 2. Surveyor's Report
- 3. Sketch of Private Claims (3 pages) (PC 149, 165 and PC 176)
- 4. Sketch of 2018 Private Claims Overview

# **SECTION 3:**

- 1. 1818 Surveyor General Office Map (1 page)
- 2. 1875 Map of Harrison Township (1 page)
- 3. 1895 Map of Harrison Township (1 page)
- 4. 1916 Map of Harrison Township (1 page)
- 5. 2006 Map of Harrison Township (1 page)
- 6. 2015 Harrison Township Aerial Composite Maps (3 pages 12-19F, 12-30C, 12-30D)
- 7. 2015 Harrison Township Line Maps (3 pages 12-19F, 12-30C, 12-30D)
- 8. 2015 Harrison Township Line Maps Overview (1 page)
- 9. 2018 Field Notes with Corner Witnesses (1 page)

# **SECTION 4:**

1. 1810 PC 149 Private C 2. 1810 PC 165 Private C	<b>→</b>	•		Post Post
3. 1810 PC 176 Private C	laim notes Aaron Greeley	Surveyor		Post
4. 1818 Surveyor General	Office Map Aaron Greeley	Surveyor		Object not shown
5. 1915 "Lakeside Garde	ens" Jno. Wm. Irwi	n Engineer l	L.2, P. 233	Used to establish PC line
6. 1915 "Lakeshore Gard	dens" Jno. Wm. Irwi	n Engineer l	L.3, P. 1 & 2	Used to establish PC line
7. 1920 "Reep's Subdivi	sion" Jno. Wm. Irwi	n Engineer l	L.4, P. 43	Used to establish PC line
8. 1923 "Bay Hill Subdi	vision: Jno. Wm. Irwi	n Engineer l	L.6, P.18	Used to establish PC line
9. 1940 "Riviera on the	Lake" E.L.Pettingill	Engineer 1	L.20, P.12	Used to establish PC line
10. 2007 L.C.R.C. PC-004	4 Steven Dunn	#28408 I	L.19067, P.915 & 916	Used to Control PC line terminus
11. 2007 L.C.R.C. PC-00	Steven Dunn	#28408 I	L.19067, P.917 & 918	Used to Control PC line terminus













8124499 PAGE 1 OF 3 LIBER 25676 PAGE 154 11/09/2018 02:19:28 P.M. MACOMB COUNTY, MI SEAL KATHY SMITH, REGISTER OF DEEDS

# Land Corner Recordation Certificate 2018 Annual Grant Agreement Authority: MICH. 1970 PA 74, MCL 54.205

Surveyor's Name:

Roger J. Stecker

.

Field Survey Date: 5/31/2018

For Corner(s) in:

Macomb County

Municipality: Harrison Township

Corner Type

Section Private Claim

Harrison Township

Corner Code

Other Code

Original Public Land

Survey Corner

PC 149/165


T 02 N

R 14 E

149-NE/165-NW

080

Other Code Corner Description: Northeast corner of Private Claim 149 common with the Northwest corner of Private Claim 165, located on the South line of Private Claim 176



# Part A: Corner History:

D	ate	Document	Surveyor Name	License #	Liber & Page	Item
2. 3. 4. 5. 6. 7.	1810 1810 1810 1818 1915 1915 1920 1923 1940 2007 2007	PC 149 Private Claim notes PC 165 Private Claim notes PC 176 Private Claim notes Surveyor General Office Map "Lakeside Gardens" "Lakeshore Gardens" "Reep's Subdivision" "Bay Hill Subdivision: "Riviera on the Lake" L.C.R.C. PC-004, L.C.R.C. PC-005	Aaron Greeley Aaron Greeley Aaron Greeley Aaron Greeley Jno. Wm. Irwin Steven Dunn Steven Dunn	Surveyor Surveyor Surveyor Surveyor Engineer Engineer Engineer Engineer #28408 #28408	L.2, P. 233 L.3, P. 2 & 3 L.4, P. 43 L.6, P.18 L.20, P.12 L.19067, P.915 & 916 L.19067, P.917 & 918	Post Post Post Object not shown Used to establish PC line Used to Control PC line terminus Used to Control PC line terminus

Part B: Surveyor's Report on Perpetuation, Restoration, Reestablishment or Monumentation of Corner:

No evidence of the original post was found. I consider it an obliterated corner. The only recorded reference to Private Claim line 149/165 is in Lot 6 of "Riviera on the Lake" Subdivision Item #9. From field evidence found in Item #9 I was able to establish said point. I then established a bearing along the P.C. Line common to P.C. 163/174 from field evidence found in Items #5 and #7. All Private Claims 163, 174, 165, 149 and 513 call for the same Southeast bearing of S.55°E. I found a difference of 0°16'01" between P.C. Lines 163/174 and P.C. Line 149/513. I prorated the bearing difference across Private Claims 174, 165 and 149. I then applied the prorated bearing for P.C. Line 149/165 to the calculated position in Lot 6 of "Riviera on the Lake" Item #9. I extended the prorated bearing Northwesterly to the South line of Private Claim 176 that was remonumented in 2007 by Steven Dunn. L.C.R.C. PC-004 and L.C.R.C. PC-005 Items #9 and #10 and set a 1/2" iron. The corner falls on the South Right-of-Way of Tucker Avenue along the North edge of heavy brush. There are no lines of occupation North and South. I believe the 1/2" iron best represents the corner location.

# Distances:

OC-080 to witness monument OC-078 4019.40' (60 chains, 90 links Private Claim notes) 3,899.50' prorated 3707.07' Measures 2018

OC-080 to PC-014 1456.62' (22 chains, 7 links Private Claim notes) 1194.64' Measures 2018

OC-080 to OC-081 1066.56' (16 chains, 16 links Private Claim notes) 1064.04' Measures 2018 OC-080 to PC-004 No record

617.61 Measures 2018

OC-080 to PC-005 No record

649.03 Measures 2018

# Part C: Field Evidence of Perpetuation or Monumentation of Corner:

I set a 4" diameter by 36" concrete monument with a 1/2" steel rod with a 2" diameter aluminum cap stamped "Macomb County Monument MI Act 345" #30103 OC-080

# Accessories:

N.10°W. 41.28' set mag nail and Macomb County Witness tag in West face of utility pole S.55°E. 33.58' set mag nail and Macomb County Witness tag in Southeast face of twin 18" oak S.15°W. 22.69' set mag nail and Macomb County Witness tag in West face of 12" oak West 14.22' set mag nail and Macomb County Witness tag in North face of 8" oak

Date of Observation	Latitude	Longitude	Datum and Adjustment Year	Epoch Date
9-25-18	N.42°34'26.77876"	W.82°50'44.69124"	NAD83 (2011)	2010.0000

Method for Latitude-Longitude determination: NGS OPUS Solution

Disclaimer on accuracy of values reported relative to their use: 1' ±.

State Plane Coordinates in international feet: N. 395132.83' E. 13532984.66'

Standard Deviation: N. 0.00' E. 0.03'

South Zone

Combined Factor: 0.999899175

NGSPID: NE0176 Survey Method: MC GPS Orthometric Height: 580.80 Elev. Datum: NAVD 88

Land Corner Recordation Certificate R 14 E Code 080

# Liber 25676 Page 156


I, Roger J. Stecker, P.S., in a field survey on 05/31/2018, certify under the requirements of the State Survey and Remonumentation Act, 1990 PA 345, MCL 54.261 to 54.279, and the Corner Recordation Act, 1970 PA 74, MCL 54.201 to 54.210d, that the corner identified and described hereon has been perpetuated or monumented as described in Parts A, B, and C above, pursuant to the laws and rules of the State of Michigan.

Roger J. Stecker, P.S.

Date

Professional Surveyor's License No.: 3010

Prepared By: Lehner Associates, Inc. 17001 19 Mile Road, Suite 3 Clinton Township, MI 48038




I, Martin C. Dunn, state that the corner(s) identified and described hereon and perpetuated or monumented as described in Parts A, B, and C above was presented to and reviewed by the Peer Review Group on August 7, 2018 and is accepted for filing in the Macomb County Remonumentation Program.

Martin C. Dunn, P.S.

11-7-2018

8.

Macomb County Surveyor Representative License No. 30081



# SURVEYOR'S REPORT OC-080 149-NE/165-NW NORTHEAST CORNER OF PRIVATE CLAIM 149 COMMON WITH THE NORTHWEST CORNER OF PRIVATE CLAIM 165 ON THE SOUTH LINE OF PRIVATE CLAIM 176 HARRISON TOWNSHIP T2N, R14E

# NO GLO HISTORY:

# Description of P.C. 149

CONFIRMED TO JEAN BAPTIST PARE' COMMENCING AT A POST STANDING ON THE BORDER OF LAKE ST. CLAIR BETWEEN THIS TRACT AND A TRACT CONFIRMED TO LOUIS LAFORGE THENCE NORTH FIFTY FIVE DEGREES WEST SEVENTY FOUR CHAINS SIXTY FOUR LINKS TO A BLACK ASH TREE THENCE EAST TWENTY TWO CHAINS SEVEN LINKS, TO A POST THE NORTH WEST CORNER OF A TRACT CONFIRMED TO JOSEPH DUBAY THENCE SOUTH FIFTY FIVE DEGREES EAST SIXTY CHAINS NINETY LINKS, TO A POST STANDING ON THE BORDER OF LAKE ST. CLAIR THENCE ALONG THE BORDER OF SAID LAKE SOUTH FIFTY FOUR DEGREES WEST THIRTEEN LINKS, TO THE PLACE OF BEGINNING, CONTAINING EIGHTY FIVE ACRES AND EIGHT TENTHS OF AN ACRE.

DETROIT JULY 18, 1810
AARON GREELEY SURVEYOR
OF PRIVATE CLAIMS

# Description of P.C.165

CONFIRMED TO JOSEPH DUBAY

LAKE ST. CLAIR

DESCRIPTION NO. 165 CONFIRMED TO JOSEPH DUBAY COMMENCING AT A POST STANDING ON THE BORDER OF LAKE ST. CLAIR BETWEEN THIS TRACT AND A TRACT CONFIRMED TO THE JEAN BAPTIST PARE' THENCE NORTH FIFTY FIVE DEGREES WEST SIXTY CHAINS NINETY LINKS TO A TO A CHERRY TREE THENCE EAST SIXTEEN CHAINS SIXTEEN LILNKS TO APOST THE NORTHWEST CORNER OF A TRACT CONFIRMED TO THE WIDOW AND HEIRS OF JACOB THOMAS DECEASED THENCE SOUTH FIFTY FIVE DEGREES EAST FIFTY ONE CHAINS NINETY NINE LINKS TO A POST STANDING ON THE BORDER OF LAKE ST. CLAIR THENCE ALONG THE BORDER OF SAID LAKE SOUTH SIXTY DEGREES WEST TEN CHAINS TWENTY THREE LINKS TO THE PLACE OF BEGINNING, CONTAINING FIFTY TWO ACRES THIRTY THREE HUNDREDTHS OF AN ACRE.

DETROIT JULY 18, 1810 AARON GREELEY SURVEYOR OF PRIVATE CLAIMS

# Description of P.C. 176

CONFIRMED TO PIERRE PHENIX

DESCRIPTION NO.176 CONFIRMED TO PIERRE PHOENIX COMMENCING AT A POST STANDING ON THE BORDER OF RIVER HURON BETWEEN THIS TRACT AND A TRACT CONFIRMED TO JOSEPH CAMPEAU THENCE SOUTH EIGHTY SIX CHAINS SEVEN LINKS TO A POST THENCE WEST EIGHTEEN CHAINS NINETY FOUR LINKS TO A POST THE SOUTHEAST CORNER OF A TRACT CONFIRMED TO JOSEPH BOWE, THENCE NORTH EIGHTY SEVEN CHAINS FORTY SIX LINKS TO A BEECH TREE STANDING ON THE BORDER OF RIVER HURON THENCE ALONG THE BORDER OF SAID RIVER DOWN STREAM SOUTH TWENTY FIVE DEGREES EAST FIVE CHAINS FIFTY THREE LINKS THENCE NORTH SEVENTY SEVEN DEGREES EAST SIXTEEN CHAINS THENCE NORTH EIGHTY NINE DEGREES EAST ONE CHAIN TWO LINKS TO THE PLACE OF BEGINNING, CONTAINING ONE HUNDRED AND FIFTY NINE ACRES AND NINE TENTHS OF AN ACRE.

DETROIT JULY 18, 1810
AARON GREELEY SURVEYOR
OF PRIVATE CLAIMS

# **EXISTING CONDITIONS:**

No evidence of the original post was found. I consider it an obliterated corner. The only recorded reference to Private Claim line 149/165 is in Lot 6 of "Riviera on the Lake" Subdivision Item #9. From field evidence found in Item #9 I was able to establish said point. I then established a bearing along the P.C. Line common to P.C. 163/174 from field evidence found in Items #6 and #8 and the P.C. Line common to P.C. 149/513 from field evidence found in Items #5 and #7. All Private Claims 163, 174, 165, 149 and 513 call for the same Southeast bearing of S.55°E. I found a difference of 0°16′01" between P.C. Lines 163/174 and P.C. Line 149/513. I prorated the bearing difference across Private Claims 174, 165 and 149. I then applied the prorated bearing for P.C. Line 149/165 to the calculated position in Lot 6 of "Riviera on the Lake" Item #9. I extended the prorated bearing Northwesterly to the South line of Private Claim 176 that was remonumented in 2007 by Steven Dunn. L.C.R.C. PC-004 and L.C.R.C. PC-005 Items #9 and #10 and set a 1/2" iron. The corner falls on the South Right-of-Way of Tucker Avenue along the North edge of heavy brush. There are no lines of occupation North and South. I believe the 1/2" iron best represents the corner location.

# **RECORDED & UNRECORDED SURVEYS & FIELD NOTES:**

1.	1810	PC 149 Private Claim notes	Aaron Greeley	Surveyor		Post
		PC 165 Private Claim notes	Aaron Greeley	Surveyor		Post
3.	1810	PC 176 Private Claim notes	Aaron Greeley	Surveyor		Post
4	1818	Surveyor General Office Map	Aaron Greeley	Surveyor		Object not shown
5.	1915	"Lakeside Gardens"	Jno. Wm. Irwin	Engineer	L.2, P. 233	Used to establish PC line
6.	1915	"Lakeshore Gardens"	Jno. Wm. Irwin	Engineer	L.3, P. 1 & 2	Used to establish PC line
7.	1920	"Reep's Subdivision"	Jno. Wm. Irwin	Engineer	L.4, P. 43	Used to establish PC line
8.	1923	"Bay Hill Subdivision:	Jno. Wm. Irwin	Engineer	L.6, P.18	Used to establish PC line
9.	1940	"Riviera on the Lake"	E.L.Pettingill	Engineer	L.20, P.12	Used to establish PC line
10	. 2007	L.C.R.C. PC-004	Steven Dunn	#28408	L.19067, P.915 & 916	Used to Control PC line terminus
11	2007	LCRC PC-005	Steven Dunn	#28408	L.19067, P.917 & 918	Used to Control PC line terminus

# DISTANCES:

OC-080 to witness monument OC-078 4019.40' (60 chains, 90 links Private Claim notes) 3,899.50' prorated

3707.07' Measures 2018

OC-080 to PC-014 1456.62' (22 chains, 7 links Private Claim notes)

1194.64' Measures 2018

OC-080 to OC-081

1066.56' (16 chains, 16 links Private Claim notes) 1064.04' Measures 2018

OC-080 to PC-004

No record

617.61 Measures 2018

OC-080 to PC-005

No record

649.03 Measures 2018

# **RECOMMENDATIONS:**


I set a 4" diameter by 36" concrete monument with a 1/2" steel rod with a 2" diameter aluminum cap stamped "Macomb County Monument MI Act 345" #30103 OC-080


# **ACCESSORIES:**

N.10°W. 41.28' set mag nail and Macomb County Witness tag in West face of utility pole S.55°E. 33.58' set mag nail and Macomb County Witness tag in Southeast face of twin 18" oak S.15°W. 22.69' set mag nail and Macomb County Witness tag in West face of 12" oak West 14.22' set mag nail and Macomb County Witness tag in North face of 8" oak

# SKETCH OF PRIVATE CLAIM 149









# SKETCH OF PRIVATE CLAIM 165










# SKETCH OF PRIVATE CLAIM 176





RIVER HURON (NOW KNOWN AS CLINTON RIVER)
















# T.2N.-R.14E. 145 SELFRIDGE NATIONAL GUARD BASE MT. CLENIENS ST. CLAIR COUNTY © 2006 Rockford Map Publs., Inc. Macomb County, MI SEE PAGE 9









# Legend






GIS 5|S MACOMB COUNTY Planning and Economic Development Department










Legend






MACOMB COUNTY
Planning and Economic
Development Department















GIS 5 MACOMB COUNTY Planning and Economic Development Department



e p (2005

COPYRIGHT 2009
MACOMB COUNTY, MI
All Rights Reserved

GIS S MACOMB COUNTY Planning and Economic Development Department




u Fre

COPYRIGHT 2009
MACOMB COUNTY, MI
All Rights Reserved

DEVELOPMENT

GIS 5 S MACOMB COUNTY Planning and Economic Development Department



\*\* [146


COPYRIGHT 2009
MACOMB COUNTY, MI
All Rights Reserved



Dimension Start Marks







N. 458, Lake St Clair Description 10 14 9 Confirmed to Jean Odaplish Paire, communing at a port Standing on the border of Lake It Clair\_ between this tract and on trait Confirm Ed to Said Luforge, thence north fiftyfive degrees west seventy four chains sixty. four links, to a wlack Ash tree thematest twenty two channe seven Sintes, to a post the north west corner of a treet Confin and to Joseph Dubny, Thence south fifty live degrees east sixty chains minty lineths; to a post steending on the border. of take It Clair thence along the border of social Lake worth fifty four degreewest therteen chains thisteen Sinks, to the place of beginning Boutaining Bighty fine acres, and eight tenths of an acre Detroit July 18. 1810 Auron Greeley Hurveyor of private Claims.

No. 458

No. 149 Confirmed to Jean Bap't Pare' Leke St. Clair

# LAKE ST. CLAIR

Description No. 1/19 Confirmed to Jean Baptist Pare' commencing at a post standing on the border of Lake St. Clair between this tract and a tract confirmed to Louis Laforge thence north fifty five degrees west seventy four chains sixty four links to a black Ash Tree thence east twenty two chains seven links, to a post the north west corner of a tract confirmed to Joseph Dubay thence south fifty five degrees east sixty chains ninety links, to a post standing on the border of Lake St. Clair thence along the border of said Lake south fifty four degrees west thirteen chains thirteen links, to the place of beginning, containing eighty five acres and eight tenths of an acre.

Detroit July 18th, 1810

Aaron Greeley Surveyor of private claims

Nº 459, Lake St. Clair Description 10 165 Confirmed to Joseph Dulay, commencing it a post standing on the border of sake It Blair between this track and a track Confirmed to Jean Saptist Paire, thence north fifty five degrees wit Buyly chains minely bento, to Black Cherry her, thence bust sixteen chames sixteen links , to a post the north west -Corner of a track Boujerned to the willow and heissfacol Thomas deceased. Therice south fifty five deques Gast fifty one their minicipaince links, to a post standing on the border of Lake St. Clair Thence along the border of said Sake south sixty digress west ten chains twenty three links, to the place of beginning Containing fifty two acres thirty three hundreaths of an Detroit July 18. 1810 Auron Greeley Surveyor

No. 459

No. 165 Confirmed to Joseph Dubay

# LAKE ST. CLAIR

Description No. 165 Confirmed to Joseph Dubay commencing at a post standing on the border of Lake St. Clair between this tract and a tract confirmed to Jean Baptist Pare' thence north fifty five degrees west sixty chains ninety links to a black cherry tree thence east sixteen chains sixteen links to a post the north west corner of a tract confirmed to the widow and heirs of Jacob Thomas deceased thence south fifty five degrees east fifty one chains ninety nine links to a post standing on the border of Lake St. Clair thence along the border of said Lake south sixty degrees west ten chains twenty three links to the place of beginning, containing fifty two acres thirty three hundredths of an acre

Detroit July 18th, 1810

Aaron Greeley Surveyor of private claims

1: 475. South Hide of River Houson Description. A. 176 Confirmed to Pierre Phenix Commencing at a post standing on the border of Niver Huron between this track and a track- Confirmed to Joseph Campean, thence south Eighty Dix Chains clever Sinds; to a post thence west- Eighteen chains munity four links, to a foost the couth Gust Corner of a trad Confirmed to Joseph Rowe, thence north Bighty Seven chains forty dry links to a Beech hee stunding on the bordery River Buron, thence along the border of said River down Stream, South twenty five degrees Quist five chains fifty three Suchs, there worth seventy seven de--grees Gast Dixteen chains thence north Eighty sime degrees East one chain two links, to the place of beginning. Containing one hundred and fifty since. acres and hime tenths ofan acre. Detroit July 18. 1810 Huror Greeley Ourocyon of private Claims

No. 475


No. 176 Confirmed to Pierre Phenix

# SOUTH SIDE OF RIVER HURON

Description No. 176 Confirmed to Pierre Henix commencing at a post standing on the border of River Huron between this tract and a tract confirmed to Joseph Campeau thence south eighty six chains seven links to a post thence west eighteen chains ninety four links to a post the south east corner of a tract confirmed to Joseph Bowe, thence north eighty seven chains forty six links to a beech tree standing on the border of River Huron thence along the border of said River down stream south twenty five degrees East five chains fifty three links thence north seventy seven degrees east sixteen chains thence north eighty nine degrees east one chain two links to the place of beginning, containing one hundred and fifty nine acres & nine tenths of an acre

Detroit July 18, 1810

Aaron Greeley Surveyor of private claims



D

5864 5. 7 A SUBDIVISION OF PART OF PRIMTE CLAIMS 149 4 513 4) 40 50 104 39 5) SCALE ZOOFT, -IIN, 30 103 Note:- All dimensions shown on this plat are in fact and tenths of feet, 50 . 7 5 1 102 DEDICATION 36 0 KNOW ALL MEN BY THESE PRESENTS, That we The Meyering Land Company a Michigan Corporation by John H. Meyering President and J.Ralph Meyering Treasurer as proprietors, have cause ું 55 100 the land embraced in the ammaxed plat to be surveyed, laid out and platted to be known as 56 4 9 saide Gardens A Subdivision of part of Private Claims 149 and 513 Harrison Township, facous County, Mich. " and that the streets as shown on said plat are hereby dedicated to 57 0.0 (si the use of the public. 83 [] S SIGNED AND SELLED IN THE PRINCINCE OF Orky H. Meyening Prestant 50 u Do Marph Mylling. Treasurer W. 60 STATE OF ECHICAN BE. 30 6 9 l) County of Wayne On there thirteenth ...day of December A.D.1914, before me, a Notary Public in a 66 6 B 123 appeared John H.Meyering and J.Ralph Mayering to me personally known, who being each by me duly sworn 6 27 90 did say that they are the President and Treasurer respectively of The Meyering Land Company a Michigan Corporation, and that the seal affixed to said instrument is the corporate seal of said 0 'n U) corporation and that said instrument was signed and sealed in behalf of said corporation by authority g, 90 of its Board of Directors and the said John H. Weyering and J. Ralph Reyering acknowledged, said 6 instrument to be the free act and deed of said corporation. 80 r 4 #.<u>.e.</u> - Aug O. Vagshil 98 67 83 Notary Public ..... Petro. Co., kich. w Commission expires ... Naly 2 1st, 1916. B 52 9 DESCRIPTION OF LAND PLATTED. Q) 2 63 The land embraced in the annexed plat of "Lakeside Gardens A Subdivision of part of Private Claims 149 and 51 Harrison Township, Macomb Co., Mich. " is described as follows: - Beginning at a point where G G 00 20 the line between Private Claims 149 and 513 is intersected by the southerly line of Private Claim 167; 8 ò 4 thence easterly along the northerly line of Private Claim 149 a distance of twelve hundred and eighty-83 six (1286) feet to the westerly side line of the L'anse Creuse Road (so called); thence south 7° 40' 10 70 east a distance of two hundred eighty-eight and five tenths (288.5) feet; thence south 24° 11' 30" eas Y G P 17 a distance of one hundred and thirty-nine (139) feet; thence south 41° 13' 30' east a distance of two hundred eighteen and five tenths (218.5) feet; thence south 49° 20' 30" east a distance of four hundred 8 ò eighty-nine and one tenth (489.1) feet; thence south 34° 57' 30" west a distance of three hundred 00 Ś forty and three tenths (340.3) feet; thence south 55° 20' 30° cast a distance of thirteen handred and forty-nine (1349) feet to the northwesterly side line of Jefferson Avenue (so called); thence south 9 2 10 36° 44' wost along said northwesterly line of Jefferson Ave.a distance of seven hundred and fifteen 78 (715) fect; thence north 53° 56' west a distance of thirty-one hundred sixty-seven and ninety-five hundrodthe (3167.95) feet; thence north 40° 50' 30° west a distance of three hundred forty-eight and ninetern lammredths (348.19) fact; thence north 46° 09' 30" east a distance of five hundred and fiftynine (559) feet to place of beginning. All lying in Private Claims 149 and 513 T.2 N.R.14 E. Macomb ERŠON County Hich. ENGINEER'S CERTIFICATE. CERTIFICATE OF TOWN BOARD. I heraby certify that the plat hereon delineated is a correct one and that perma ent monuments, consisting of \{ \frac{1}{2} \times 24\times gas pine have been planted at points marked thus (o) as thereon shown at all angles in the boundaries of the land platted, and at all intersections of streets. This plat was approved by the Town Board of the Township of Harrison Facous Cou. ty, Vichigan, at a secting held January 5th. 1915. CERTIFICATE OF BOARD OF SUPERVISORS COUNTY TREASURER'S CERTIFICATE. This plat was approved by the Board of Supervisors of the County of soul and State of Hichigan at a meeting hald December 14th, 1914. ..... Mity Nathfitt. Onuirman. x liens or titles held by the State on the s no tax lions or tibles held by individuals ing the 13th day of December 1914, and that are paid, as shown by the records of this

lands described above, and on suid lands, for the five the texes for said period office.


Jak Dunkery Olerk.

any 1. 1. 1. 5

2.211 was to 2 Plate

(5)

William The Mark & County Treasurer.



Jan - 25-1930 "REEP'S SUBDIVISI ME PART DE P, C, 149, HARRISON TOWNSHIP MICHIGAN MACOMB COUNT SCALE IDD'---I' ENLE 'G' 33, L'ANSE GREUSE RNAN ž 27 EARL å STREET UEFFERBON 15009 CERTIFICATE OF TOWNSHIP BOARD. DEDICATION. YHOW ALL him BY THESE PRESENTS. That we Thomas Reep as propriator, and Ella Reep his wife, have caused the land embraced in the camered plat to be surveyed, laid out and platted, to be known as HAMP'S SUBDIVISION" of part of P. C. 149, Harrison Township, Macomb County, Lichigan and that the streats and parksas shown on said ylut are nevery dedicated to the use of the public. This plat was approved by the Township 20ard of the Township of Harrison at a meeting held  $\it Masch$  20  $\,$  1920. Care A John Clerk. Signed and Sealed in Presence of afromes play CEACIFICATE OF COULTY BOASD. (L.S.) This plat was approved on the 22 day of Meal 1980. STATE OF MICHIGAR. } ss. Waller 6 & Thought Clerk. Jungs of Probate. on this 7.0 day of Ar. Mec. 1920 before ma, a hotary Public in and for said county, personally came the above named Thomas area and Mila new his wife, known to me to be the persons who executed the above dealeation, and acknowledged the same to be their free not and deed. Of Plan The Clay to Commission expires graft 17 / 1 Public, Facoto Co., Mich. County Treasurer. Office of County Treasurer, Vacomb County. Moreh 22 nd 1920. I hereby certify, that there are no tax liens or withes held by the State on the lands described above, and that there are no tax liens or titles held by individuals of this office years preceding the day of March 200 1920 and that the taxes for suid period of five years have been paid, at snown by the records of this office. CERTIFICATE OF COUNTY TREASURER. DESCRIPTION. The land embraced in the annexed plat of REFP'S SUBDIVISICATOR part of P. C. 149, Harrison Township, hacomb County, Michigan is described as lands lying in P. C. 149, Farrison Township, hacomb County, Michigan and more particularly described as follows, to wit: Beginning at a point on the morthwesterly side line of Jefferson Avenue where the same is intersected by the mortheacterly line of Lateside Gardens; thence M. 55° 20° 30° W. along the northeacterly line of said Lakedie Gardens a distance of 1349 feet; therce N. 34° 57° 50° E. a distance of 340.3 feet to the authinesterly side line of the L'anne Creuse Road; therce S. 52° 32° 70° E. along the southwesterly side line of the L'anne Creuse Road a distance of 1358.74 feet to the northwesterly side line of Jefferson Avenue; thence S. 56° 44° W. a distance of 274.06 feet to place of segimning. Hanney Il John of REGISTER'S OFFICE COURTY OF RIACORDA S ENGINEER'S CHRTIFICATE. Largery for Roard (hb\_ \_day I hereby certify that the plat hereon delineated is a correct one, and that permanent monuments, consisting of \$" iron gaspipe, 15" long there heen planted at points marked thus (o) as thereon shown at all angles in the boundaries of the land platted, and at all intersections


Registered Civil Engineer.

AD, 1020 . \_of storts A\_\_\_and Resorded

福德

in Litra na pige\_##

# "BAY" HILL SUBDIVISION" PRIVATE CLAIMS NOS, 163 AND 174 T, 2N, R, 14E, MACOMB COUNTY MICHIGAN



DEDICATION

ANDW ALL ARE BY THESE PRESENTS, That I, Peter F. Vandenbossone ( a Fachelor ), have caused the land embraced in the annexed plat to be surveyed laid out and pletted, to be known as "FAY HILL SUBDIVISION"OF PART OF PRIVATE CLAIRS NOIS. 163 AND 174 T.2 H.R.14 E. MACOMB COUNTY MICHIGAN and that the streets as shown on said plat are hereby dedicated to the use of the public.

Petry Handon Rosselle (2.8.)

County of Kacomb
ON this 26th day of May 1923 before us,a Notary Public in and for said county, personally came the above named Peter F. Vandencossche, known to me to be the person who executed the above dedication, and acknowledged the same Jana J. Marchaninto be his free act and deed.

My Commission expires January 3rd, 1927.

Notary Public Macomb County Michigan.

## DESCRIPTION

The land embraced in the ennexed plat of "BAY HILL SUBDIVISION" OF PART OF PRIVATE CLAIMS HO'S.163 and 174 T.2 H.R.14 E.MACOMB COUNTY MICHIGAN is described as follows, to wit:-Beginning on the northeasterly side line of Jefferson Avenue where the same is intersected by the southeasterly side line of lot Ho.20 of Lakeshore Gardens Subdivision thence N.45026'00°E. 278.62 feet; thence N.55°35'30'W.684.25 feet; thence N.4°24'30"W.401.43 feet; thence S.55°27'30"E. 2366.76 feet to the northwesterly side line of Jefferson Avenue; thence S.46°56'30"7.90.8 feet; thence S.62°20'30° W.483.4 feet; thence N.26°20'30°W.127.2 feet; thence N.55°35'30°W.1127 feet to the place of beginning. All the above descrided lands are in Private Claims No. s. 163 and 174 T.2 N.R.14 E.Macomb County Michigan.

## ENGINEER'S CERTIFICATE

I hereby certify that the plat hereon dlineated is a correct one, and that permanent monuments, consisting of le iron gas pipe 15 long have been planted at all points marked thus (o) as thereon shown at all angles in the boundaris of the land platted and at all intersections of streets.

> Registered Civil Engineer COURTY TREASURER'S CERTIFICATE RELATING TO TAYES

June 1-1923 Office of County Treasurer Macomb County Michigan. I hereby certify, that there are no tax liens or title held by the State on the lands described on the annexed plat, and that there are no tax liens or titles held by individuals on said lands for the five years preceding the 26th day of May 1923 and that the taxes for said period of five years have been paid, as shown by the records of this office.

James & Tillett

## CERTIFICATE OF TOWNSHIP BOARD

This plat was approved by the Township Board of the Township of Harrison, Macomb County, Michigan, at a meeting held

Note: All disensions on this plat are in feet and decimal thereof.

CERTIFICATE OF COURTY PLATTING BOARD This plat was approved on the / St. day fune 1923

## RIVIERA THE 14723 A SUBDIVISION OF PART OF P. C. 149 AND PART OF P. C. 165 HARRISON TWP MACOMB CO. **MICHIGAN** 10 MOTE; All dimensions and decimals thereof. 61 68 67 66 64 PO PONCHATRAIN N 52º 33'W DRIVE 60'NO 16 47 50 51 52 42 43 44 46 014 29 8 33 40 38 37 30 35 32 03100 g 99 10 RIVIERA ORIVE 60 WO. N52º33'W 12 18 20 21 22 23 13 14 DEDICATION SURVEYORS CERTIFICATE inos all men by THESE RESERTS, that I Charles J. Reimold Adm. D.B.N.7.7.2. of the Estate of Leslie Ullrich, Deseased have caused the land embraced in the anomal of the survey of the course of the land embraced in the anomal of the land embraced in the anomal of the land embraced in the anomal of the land embraced in the survey of the land alleys as shown on said plat are hereby dedicated to the use of the public. I bereby certify that the plat hereon delibeated is a correct one and that permanent metal monuments consisting of bars not less than one-half inch in diameter and 48 inches in length, or shorter bars of not less take one-half loch in diameter lapped over each other at least 6 inches with and over-all length of not less than 48 inches, escassed in a concrete cylinder at least 4 inches in diameter and 48 inches in dapped have been placed at points marked thus o as thereto shown at all asgles in the boundaries of the land platted, at all the intersections of streets, intersections of alleys, or of streets and alleys, and at the intersections of streets and alleys with the boundaries of the plat at shown on said plat. CHARLES J. REIMOLD SIGNED AND SEALED IN PRESENCE OF E. L. Petting ill REGISTERED CIVIL ENCINEER. E. L. ETTINGILI REGISTER'S OFFICE SLFRIEDA L. CARL of JUL 24 1940 A.D. 19 at CERTIFICATE OF MUNICIPAL APPROVAL o'clock M. and Recorded 10:00 PAUL E. HIRT plat was approved by the Township Board of the Township of in Liber 20 Harrison at a meeting held 1940 12 ACKNOWLEDGMENT Linda Margette, deputy Regimen TO/NSEIP CLERK STATE OF MICHIGAN. me, a Notary Public in and for said county, personally one the above named Charles J. Reimold Adm, known to me to be the persons who excuted the above dedigation, and acknowledged the same to be their own, free act and deed. Notary Fublic, Lacomb County, Mich. Notary Fublic, Lacomb County, Mich. CERTIFICATE OF APPROVAL BY COUNTY BOY Ear B Bra DECEMBERATION DE BRANDENBURG. DESCRIPTION OF LAND FLANDERS \* a subdivision of part of P. C. 149 and part of P. C. 165 Harrison Twp. Macomb Co. Michigan., being the same property once subdivided and known as Fonchatrain on the lake and later partially vacated is described as follows: Beginning at CERTIFICATE OF AFFROVAL BY BOARD OF COUNTY ROAD COMMISSIONERS. on the Lako and later partially vacated is described as follows: a point where the East line of Jefferson Ave intersects the line between P. C. 149 and P. C. 165 Harrison Twp Lacomb Co. Hichigan, Thence N 470-34'E 285.04 feet slong the east side of Jefferson Ave. Thence S 530-02F 1401.43 feet. Thence S 640-51'W 61.11 feet. Thence N 520-33'W 121.13 feet. Thence S 530-27'W 43.0 feet. Thence S 520-33'W 116.38 feet. Thence S 640-50'W 371.01 Eet. Theore S 580-19'W 244.55 feet. Thence N 520-33'W 169.04 feet. Thence H 470-34'E 140.0 feet. Thence N 520-33'W 340.0 feet. Thence S 470-34'W 140.0 feet. Thence N 520-33'W 1000.0 feet. Thence N 470-34'E 365.18 feet to the point of beginning. EXCEPTING therefrom a parcel of land described as follows, Beginning at the Southwest corner of Ponchartain Drive and Lake Court, Thence N 520-33'W 65.10 feet. Thence S 470-34'W 135.0 feet. Thence S 520-33'E 35.10 feet. Thence K 590-27'E 143.49 feet to the point of beginning. This plat has been examined and was approved the Second day of July 1940. By the Maccamb Co. Board of Road Commissioners.

Ba 1589

Date 6-24-40 Front & Errer Ventrugy
MACHINE COUNTY THANKEY

Examined and Approved

ly 32 1940 520 zo z RECT) NOV 15 2007 4:00 Pin

For corners in

DEC 0 5 26

# SECTION LAND CORNER RECORDATION CERTIFICATE

Filing Requirement of Act 74, Mich. P.A. 1970

MACOMB (County)	Located In: HARRISON TWP.	Corner Code #
(County)	HARRIDON I W.	
1. Public Land Survey	T 2N R 14E.	PC-004
	TR	
2. Property Controlling	S_T_R	
in Section	S	
3. Miscellaneous	S	
Number		

7158662 LIBER 19067 PAGE 915 11/29/2007 09105:43 A.H. MACOMB COUNTY, NI SEAL CARMELLA SABAUGH, REGISTER OF DEEDS

Register of Deeds Stamp & File

Recorded Plat

Property in Sec.

5. Private Claims PC-004, Southeast Corner of Private Claim 167 Common w/Southwest Corner of Private Claim 176

I, Steven E. Dunn, in a field survey on May 23, 2007, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and for that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.

A. Description of original monument and accessories and/or subsequent restoration: No evidence of original corner found.

1915	N/A	Lakeside Gardens, L. 2, P. 233
1915	N/A	Lakeshore Gardens, L. 3, P. 1 & 2
1919	1/2" iron gas pipe	"Grandview Gardens", L. 3, P. 157
1923	Unreadable	"Chartier Acres Subd'n.". L. 6. P.

OF MICHIGAN E OF MICHINA NA. SURVEYOR No. 28408 ROFESSIONAL OFESSIONAL STATE

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:
PC 004 Southeast corner of Private Claim No. 167 common with the southwest corner of Private Claim No. 176. No evidence of existing monument found. First, we established the south line of Private Claims 167, 176, 633, 178 and 175 as follows: We found a concrete monument at the southwest corner of Private Claim 176 and a ½" steel rod on the south line of Private Claim 176 (also being the south right-of-way line of Tucker Avenue, 50' wide) at the corner common with Lot No. 165 and 166 of "Lakeside Gardens" as recorded in Liber 2 of Plats on Page 233 (MCR). Field measurement from the concrete monument east to the steel rod is 1053.96', within 0.43' of the calculated record (1053.53'). I then compared monumentation found along the north right-of-way line of Tucker Avenue with the south PC line as established above. The north right-of-way line appears to be parallel with the south PC line but falls ± 2.00' short of the recorded width of Tucker Avenue (± 48,00' measured, 50,00' record). I held the line as established above as the south Private Claim line.

(continued on back)

# FIELD MEASUREMENTS AND RECORD MEASUREMENTS (see back):

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner. PC 004 Southeast corner of Private Claim No. 167 common with the southwest corner of Private Claim No. 176. Set a 1/2" steel rod.

I replaced the 1/2" steel rod with a 4" X 36" concrete monument with aluminum disc stamped "Macomb County Monument MI. Act # 345, PC 004".

WITNESSES:

80.84 N.31°W Center top nut of hydrant. N.10°W. 42.93

Set Mag nail w/Macomb County Witness Tag in west face of utility pole.
Set Mag nail w/Macomb County Witness Tag in north face of utility pole.
Set Mag nail w/Macomb County Witness Tag in northwest face of 24" Oak. S.82°E. 32.34

S.49°W. 17.96 50.54 Found 1/2" steel rod. West

Set Mag nall in west face of 15" Honey Locust tree. N.34°E. 75.17'

THE SELECTED LOCATION IS ACCEPTED BY ME AND IS GENERALLY ACCEPTED BY PROFESSIONAL SURVEYORS AS THE BEST AVAILABLE EVIDENCE OF THE POSITION OF THE ORIGINAL CORNER.

ACCEPTED BY THE MACOMB COUNTY SURVEY PEER GROUP AS THE OFFICIAL CORNER UNDER MICHIGAN PUBLIC ACT 345 OF 1990 AT A MEETING HELD ON 6-5-07 MARTIN C. DUNN, P.S. CHAIRMAN

Storen C Signed by Surveyor's Michigan License No.

October 23, 2007 Date

form approved by Michigan State Board of Land Surveyors, Jan. 28, 1971 Revised, May 14, 1975 Revised Jan., 1943

Liber 19067

Page 916

SECTION

DEC 0 5 2007

For corners in

MACOMB

Located In:

Corner Code#

(County)

HARRISON TWP.

PC-004

1. Public Land Survey

T 2N R 14B \_\_\_ R\_ T\_

5. Private Claims PC-004, Southeast Corner of Private Claim 167 Common w/Southwest Corner of Private Claim 176

A. Description of original monument and accessories and/or subsequent restoration:

No evidence of original corner found.

B. Description of corner evidence found and/or method applied in restoring or recatablishing corner: PC 004 Southeast corner of Private Claim No. 167 common with the southwest corner of Private Claim No. 176.

# (continued from front)

Using monumentation found along the line common with Private Claim No. 176 (also being the east line of "Chartier Acres Sub." as recorded in Liber 6 of Plats on Page (MCR) and Private Claim No. 633 (also being the west line of "Hamon Acres Subd'n." as recorded in Liber 7 of Plats on Page 19 (MCR) I did a bearing-bearing intersection with the south Private Claim line to re-establish the location of PC 005 (southeast corner of Private Claim No. 176 common with the southwest corner of Private Claim No. 633). Fleid measurement from PC 003 to PC 005 is 2450.82', within 0.71' of record (2451.53'). I then pro-rated the field measurement with the record measurement to re-establish the location of PC 004 and set a 1/2" steel

# FIELD MEASUREMENTS AND RECORD MEASUREMENTS:

# PC 004 to PC 003:

1184.53' - Calculated Record, "Grandview Gardens".

1184,19' - Fleld.

# PC 004 to PC 005:

1276.00' - Record, "Chartier Acres Subd'n.". 1266.63' - Field.

DEC ( 2007

SECTION

# RECT NOV 1.5 2007 4:00 PM

Corner of Private Claim 633

# COBUER RECORDATION CERTIFICATE

# LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

For comers in			7158663
_MACOMB	Located In:	Corner Cade#	LIBER 19067 PAGE 917
(County)	HARRISON TWP.		MACOMB COUNTY, HI SEAL CARMELLA SABAUGH, REGISTER OF DEEDS
1. Public Land Survey	T <u>2N</u> R <u>14E.</u> T P	PC-005	
2. Property Controlling in Section	STRSTR	The second section of the second seco	
3. Miscellaneous	S TR		Register of Deeds Stamp & File
Number			
Property in Sec.	S R		
4. Lot No, Recor	ded Plat		1,445 M. G.J.M.
5. Private Claims PC-005	Southeast Corner of Private C	laim 176 Common w/Sout	thwest

I, Steven E. Dunn, in a field survey on May 23, 2007, do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and for that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.

A. Description of original monument and accessories and/or subsequent restoration: No evidence of original corner found.

(see back)

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

PC 005 Southeast corner of Private Claim No. 176 common with the southwest corner of Private Claim No. 633.

No evidence of existing monument found. First, we established the south line of Private Claims 167, 176, 633, 178 and 175 as follows:

We found a concrete monument at the southwest corner of Private Claim 176 and a ½" steel rod on the south line of Private Claim 176 (also being the south right-of-way line of Tucker Avenue, 50' wide) at the corner common with Lot No. 165 and 166 of "Lakeside Gardens" as recorded in Liber 2 of Plats on Page 233 (MCR). Field measurement from the concrete monument east to the steel rod is 1053.96', within 0.43' of the calculated record (1053.53'). I then compared monumentation found along the north right-of-way line of Tucker Avenue with the south PC line as established above. The north right-of-way line appears to be parallel with the south PC line but falls ± 2.00' short of the recorded width of Tucker Avenue (± 48.00' measured, 50.00' record). I held the line as established above as the south Private Claim line.

Using monumentation found along the line common with Private Claim No. 176 (also being the east line of "Chartier Acres Sub." as recorded in Liber 6 of Plats on Page (MCR) and Private Claim No. 633 (also being the west line of "Hamon Acres Subd'n." as recorded in Liber 7 of Plats on Page 19 (MCR) I did a bearing-bearing intersection with the south Private Claim line to re-establish the location of PC 005 (southeast corner of Private Claim No. 176 common with the southwest corner of Private Claim No. 633) and set a ½" steel rod.

# FIELD MEASUREMENTS AND RECORD MEASUREMENTS (see back):

C, Description of monument for corner and accessories established to perpetuate locating the position of the corner. PC 005 Southeast corner of Private Claim No. 176 common with the southwest corner of Private Claim No. 633. Set 1/2" steel rod.

I replaced the  $\frac{1}{2}$ " steel rod with a 4" X 36" concrete monument with aluminum disc stamped "Macomb County Monument MI. Act # 345, PC 005".

WITNESS	ES:	
S.81°W.	23.37	Set Mag nall w/Macomb County Witness Tag in northeast face of 15" tree
N.60°E.	82.60'	Set Mag nail w/MCR tag in west face of 12" Wjhite Birch.
North	38.73'	Set Mag nall w/Macomb County Witness Tag in westt face of guy pole.
N.13°W.	41.93'	Center top nut of hydrant.
N.28°W.	5.28'	Set Mag nail w/Macomb County Witness Tag in west face of utility pole.
South	45.00'	North edge of concrete pavement westbound Metropolitan Parkway.
		ACCEPTE

THE SELECTED LOCATION IS ACCEPTED BY ME AND IS GENERALLY ACCEPTED BY PROFESSIONAL SURVEYORS AS THE BEST AVAILABLE EVIDENCE OF THE POSITION OF THE ORIGINAL CORNER.


ACCEPTED BY THE MACOMB COUNTY SURVEY PEER
GROUP AS THE OFFICIAL CORNER UNDER MICHIGAN
PUBLIC ACT 345 OF 1990 AT A MEETING HELD
ON G - 5 - 07
MARTIN C. DUNN, P.S. CHAIRMAN

2 ymm Date October 23, 2007

Form approved by Michigan State Board of Land Surveyors, Jan. 28, 1971 Revised May 14,1975 Revised Jan., 1883

Signed by

Surveyor's Michigan License No.



DEC 0 5 2007

For corners in

SECTION

MACOMB

Located In:

Corner Code #

(County)

HARRISON TWP.

1. Public Land Survey T2N R 14E

PC-005

T\_\_\_R\_

5. Private Claims PC-005, Southeast Corner of Private Claim 176 Common w/Southwest Corner of Private Claim 633

A. Description of original monument and accessories and/or subsequent restoration:

PLATS:

1915 N/A 1915 N/A

Lakeside Gardens, L. 2, P. 233

Lakeshore Gardens, L. 3, P. 1 & 2 "Chartler Acres Subd'n.", L. 6, P. "Hamon Acres Subd'n.", L. 7, P. 19

1923 Unreadable

1923 Unreadable

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner; PC 005 Southeast corner of Private Claim No. 176 common with the southwest corner of Private Claim No. 633

# FIELD MEASUREMENTS AND RECORD MEASUREMENTS:

PC 005 to PC 004: 1266.00' – Record, "Chartier Acres Subd'n.". 1266.63' – Field.

<u>PC 005 to PC 006:</u> 585.70' - Record, "Hamon Acres Subd'n.". 585.35' - Field.