Witness to PC-050 DOSSIER CONTENT

2012 REMON

T.3N., R.14E.,

Chesterfield Township, Macomb County, Michigan

Section One

Index

Pictures in cardinal directions; before and after setting the required monumentation.

Section Two

LCRC

Surveyor's Report

Section Three

1 Field Notes

2 Sketch

3 Township Map

4 Tax Map 1959 5 Tax Map 1974 6 Aerial Pictures 2009

Section Four

1	1810 PC Survey notes	Greely		
2	1817 GLO notes	Preston		
3	1817 Township map	Preston		
4	1818 Township map	Surveyor General	Office	
5	1818 Township Map	Preston		
6	1838 Township Map	Surveyor General	Office	
7	1959 plat-Lottivue	Earl Philips	1728	L37, P18
8	1961 plat-Lottivue No. 2	Earl Philips	1728	L49, P 1
9	1964 plat-Lottivue No. 3	Earl Philips	1728	L53, P35
10	1969 plat-Lottivue No. 4	Fitz Bridges	5779	L60, P34
11	1969 plat-Lottivue No. 6	Fitz Bridges	5779	L64, P48













grafica o dans da

e Georgia especial

LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970

REMONUMENTATION CORNER

For corners in:					
MACOMB COUNTY	Located In:	CHESTERFIELD	TOWNSHIP	Corner Code #	
(County)			Refe	erence to PC-050)
1. Public Land Survey		T <u>3N</u> R <u>14E</u>			
		T R			
2. Property Controlling	s S	T R			
in Section	S	T R			
3. Miscellaneous	S	T R			
Property in Sec.	S	T R			
1 Lot No Pa	corded Diet				

5. Private Claims PC-342 PC-050 is a Southeast corner of PC 342.

I, ROBERT E. HORNYAK, in a field survey on August 17, 2012 do hereby certify that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and /or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, re-monumented, recovered, found as expressed below:

NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.

A. Description of original monument and accessories and/or subsequent restoration:

1	1810	PC Survey notes	Greely		.^	Standing post 11
2	1817	GLO Survey	Preston			Set post
Su	bseque	nt Restorations:				12
3	1817	Township map	Preston			Object not stated
4	1818	Township map	Surveyor Gen	eral Office		Object not stated
5	1818	Township Map	Preston			Object not stated
6	1838	Township Map	Surveyor Gen	eral Office		Object not stated
7	1959	plat-Lottivue	Earl Philips	1728	L37, P18	Plat shows NE'ly line of PC 342
8	1961	plat-Lottivue No. 2	Earl Philips	1728	L49, P 1	Plat shows NE'ly line of PC 342
9	1964	plat-Lottivue No. 3	Earl Philips	1728	L53, P35	Plat shows NE'ly line of PC 342
10	1969	plat-Lottivue No. 4	Fitz Bridges	5779	L60, P34	Plat shows NE'ly line of PC 342
11	1969	plat-Lottivue No. 6	Fitz Bridges	5779	L64, P48	Plat shows NE'ly line of PC 342
n	~ .					·

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:

No field evidence was found. I consider it a lost corner.

Occupation: none.

Northeasterly line of PC-342 is defined by PC-047 and PC-050. I consider both corners as lost corners.

The following procedure was applied to restore the corner:

- 1. Established direction of the Northeasterly line of PC-342 by PCC-048 close to the Northwesterly end and by found monumentation at Items 7-11 close to the Southeasterly end.
- 2. Established the intersection of the CL Jefferson Avenue with the Northeasterly line of PC-342 by found monumentation at Items 7-11.
- 3. Established the location of the intersection of the Northeasterly line of PC-342 with the Northwesterly line of Indian Reservation based on record distance at Items 7-11 from the intersection of the CL Jefferson Avenue with the Northeasterly line of PC-342.
- 4. Established location of PC-050 at record distance shown at Item 2 from the intersection of the Northeasterly line of PC-342 with the Northwesterly line of Indian Reservation.

Such established location falls in Lake St. Clair.

I set a Reference Point on the shore of Lake St. Clair 44.82' Northwesterly from actual PC-050 on the Northeasterly line of PC 342. The Reference Point is located in a vacant lot between 49626 and 49684 Goulette Pointe Drive.

Distances:

PC-050 to PCC-049 PC-050 to Ref to PCC-050 2237.40' (33.90 ch) 2, Remon 2012 44.82' Northwesterly Remon 2012

C. Description of monument for corner and accessories established to perpetuate locating the position of the corner:

I placed a 2" aluminum cap stamped "MACOMB COUNTY MONUMENT MI ACT 345; REF PC-050; 44286" on 1/2"x36" steel bar encased in 4" diameter concrete monument.

Witnesses:

ACCEPTED BY THE MACOMB COUNTY SURVEY PEER 16 30' North Set PK w/"MACOMB COUNTY WITNESS TAG" in E face 24" Maple GROUP AS THE OFFICIAL CORNER UNDER MICHIGAN Set iron w/blue cap "MACOMB COUNTY WITNESS" along rock sea wall Set iron w/blue cap "MACOMB COUNTY WITNESS" along rock sea wall East 5.70 PUBLIC ACT 345 OF 1990 AT A MEETING HELD South 15.00 ON Set PK w/"MACOMB COUNTY WITNESS TAG" in S face of multistem Apple tree Multim S80°W 59.75 N58°W 2232.45'

Reference Point to PCC-049

S58°E 44.82 PC-050

Southeast 28'+/-Edge of Water of Lake St. Clair

THE SELECTED LOCATION IS ACCEPTED BY ME AND IS GENERALLY ACCEPTED BY PROFESSIONAL SURVEYORS AS THE BEST AVAILABLE EVIDENCE OF THE POSITION OF THIS CORNER.


Signed by > € Date October 26, 2012

Surveyor's Michigan License No. 44286

FORM APPROVED BY MICHIGAN STATE BOARD OF LAND SURVEYORS, JAN. 28, 1971

-25-2012

MARTIN C. DUNN, P.S. CHAIRMAN



gegenneren system.

er etaksiin

PAGE

Register of Deeds Stamp & File Number

Н

Ī

PAGE 147 SFAL

2175907

В C Ð

LIBER 21777 12/13/2012 09:52:07 A.M. MACOMB COUNTY, HI

CARMELLA SABAUGH, REGISTER OF DEEDS

SINTE OF MICHO ROBERT E. HORNYAK PROFESSIONAL SURVEYOR No. 44286

OFESSIONA VIIII

8+48.72'

41+47.17'

41+87.04'

63+79.62'

64+24.44


PCC-048 Ref to PCC-049

PCC-049

PC-050

Ref to PC-050

NE'LY LINE OF PC-342 REMON 2012 CHESTERFIELD TWP., T3N, R14E



SECTION LINE MEASURED DURING GLO SURVEY AZIMUTH & LENGTH USED FOR INDEXATION

SECTION LINE NOT MEASURED DURING GLO SURVEY



SECTION CORNER

PC, PCC CORNERS

Reference to PC-050 CHESTERFIELD TOWNSHIP

PC-050 is a Southeast corner of PC 342.

Survey of PC 342 was performed by A. Greeley in 1810.

GLO survey performed by Preston in 1817.

Corner history:

	1 1810	PC Survey notes	Greely			Standing post
2	2 1817	GLO notes	Preston			Set post
3	3 1817	Township map	Preston			Object not stated
2	1818	Township map	Surveyor Gen	eral Office		Object not stated
:	5 1818	Township Map	Preston			Object not stated
(5 1838	Township Map	Surveyor Gen	eral Office		Object not stated
•	7 1959	plat-Lottivue	Earl Philips	1728	L37, P18	Plat shows NE'ly line of PC 342
8	3 1961	plat-Lottivue No. 2	Earl Philips	1728	L49, P 1	Plat shows NE'ly line of PC 342
9	9 1964	plat-Lottivue No. 3	Earl Philips	1728	L53, P35	Plat shows NE'ly line of PC 342
	10 1969	plat-Lottivue No. 4	Fitz Bridges	5779	L60, P34	Plat shows NE'ly line of PC 342
	11 1969	plat-Lottivue No. 6	Fitz Bridges	5779	L64, P48	Plat shows NE'ly line of PC 342

Field evidence:

No field evidence was found. I consider it a lost corner. Occupation: none.

Distances:

PC-050 to PCC-049 PC-050 to Ref to PCC-050 2237.40' (33.90 ch) 2, Remon 2012 44.82' NW'ly Remon 2012

Recommendation:

Northeasterly line of PC-342 is defined by the PC-047 and the PC-050. I consider both corners as lost corners. The following procedure was applied to restore the corner:

- 1. Established direction of Northeasterly line of PC-342 by PCC-048 close to the Northwesterly end and by found monumentation at Items 7-11 close to the Southeasterly end.
- 2. Established intersection of CL Jefferson Ave. with NE'ly line of PC-342 by found monumentation at Items 7-11.
- 3. Established location of intersection of NE'ly line of PC-342 with NW'ly line of Indian Reservation based on record distance at Items 7-11 from intersection of CL Jefferson Ave. with NE'ly line of PC-342.
- 4. Established location of PC-050 at record distance shown at Item 2 from intersection of NE'ly line of PC-342 with NW'ly line of Indian Reservation.

Such established location falls in Lake St. Clair.

I recommend to the Peer Review Board to set Reference point on the shore of Lake St. Clair 44.82' NW'ly from actual PC-050 on NE'ly line of PC 342.

I recommend monumenting witness to PC-050 with 1/2" iron with a 2" aluminum cap stamped "MACOMB COUNTY MONUMENT MI ACT 345; REF PC-050; 44286" placed on a 1/2"x36" steel bar encased in 4" diameter concrete monument.

Witnesses:

North	16.30'	Set PK w/"MACOMB COUNTY WITNESS TAG" in E face 24" Maple
East	5.70'	Set iron w/blue cap "MACOMB COUNTY WITNESS" along rock sea wall
South	15.00	Set iron w/blue cap "MACOMB COUNTY WITNESS" along rock sea wall
S80°W	59.75	Set PK w/"MACOMB COUNTY WITNESS TAG" in S of Multisteam Apple tree

Respectfully submitted,

Robert E. Hornyak, PS # 44286

PC-050

REMON 2012 CHESTERFIELD TWP., T3N, R14E

DATE: 08/13/12

CREW: EH JK

OBJECT FOUND: NONE

POINT No.: PC-050

CTRL. PTS.:_____


SET MONUMENT STAMPED REF PT PC 050° 285' NORTH WEST OF PC-050, SOUTHEAST OF LOUSE # 49684 GOULETTE POINT DRIVE

NORTH 16,30°

SET PK WITH DEMON WITNESS TAG IN

EDST 5.70' SET IRON WITH REMON WITHESS THE DUONG


SOUTH 15.00' SET IROLI WITH REMON WITHERS THE BLONC ROCK SEA WALL



LAKE ST. CLAIR

S 80° W S9.75' SET PK WITH REMAN WITHESS TOG IN SOUTH FOLE OF MULTI STEM APPLE TREE

OC	CUPAT	ΓΙΟΝ	
		state	surface)
400	76		
•			






LINCOLN TITLE COMPANY

Flexible closing schedule * Personalized service * Knowledgeable staff

25962 Knollwood Drive South • Chesterfield, Michigan 48051 • **Telephone**: (810) 598-2930 • Fax: (810) 598-2936

OFFICES ALSO IN PORT HURON & ROSEVILLE

SHEET NO.342





ر ا

Lake

REV. 1-78 REV. 5-76 REV. 12-75

3-560


9 - R


Copyright 1974 MACOMB COUNTY, MICHIGA

CHESTERFIELD TWP.
PT. SEC. 26 & PT. R.C. 342 T3N. RI4E.

9-26D







arce: Macomb County Depratment of Planning and Economic Development - 2004 Digital Orthophotography Project - Parcel Conversion Project

Note: Digital Orthophotography horizontal positioning accuracy is 3 fest. Parcel boundary lines should be considered a graphical representation and not in any way a legal

This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and missions. Please report any potential revisions to





Detroit July 24, 1810_

LAKE ST. CLAIR

Description No. 342 Confirmed to Francois Dupre' commencing at a post standing on the west border of Salt River it being the north east corner of a tract confirmed to George Meldrum thence along the border of Salt River down stream South forty five degrees west thirty chains eighty links to the confluence of said River with Lake St. Clair thence along the border of said lake south seventy four degrees thirty minutes East twenty five chains, thence North sixty one degrees east twenty chains, thence north sixty three degrees East nineteen chains, thence north eighty degrees East thirty three chains thence north sixty five degrees East nineteen chains fifty links, thence North six degrees West six chains Seventy five links to a post standing on the border of Lake St. Clair between this tract and a tract 97.34 ch = 6424.44 reserved for Maccanse (a Chipawa Indian Chief), thence north sixty degrees west ninety seven chains thirty four links to a post standing on the border of Salt River thence along the border of said River down stream. South eleven degrees East ten chains thirty seven links, thence south seventy degrees west fifteen chains, thence south thirty degrees East twenty five chains, thence South fifty eight degrees East fifteen chains thence south forty six degrees west twenty chains seventy three links to the place of beginning, containing four hundred and twenty two acres, seventeen hundredths of an acre____

Aaron Greeley Surveyor of private claims

Luke of clair

Description 1. 342, Boujenned to Frame cois Duprie commencing at a pool stand. ing on the west boreser of Walt River it being the South out somer of a tract gonfirm. border of with River down Stream South forty five degrees west thirty chains Dighty links, to the confluence of said River with Late It olair, thence along the border of said Take South seventy four Megices therety unimited out twenty fine chained. There worth dixty one degree. East wenty crains thence north ding Three degrees Bash uneteen thains_ There worth eighty degrees cast thirtythree chains, theree worth singly five. degrees Bust rimelion chains fifty lines, Thence worth dry degree west ving chains Deverity five livels. To a port standing on. The border of Lake of clair between this. Truck and a truck Reserved for Maccong a Chipawa Indian Chief, Mience north Winty negrees west winety seven chains thirty four linds, to a post standing on the border of dalt River thence along the border of duice Oliver down streams Douth. Olever degrees bust leve chains thirty sen ese lines . Theree doubt Neverty degrees .. west fifteen chains, there wouth thirty worth fifty eight degrees bat fifteen Chains, thouse south forty vin degoes west twenty chains deventy Three buch. to the place of beginning Doulaining -Four hundred used twenty les acres Deventeris hundredthe efan were . -

Detroit July 2 4. 1810 Haron Greeley Vurveyor of private Olaisms.

Jonn 3 North Range 14 East

Beyone at front Elem 18 N.W. Cor. of
Reserve Shunce

532 & 532 & along Westerly line of Reserve

1/20 Elem 18

20.10 Buch 18:

35.00 Enter Frields

1/8,10 So front Between Secto 23 x 2 6

62,00 Leure Frield & Enter or at march

19.00 So Lake St Colair v Set front in March


No trues


Lound relling Decond Nate Sugar Buch


Lyrun Frieden and rever

Bryon at Elm 18 N. M. Car of Reserve thence
N50° & N50 & along Northerly line of Reserve
11.60 Mofele 36
31.70 Beech 12
64.25 Buch 18
12.70 WOak 36
84.50 To Sycamore 36 Cor. on Reserve 14423
18.10 To Trest But Decto 13 114
116.30 Buch 18
123,30 To Lynn 16 N & Cor. of Reserve
Lind selling Second nate Buch
Lynn Elm 40.


Began at Lynn 12 N.E. Cor. of Reserve Shower Sylves stong Easterly line of Reserve 372 Buch 18 25.72 Buch 18 33.72 To frost But Siets 13424. 40.12 To Lake St Clair + Det frost Ho, true Hence commence Sieve







Township N. S. N. Range N. 16 E. Men. (Nie.)



"LOTTIVUE Nº.2"

A PART OF FRAC. SEC. 23 & P.C. 342, T.3N., R.14E., CHESTERFIELD TWR, MACOMB CO., MICHIGAN.

> SCALE INCH = 100 FEET 100 200 300 400

ALL DIMENSIONS ARE SHOW IN FEET AND DECIMALS

,,,	80 N 570	A+E	VATE C		16453,94595	7.	EAC. S. 3N., E	EC. 23,		ML WATER			WAJERS	· EDG
1		WT 543	°38'30"W	355,20	- 1	856	innu		د	54303830*1	633.09	<u> </u>	77.	
		8			1	CANA	Z					0.72	16	
	50	80	"	"	•	"	80	96.78	100	100	1	50	60.72	
54	207	57	58	59	60	61	62	63	64	157.50	138.35	6	3 /	N.55
100	10	80	.,		"	, -	80	3678	100	69.17 37	4		1 6 6	30
7.5	7 . 4. 14.	3	NAU	TICAL	_	DR	IVE	60 FT.	WD.	PUBLIC		120	1 20	100
200	000	80	"		*	1	~	"	~	80	3 13		7	1/2
2	PUBL	157.50	55	54	59	52	51	50	49	9 0	16/05/05	46	. 18	
	300	80		,,			,,		.,	80	115.11	150	2 60	272
1	001/ 55		-				N 43°38	30"E	115.95					

DEDICATION	

RNOW ALL MEN BY THESE PRESENTS, that we Lottie M. Schmidt, Inc. a Michigan Corporation by Betty C. Biametta, President, and John Niemetta Jr. Secretary,

es proprietors, hove caused the land embraced in the enneared plot to be surveyed, feid out and platted, to be known as. "Lattivue Ros. 2" a part of Frace Sec. 23 and P.C. 342, T.3 N.R.14 E., Chesterfield Twp., Macomb Co., Michigan

ond that the streets or shown on said plot are hereby dedicated to the use of the public, and the canals to be used for public storm drainage purposes enly. Signed and Seeled in Lottie M. Schmidt, Inc. the Presence of:

Barl Phillips (Maffines) Betty C. Niemetta, President

Beulah Phillips (Wgoon) John Migmetta Jr. Sporetary

on this day of Annuay AD. 1964, before me. a Notory Public in and for soid county appeared Betty, C. Miemetta and John Niemetta Jr.

to me personally known, who being each by me out years are say into may be in President and Se GTE 1427 respectively of the.

Lottie M. Schmidt, Inc. Michigan ... corporalion, and that the seal officed to said instrument is the corporate seal of size department of the said instrument was signed and sealed in behelf of said corporation by authority of its Board of Directors and the said. Batty, Cr. Niewetta, And.

Beulan Fhillips
Hotory Public

My Commission expires Nov. 9, 1963

APPROVAL BY BOARD OF COUNTY ROAD COMMISSIONERS

This plat has been examined and was approved on the ... 25 th

Lawrence Ochmhe Keith Bovenschen Ernest W. McCollom (Member)

APPROVAL BY COUNTY PLAT BOARD

as approved on the 1.7. Th day of

5.1961

H, Richard E. Lomas

aron Burs

hdenobed as follows: Commencing South 55°18' East 3497.36 feet along the line between Frac. Sec. 23 and Frivate Claim 342, T.3 N., K.14 E., from the North Westerly line of the Indian Asservation, thence South 45°38'30" West 355.20 feet, thence South 46°21'30" East 435.00 feet, thence North 43°38'30" East 1115.95 feet, thence North 55°12' West 440.22 feet, thence South 43°38'30" West 693.09 feet to the point of beginning and includes Lots 45 to 66 inclusive. SURVEYOR'S CERTIFICATE

I hereby certify that the plot hereon delineated is a correct one and that permanent metal manuments consisting of bors not less than one-half inch in diameter and 36 inches in length, or shorter bors of not less than one-half inch in diameter lapped over each other at least of inches with an over-all length of not less than 36 inches, society in a conscience of the cylinder of least 4 inches in diameter and 36 inches in depth have been placed at points marked thus (O) as thereon shown of all angles in the boundaries of the land platted, of all the interescions of streets, interescions of alleys, or of streets and alleys, and at the interescions of streets and alleys with the boundaries of the plat as shown on said plat.

DESCRIPTION OF LAND PLATTED

The land embraced in the annexed plot of "Lottivuc No. 2" a part of Frac. Sec. 23 and F.C. 342, T.3 N.,

R.14 E., Chesterfield Twp., Macomb Co., Michigan

Earl Thillips

CERTIFICATE OF MUNICIPAL APPROVAL

This plot was approved by the TOWNSHIP BOATA of the width of lots is in compliance with requirements of Section 30, Act 172, of 1929, as amended.

61 1/2:

8 3-27-64

Registered Land Surveyor Earl Phillips Fair Haven, Michigan

9

CERTIFICATE OF MUNICIPAL APPROVAL

of the Township of Chesterfield
of one of Chesterfield
of a meeting heidflet the Market and that he width of loss is in compliance with requirement of Section 30, and 172, of 1929, or amended. and compliant beautiful for the Section 1925 of the S

. 150 Career

LOTTIVUE Nº 4 A .PART OF FRACTIONAL SECTION 23 AND R.C. 342, T. 3N., R. 14E., CHESTERFIELD TOWNSHIP, MACOMB COUNTY, MICHIGAN FITZ J. BRIDGES, P.E.
REGISTERED ENGINEER AND SURVEYOR
273 SOUTH GRATIOT AVENUE
MOUNT CLEMENS, MICHIGAN 48043 € JEFFERSON NOTE

All dimensions infect and decimals thereof. Easem shown are private for public utilities and drainage. All auryllinear dimensions are in chord lengths. AVENUE 40 CX RECORDING DATA 2/4.53' WD. . 95.43 22 88 94 95 9 APPRIVATE EASEMENT #6.65

48° PO'SO" # 784.25'

UN PLATTED

NONUMENTS NOT SET

PERMANENT MONAMENTS SET

BREARBENCE MONAMENTS SET DRIVE Certified true copy of the plat recorded in 26 1979, at 1979, at 1979 and plats on page 34 by Research LOTTIVUE DR DESCRIPTION The land embraced in the annexed plat of Lottivue No. 4, a part of Fractional Section 23 and P.C. 342, T.3N.,R.14E., Chesterfield Township, Macomb County, Michigan. A-LIBON GREEN
STATE TREASURER
BYRLLO I Somot Commencing at the intersection of the Northwesterly line of Indian Reservation and the Southwesterly line of Fractional Section 23; thence S.55°18'00"E., 2404.09 ft., along the Southwesterly line of Fractional Section 23 to the point of beginning; thence N.50°21'30"E., 712.76 ft. along the centerline of Jefferson Avenue; thence S.55°12'00"E., 367.78 ft., along the Southwesterly line of Supervisor's Plat No. 5 as recorded in Macomb County Records, L.16, P.27; thence S.43°26'30"W., 107.56 ft.; thence N.55°21'00"W., 182.07 ft.; thence S.43°26'30"W., 754.25 ft.; thence S.46°21'30"E., 380.0 ft.; thence S.43°26'30"W., 60.0 ft.; thence N.46°21'30"W., 671.92 ft.; thence N.50°21'30"E., 186.67 ft. to the point of beginning and containing Lots 88 through 99 inclusive. Deb. 10, 1970 DEDICATION KNOW ALL MEN BY THESE PRESENTS, that we, Lottie M. Schmidt Inc., a Michigan Corporation, with seal, Betty C. Niemetta, President, and John Niemetta, Jr., Secretary Treasurer as proprietors; Raymond W. Trempler and Gina E. Trempler, his wife, as proprietors: The Citizens State Savings Bank of New Baltimore as mortagages in part by Thomas M. Stapleton, President, Paul J. Kolarik, Head Cashier, have caused the land embraced in the annexed plat to be surveyed, laid out and platted to be known as LOTTIVUE NO. 4 a part of fractional Section 23 and P.C. 342, T.3N., R.14E., Chesterfield Township, Macomb County, Michigan and that the streets as shown on said plat are hereby dedicated to the use of the public and that the private easements shown on said plat are hereby reserved for the use of public utilities, or for the specific utilities thereon noted, subject to the regulations and control of the use thereof by the local governmental authorities and that no permanent structures are to be erected within the lines of said easements. ACKNOWLEDGEMENT

STATE OF MICHIGAN - County of MACOME)ss

On this ATM day of VULY A.D., 1969, before me, a Notary Public in and for said county appeared Thomas M. Stapleton and Paul J. Kolarik to me personally known, who being each by me duly sworm did say that they are the President and Head-Cashler respectively of The Citizens State Savings Bank of New Baltimore, a National Corporation, with seal, and that the seal affixed to said instrument is the corporate seal of said corporation and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors and the Thomas M. Stapleton and Paul J. Kolarik acknowledged said instrument to be the free act and deed of said corporation.

My commission expires Angles On Notary Public Angles Ocupy, Michigan Lottie M. Schmidt, Inc. Corporation
48400 Jefferson Avenue
New Baltimore, Michigan
48047

L.S.
Betty C. Niemetta, President Signed and sealed in the presence of:

Witness; MARIE of MARIES This plat was approved by the Township Board of Chesterfield Township, at a meeting held on the 22 ND day of VOLY A.D., 1969. The foregoing plat as approved complies with the provisions of 19A of the Plat Act as added by Act 150 of Public Acts of 1961. The width of lots is in compliance with requirements of Section 39, Act 172, of 1929 as amended.

Albaria Lake Gloria Goike, Clerk Witness: MARY & WILLIAM
Witness: MARY & WILLIAM
Witness: MARY & MONROE
WITNESS: MARY & MONROE SIRRE maps R. wilders

Marie of Romans

ary Conclina

Marie of Romans

Analis of Aprilo

Any Conclina

May R. wilder CERTIFICATE OF APPROVAL BY THE COUNTY PLAT BOARD DES: A Edna/Miller, Clerk Register of Deeds

Momas Welsh, Drain Commissioner

Adam E. Nowakowski, Count

Morman Hill, Chairman-Boar

By: A. G. Nazen, Deputy

CERTIFICATE OF APPROVAL BY THE BOARD OF COUNTY ROAD COMMISSIONERS Citizens State Savings Bank 51066 Washington New Baltimore, Michigan 48047 Thomas M. Stapleton resident This plat has been examined and was approved on the 25 th by the Macomb County Board of Road Communications mossy many R. Social
mass; powers A. Man

Mal I a. A. Man

Mal I a. A. Mari

mass; power a. States

moss; power a. day of November A.D., 1969, Keith Bovenschen, Chairman Ernest W. McColloh, Vice-Chairman Lawrence Ochmike, Member Witness: JOYE A. STREEN

RACKNOWLEDGEMENT

STATE OF MICHIGAN - County of MACOMO

A.D., 1969, before me, a Notary Public in and for said county, appeared Betty C. Niemetta and John Niemetta, Ir., to me personally known, who being each by me duly sworn did say that they are the President and Secretary-Treasurer respectively of the Lottle M. Schmidt, Inc., a Michigan Corporation, with seal, and that the resel affixed to said instrument is the corporate seal of said corporation and that said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors and the said Betty C. Niemetta and John Niemetta, Ir., acknowledged said instrument to be the free act and deed of said corporation.

My commission expires O-15-71 Notary Public MACOMO SES

TATE OF MICHIGAN - County of MACOMO SES

TATE OF MICHIGAN - COUNTY - MICHIGAN - COUNTY SURVEYOR'S CERTIFICATE I hereby certify the Plat hereon delineated is a correct one and that permanent metal monuments consisting of bars not less than one-half inch in diameter and 36 inches in length, encased in a concrete cylinder at least 4 inches in diameter and 36 inches in depth have been placed at point marked thus (0) as thereon shown at all angles in the boundaries of the land platted at all the intersections of the lines of streets, and at the intersections of the lines of streets with the boundaries of the plat as shown on said plat. Fitz J. Bridges, P.E. Registered Land Surveyor No. 5779 273 South Gratict Avenue Mount Clemens, Michigan 48043 Prepared and Drafted By:

This is to certify that according to the County Tressurer's records there are no tax lies on this lies on this lies on this lies are paid by the years previous to date of this improvement of the property and that taxes are paid by the years previous to date of this improvement of the property of the propert

PLAT LEGEND

All dimensions are shown in feet. All curvilinear dimensions are in All curvilinear dimensions are in chord lengths. Bearings were established from Recorded Lottivue Subdivison No. 4, Liber 60, Page 34, Macomb County Records, The symbol "o" indicates a con-crete monument. crete monument. All lot markers are iron bars 18" long and 1/2" in diameter. Corners not set. Irons set on intermediate traverse line at lot line.

STATE OF MICHIGAN)
MACOMB COUNTY) 8.8

0 4

U 4 00 Personally came before me this 28 TH-day of AFRIL ,1975, Betty C. Niemetta, President and John Niemetta, Jr., Secretary Treasurer of the above named corporation to me known to be the persons who executed the foregoing instrument; and to me acknowledged that they executed the foregoing instrument as such officers as the free act and deed of said corporation, by its authority.

Notary Public Phylic Negroeds

MACOMB __County, Michigan

My Commission Expires JUNE 24, 1974

PROPRIETOR'S CERTIFICATE

We as proprietors certify that we caused the land embraced in this plat to be surveyed, divided, mapped and dedicated as represented on this plat and that the streets and other facilities are for the use of the public; that the public utility easements are private easements and that all other easements are for the uses shown on the plat. This plat includes all land to the waters edge as shown. Lot 129 shall not be used wholly or in part for residential building purposes.

WITNESSES

WITNESSES

A.J.A.T.I.M.

MARIE L. MONZOE

JOHN NIEMETTA, JR.

PHYLLIS J. EGYNDLOS

Robert F. Messier 34055 Lottie Drive New Baltimore, MI 48047

PROPRIETOR'S CERTIFICATE - CORPORATION

NATIONAL BANK OF DETROIT a corporation duly organized and existing under the laws of the State of Michigan by J. W. Gurney, Vice President and Robert F. Leech, Assistant Cashier as proprietor's have caused the land to be surveyed, divided, mapped and dedicated as represented on this plat and that the street and other facilities are for the use of the public; that the utility easements are private easements and that all other easements are for the uses shown on the plat. NATIONAL BANK OF DETROIT as mortagee only. Lot 129 shall not be used wholly or in part for residential building purposes. This plat includes all land to the waters edge as shown. National Bank of Detroit

Witnesses:

National Bank of Detroit

Woodward at Fort

Detroit, Mighigan 48232

W. FEUSERT

W. Gurpey (Inceporacy) Deark

Robert F. Leech Assistant Cashier

Robert F. Leech As

, MACOMB

AN MIEMETTA, JR.

SHEET 1 OF 2

County, Michigan.

LOTTIVUE Nº 6

A PART OF FRACTIONAL SECTION 23 AND P.C. 342, T. 3N.. R. 14E.,
CHESTERFIELD TOWNSHIP, MACOMB COUNTY, MICHIGAN

SEE	A PART OF FRACTIONAL SECTION 23 AND P.C. 342, T. 3N., R. I CHESTERFIELD TOWNSHIP, MACOMB COUNTY, MICHIGAN	14 E.,	
EE RESTRICTIONS -	REGISTER # A 233266	273 SOUTH	DGES, P.E. Dengineer & Surveyor Gratiot Avenue Mens, Michigan 48043
ONS -			
LIBER	×		
		1	RECORDING DATA
2504	CORPORATION ACKNOWLEDGEMENT	İ	
PAGE	STATE OF MICHIGAN) 5.5 WAYNE COUNTY) 5.5		
641.	Personally came before me this 25 TH day of A-PRIL , 1973 , J. W. Gurney, Vice President and Robert F. Leech, Assistant Cashier of the above named corporation to me known to be the persons who executed the foregoing instrument and to me known to be such Vice President and Assistant Cashier		
RESTRICTIONS -			
1186	COUNTY TREASURER'S CERTIFICATE		
N 34	The records in my office show no unpaid taxes or special assessments for the five years preceding $M_{AY} = 3 / 9.92$ involving the lands included in this plat in Macomb County.		
LIBER 2478 PAGE	Donna Burdo Clerk # 775 Adam E. Nowakowski, County Treasurer Donna Burdo		· ×
659	COUNTY DRAIN COMMISSION CERTIFICATE		
	Approved on July 30, 1913 as complying with Section 192 of Act 288, P.A. 1967 and the applicable rules and regulations published by my office in the County of Macomb. Thomas S. Welsh, Drain Commissioner		
	CERTIFICATE OF COUNTY ROAD COMMISSION	ar a	
	Approved on AUGUST 7,1973 as complying with Section 183 of Act 288, P.A. 1967 and the applicable rules and regulations of the Board of Road Commissioners of Macomb County.		SITE OF MICHIGA
	Lawrence Oehmke, Chairman Keith Bovenschen, Vice-Chairman Joseph Perty, Member		BRIDGES LAND SURVEYOR No. 5779
	CERTIFICATE OF MUNICIPAL APPROVAL		LAND LAND
	I certify that this plat was approved by the Township Board of the Township of Chesterfield at a meeting held the third that the plate of the Township of the Incompliance with Act 288, P.A. 1967. That the required monuments and lot markers have been located in the ground as required by Section 125 of the Act, lots conform with Interim Subdivision Regulations and the Zoning Ordinance (Ordinance 41) of the Township of Chesterfield. Sanitary Sewer and Water Facilities exist within the plat.		
	Gloria Golke, Olerk		. 4
	COUNTY PLAT BOARD CERTIFICATE		
	This plat has been reviewed and is approved by the MRCOMB County Plat Board on SEPTEMBER 20,1973 as being in compliance with all of the provisions of Act 288, P.A. 1967, and the Plat Board's applicable rules and regulations.		
	Edna Miller, Clerk-Register of Deeds Adam E. Nowakowski, County-Treasurer John J. Godola, Chairman Board of Commissioners		48
	RECORDING CERTIFICATE		
	STATE OF MICHIGAN) COUNTY OF MACOMB) s.s		
	This plat was received on \(\frac{4}{12}\) day of \(\frac{March}{March}\) A.D. 1978 at \(\frac{3:15}{2:15}\) A.M. recorded in Liber \(\frac{64}{12}\) of Plats on Pages \(\frac{48anb49}{12}\).		*
	Raymond R. Craig, Deputy Hegister of Deeds		¢.
	AGREEMENTS OF RESTRICTION CERTIFICATE		
	This plat is subject to restrictions as required by Act 288 of 1967, as amended on certain lots with respect to the requirements of the Michigan Department of Natural Resources and/or the Michigan Department of Public Health, which are recorded in Liber 178 Page 657 of records of this county.	8	
		,	4

ത 4

U