LAND CORNER RECORDATION CERTIFICATE Filing Requirement of Act 74, Mich. P.A. 1970 as Amended

Ear	corners	1
FOF	COLLIGA	. ın

_	Macomb (County)		Located In: of St. Clair Shore:	.	Corner Code # PCC 010	. 1
1.	Public Land Survey	,	T 1N R T R	13E		913 LIBER 12/17 MACON CARME
2.	Property Controllin	ng S	_ T R _ T R			
3.	Miscellaneous Property in Sec.	s s	T R T R			Regis Numb
4 I	ot No. De	acceded D	-			

5. Private Claims Intersection of the East-West ¼ Line of Section 22 with the Westerly Line of PC 623.

Craig P. Amey , in a field survey on August 5, 2009 do hereby state that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and /or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; established, re-established, monumented, recovered, found as expressed

NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.

34380 : 200<mark>68 PAGE 71</mark>4 /2009 12:35:37 P.M. SEAL IB COUNTY, MI LLA SABAUGH, REGISTER OF DEEDS

ter of Deeds Stamp & File

, A B (0 D E	F	з н	1
2 -0-				
3		- Ť-		
4-0-	- •-	- ∳-	- ∳-	7
5		- ,		agreent
6 10			10	
8 -19-		@)		[
9	<u> </u>		/ ·•	7
10	@			4
11 12 89			**	1
		IN	7	

A. Description of original monument and accessories and/or subsequent restoration:

Item	Date	Document	<u> </u>
1	1916	Atlas Map	

Description of corner evidence found and/or method applied in restoring or reestablishing corner:

There is no monumentation or witnesses for this corner. There is no reference to this corner by any nearby subdivision. The location of this comer is the Intersection of the East-West 1/4 Line of Section 22 with the Westerly Line of PC 623. We used the north and south section lines of Section 22 to establish an average bearing from the west 1/4 corner of Section 22, extended easterly to the westerly Line of PC 623 as prescribed in the 1973 Manual of Instructions for Surveys of the Public Lands. The corner is in the center turn lane of Harper Avenue (concrete).

Distances from PCC-010 to:

West quarter corner of Section 22 2519.32 NW comer of PC 623, PC-009 1004.86* PCC-011, intersection of the S. line of section 22 and the Wly line of PC 623

Description of monument for corner and accessories established to perpetuate locating the position of the corner:

I set a 3/2" x 24" iron with 2" aluminum cap stamped "Macomb County Monument MI Act 345 1990 MCL PCC-010 PS.34970" in a new monument box.

Az 70° 70.49 Set MCR tag and nail in the southeast face of a utility pole with light Az 117º 59.58 Northwest comer of building #26428 Az 174º 89.88 Set MCR tag and nail in the southwest face of a utility pole Az 236° 92.76 Set chiseled "X" in northeast bolt of light pole base Set chiseled "X" in southeast bolt of light pole base Az 01° 110.52

> ACCEPTED BY THE MACOMB COUNTY SURVEY PEER GROUP AS THE OFFICIAL CORNER UNDER MICHIGAN PUBLIC ACT 345 OF 1990 AT A MEETING HELD ON ゲースター クタ Martin C. Dunn

MARTIN C. DUNN, P.S. CHAIRMAN

THE SELECTED LOCATION IS ACCEPTED BY ME AND IS GENERALLY ACCEPTED BY PROFESSIONAL SURVEYORS AS THE BEST AVAILABLE EVIDENCE OF THE POSITION OF THIS CORNER.

DER 16, 2009 Signed by Surveyor's Michigan License 4970

> FORM APPROVED BY MICHIGAN STATE BOARD OF PROFESSIONAL SURVEYORS, JAN. 28, 1971 Revised May 14, 1975 Revised Jan., 1983 Revised Oct., 1995

OF MICHIG

CRAIG P.

AMEY

PROFESSIONAL SURVEYOR No.

34970

PROFESSIONA

ANDERSON, ECKSTEIN AND WESTRICK, INC.



51301 Schoenherr Road, Shelby Township, Michigan 48315 Civil Engineers • Surveyors • Architects 586-726-1234

2009 Remonumentation Corner: PC 010

In 2009, we were contracted by Macomb County to remonument PC 010 which is the intersection of the east and west quarter line of section 22, T1N, R13E and the westerly line of PC 623, pursuant to ACT 345 of 1990.

In early February, we solicited information from area surveyors. None of the surveyors contacted had any unrecorded information pertinent to this corner. We also researched the public records. No surveys, LCRC's or plats were recorded that reference this corner or the east and west quarter line of Section 22. The corner was not set during the GLO surveys, so no GLO field notes exist. The westerly line of PC 623 was previously established by me in 2008.

The only reference to any existence of the east and west quarter line is the 1916 atlas which shows the line as the south line of lands owned by "Geo. Schrader" (actual name is Geo. Schroeder), and the north line of lands owned by "Chas. Moldenhouser", "Jos. VanAssche" and "Leonard Beck". In 1925, David Warfield Subd'v'n (L.10, P.32) was platted and it included lands owned by previously by Schroeder and Moldenhauser. A research of deeds from 1916 through 1925 did not result in a deed transferring the properties of Schroeder and Moldenhauser to the proprietor's of the David Warfield Subd'v'n. The only deed that was located was a deed conveying lands to VanAsche that included a distance of 44 chains from the south line of section 22.

With no evidence of the east and west quarter line of section 22, other than a description with a distance of 44 chains from the south line of section 22, I have reestablished the corner position by following the rules set forth in the 1973 Manual of Instructions for Surveys of the Public Lands as follows:

That in a fractional section where no opposite corresponding quarter-section corner has been or can be established, the center line of such section must be run from the proper quarter-section corner as nearly in a cardinal direction to the meander line, reservation, or other boundary of such fractional section, as due parallelism with section lines will permit.

I used an average bearing from the north line of section 22 and the south line of section 22 to extend a line from the west quarter post of section 22 easterly to intersect with the westerly line of PC 623.

I believe that the method described above has determined the best location of the intersection of the east and west quarter line of section 22 and the westerly line of PC 623

the east and west quarter line of section 22 and the westerly line of PC 623
Respectfully Submitted,
Craig P. Amey, PS
Craig 1. Tailoy, 1.5


ANDERSON, ECKSTEIN AND WESTRICK, INC.

51301 Schoenherr Road, Shelby Township, Michigan 48315 Civil Engineers • Surveyors • Architects 586-726-1234

2009 Remonumentation Corner: PCC-010

Index

- I. Section 1
 - A. Index
 - B. Photographs
- II. Section 2
 - A. LCRC
 - B. Surveyor's Report
- III. Section 3
 - A. Field Notes
 - 1. Corner Witnesses
 - 2. GPS Notes
 - 3. Sketch
 - B. Composites
 - 1. 22E
 - 2. 22F
- IV. Section 4
 - A. GLO Notes and Plats
 - 1. 1916 Atlas
 - 2. David Warfield Subd'v'n
 - 3. Cataldo Sub No. 4
 - 4. Harper Labadie Subdivision






ANDERSON, ECKSTEIN AND WESTRICK, INC.


Civil Engineers - Surveyors - Architects
51301 Schoenherr Road, Shelby Township, Michigan 45315
Phone 556-728-1234 Fax 586-728-8780

PROJECT	
Macomb	Co.
Remoi	n.
2009	

	11/09	PROJECT NO. 223-032
•	рами ву Сра	SHEET No.
	сра	PCC-010



Print of it was box passes that the	FILL DEVIN NO 18 MAY SEPTEMBLE MANY SEPTEMBLE MANY SEPTEMBLE SEPTEMBLE MANY SEPTE	223.035 08/24/09 CPD, MAT	Pic-aio	5 N
FILL FRANCIA ALONA FILL FRANCIA ALONA ALO	THE PROVINCE ALONG	bil	REMON ON IN MAN BOX, FRAZINOS LITTLE MINEL	<i>t</i>
FILL FROM THE MANY THE STATE OF	FILL FROM THE LANGE TO THE PARTY OF THE PART	DRIENS		
		13 2 W	FILL PERM TAR MAISON	
er e e e e e e e e e e e e e e	to the following and a second of			
	* · · · · · · · · · · · · · · · · · · ·			



On this 14th day of October 1925, before Me, a Rotary Public in and for sail county, Dursonally came the above massed William Allesson, widower, known to see to be the person who exacted the above desication, and agrand-webs; the same to be his free act and deed.

Notary Public, Wayne

My C maission expires February 24, 1929

Co., Mich.

Notary Public, Mayor . .

mission expires February 24, 1929.

to the Same of the

EN 1/2" 21096 HARPER LABADE SUBDIVISION LAKE TWO MACOMB SECTIONS MAST TLANGE ON MICHIGAN 5CALE MOLAT CLEMENS ME. THE CONTROL OF THE CO Examined and Appropriate State Marine. Varpe Lotaclie sy FILED IN AUGUTOR DEALERAL'S DEPT. LEPUTY MUNICH CHERRY. The land embraced in the armexed plut of "hidrik inhibition SCENIVISION" a part of Fri. uses. 22 and 27, Y.1, K.M. 18, K. Lake Township, Macomb County, Michigan, is described as follows: Edition is college; A of the R.M. corner of one, 22, thence S. 14-27', A. 2802.40 fts. thence M. 27' and 192.10 fts. 18.10 fts. 192.10 ft Presence of Enric Return ROBA M. McCAll William R. Huduon .. L.S. Lilyan Rudson L.S. my Prvd. P. Polyywolp. Free, L.S. SEAL ... J. Arthur Hossing. ... Sec. L.S. STATE OF WICHIGAN S.S. County of Fairs. On this 15fb. day of May..... 192.5 Before we, a flotary Public in and for said County appeared Dowd P. Dalryaple and T Arthur Hoffman, to me farrounsily known who being asab by no duly swore did say that they are the President and Service 192 of the Harper Lindick Land Co. a High respect by of the Harper Lindick Land Co. a High respect by of the Harper Lindick Land Co. a High respect to the Co. of the Harper Lindick Land Co. a High respect to the Co. of the Harper Lindick Land Co. a High respect to the Land of said corrected in by subject to the Land Co. and the Land Co. and La . Asto. A. R. Veher Township Clerk. My Commission Expires..., July 715. 1929..... Mr. for. A. Jenner. Registered Civil Engines . Pess. W. WcCell Betary Public, Value Co. Mich., My Commission Expires. Jan. . 7th, . 1949. . 1204125 VALUE BY RESOLUTION OF THE CONTROL VOUCHER NO. SSS. 53 443

