

INDEX

SOUTHEAST CORNER P.C. 319 COMMON WITH SOUTHWEST CORNER P.C. 545 OTHER CODE: PC-037 HARRISON TOWNSHIP, T2N, R14E

SECTION 1:

1. Index
2. Before Pictures of Point and in Each Cardinal Direction
3. After Pictures of Point

SECTION 2:


1. LCRC
2. Surveyor's Report
3. Sketch of Private Claims (3 pages)

SECTION 3:

1. 1818 Original Government Survey map (1 page)
2. 1875 Map of Harrison Township (1 page)
3. 1895 Map of Harrison Township (1 page)
4. 1916 Map of Harrison Township (1 page)
5. 2006 Map of Harrison Township (1 page)
6. 2004 Harrison Township Composite Maps (5 pages)
7. 2013 Field Notes with Corner Witnesses (1 page)
8. Undated Addressograph Department drawing of P.C.'s 238, 319 and 545 (1 page)


SECTION 4:

1	1810	Private Claim Notes	Aaron Greeley	
2	1916	Riverside-Bay Gardens Subdivision	E.B. Williams, Engineer	L. 3, P.23
3	1921	Mallast's Subdivision No.1	Walter J. Lehner #123	L.5, P.78
4	1926	Warren Park Subdivision	H.F. Cushing #1427	L.10, P.56
5	1926	Warren Park Subdivision No.1	H.F. Cushing #1427	L.10, P.57
6	1934	Supervisor's Plat No.5	Walter J. Lehner #123	L.16, P.26
7	1937	Mallast's Subdivision No.2	Walter J. Lehner #123	L.18, P.9
8	Undated	Sketch of Survey, P.C.545	Claud Postiff	L.249, P.203
9	1979	Sketch of Survey Lots 25-35, S.P.#5	Lehner Associates, Inc.	Unrecorded
10	1985	Sketch of Survey Lot 35, S.P.#5	Lehner Associates, Inc.	Unrecorded

A survey marker consisting of a pile of orange plastic shavings and a piece of orange ribbon, with a small blue cap visible in the center. A white rectangular label is placed in front of the marker.

PC - 037

S.E. Corner of PC 319 common with the
S.W. Corner of PC 545
T.2N., R.14E. Harrison Twp.









LAND CORNER RECORDATION CERTIFICATE
Filing Requirement of Act 74, Mich. P.A. 1970

For corners in


MACOMB (County) Located In: Harrison Township Corner Code #
1. Public Land Survey T 2N R 14E PC-037
2. Property Controlling in Section S T R
3. Miscellaneous Property in Section S T R

3159780 PAGE 1 OF 2
LIBER 22496 PAGE 88
10/22/2013 02:17:57 P.M.
MACOMB COUNTY, MI SEAL
CARNELLA SABAUGH, REGISTER OF DEEDS

Register of Deeds Stamp & File Number

- 4. Lot No. , Recorded Plat
5. Private Claims Southeast Corner of Private Claim 319 Common with the Southwest Corner of Private Claim 545

I, ROGER J. STECKER, in a field survey on July 10, 2013 do hereby state that under requirements of P.A. 74, Michigan P.A. of 1970, the corner points mentioned in lines 1 and 2 above were in conformance with regulations and rules therefore as required in the current manual of survey instructions of the United States Department of the Interior, Bureau of Land Management or by a decree of a Court of Law and/or that the corner points mentioned in lines 3, 4 and 5 above were in conformance with the rules of the Michigan Board of Land Surveyors or by a Decree of a Court of Law; re-established, monumented, recovered, found as expressed below:



NOTE: Not more than 2 corners, all in the same town and range, may be recorded on this certificate.

- A. Description of original monument and accessories and/or subsequent restoration: Post set by Aaron Greeley according to Private Claim Notes, not found.

Table with 4 columns: Year, Description, Surveyor, and Reference. Includes entries for 1810 Private Claim Notes, 1916 Riverside-Bay Gardens Subdivision, 1921 Mallast's Subdivision No.1, 1926 Warren Park Subdivision, 1926 Warren Park Subdivision No.1, 1934 Supervisor's Plat No.5, 1937 Mallast's Subdivision No.2, Undated Sketch of Survey, P.C.545, 1979 Sketch of Survey Lots 25-35, S.P.#5, and 1985 Sketch of Survey Lot 35, S.P.#5.

- B. Description of corner evidence found and/or method applied in restoring or reestablishing corner: No physical evidence of the original post was found at the location described in the Aaron Greeley original survey notes.


The reference monument position was established using found evidence from the following plats: "Riverside-Bay Gardens Subdivision" as recorded in Liber 3 of Plats, Page 23, M.C.R.; "Mallast's Subdivision No.1" as recorded in Liber 5 of Plats, Page 78, M.C.R.; "Mallast's Subdivision No.2" as recorded in Liber 18, Page 9, M.C.R.; "Warren Park Subdivision" as recorded in Liber 10, Page 56, M.C.R.; "Warren Park Subdivision No.1" as recorded in Liber 10 of Plats, Page 57, M.C.R.; "Supervisor's Plat No.5" as recorded in Liber 16, Page 26, M.C.R. and 1979 and 1985 surveys by Lehner Associates, Inc. (continued on Page 2)

FROM SOUTHEAST CORNER PC 319 COMMON WITH SOUTHWEST CORNER PC 545 (PC-037) TO NORTHEAST CORNER PC 319 COMMON WITH NORTHWEST CORNER PC 545 (PC-036) 9736.32' (147 Chains 52 Links Private Claim Notes) 8912.51' from reference monument PC-036 (measured Stecker #30103, 2013) 823.81' from reference monument to PC-037 (in Lake St. Clair).

- C. Description of monument for corner and accessories established to perpetuate locating the position of the corner. Reference Monument to PC-037 I installed a 4" diameter concrete monument, 36" long with a 1/2" iron rod having a 2" diameter aluminum cap stamped: Macomb County Monument, MI Act 345, 30103, REF. PC-037

Witnesses:

Table with 4 columns: Bearing, Distance, Description, and Action. Includes bearings like S44°E, S72°E, N76°E, N77°E, N87°W, N28°W and distances like 35.14', 52.92', 54.84', 243.11', 185.17', 138.43'.



The selected location is accepted by me and is generally accepted by Professional Surveyors as the best available evidence of the position of the original corner.

Signed by [Signature] Surveyor's Michigan License No. 30103

Date OCT. 14, 2013

PAGE 2

For corners in

<u>MACOMB</u> (County)	Located In: Harrison Township	Corner Code #
1. Public Land Survey	T <u>2N</u> R <u>14E</u>	<u>PC-037</u>
	T _____ R _____	_____
	T _____ R _____	_____
	T _____ R _____	_____
2. Property Controlling in Section	S _____ T _____ R _____	_____
	S _____ T _____ R _____	_____
3. Miscellaneous Property in Section	S _____ T _____ R _____	_____
	S _____ T _____ R _____	_____

4. Lot No. _____, Recorded Plat _____
5. Private Claims Southeast Corner of Private Claim 319 Common with the
Southwest Corner of Private Claim 545

B. Description of corner evidence found and/or method applied in restoring or reestablishing corner:
(Continued from Page 1)

The north end of Private Claim line 319/545 is clearly defined in "Supervisor's Plat No.5". Field evidence supported its location. Field evidence found in "Riverside-Bay Gardens Subdivision", "Warren Park Subdivision", "Mallast's Subdivision No.1" and "Mallast's Subdivision No.2", were used to control the southerly direction of the Private Claim line and its terminus at Lake St. Clair.

**ACCEPTED BY THE MACOMB COUNTY SURVEY PEER
GROUP AS THE OFFICIAL CORNER UNDER MICHIGAN
PUBLIC ACT 345 OF 1990 AT A MEETING HELD
ON 8-20-2013**
Martin C. Dunn
MARTIN C. DUNN, P.S. CHAIRMAN

**SURVEYOR'S REPORT
SOUTHEAST CORNER P.C. 319
COMMON WITH
SOUTHWEST CORNER P.C. 545
OTHER CODE: PC-037
HARRISON TOWNSHIP,
T2N, R14E**

GLO HISTORY:

Description of P.C. 319

Private Claim survey performed by Aaron Greeley on July 18, 1810. Commencing at a post standing on the border of River Huron, between this tract and a tract confirmed to the claimant, thence south one hundred and forty seven chains fifty two links to a post standing on the border of Lake St. Clair thence along the border of said lake west thirteen chains forty eight links to a post the southeast corner of a tract confirmed to Louis Chapoton Junior thence north one hundred and fifty four chains sixty links to a post standing on the border of River Huron thence along the border of said River down stream south eighty three degrees east six chains eighteen links thence south fifty nine degrees east seven chains fifty one links thence south twenty degrees east two chains sixty two links to the place of beginning, containing two hundred and five acres and nine tenths of an acre. Confirmed to Joseph Campeau.

Description of P.C. 545

Private Claim survey performed by Aaron Greeley on July 18, 1810. Commencing at a post standing on the border of River Huron between this tract and a tract confirmed to Louis Campeau thence south sixty two chains to a post the southwest corner of said tract confirmed to Louis Campeau thence east forty chains seventy four links to a post the southeast corner of said Louis Campeaus tract thence south ninety six chains seventy five links to a post standing on the border of Lake St. Clair thence along the border of said lake north forty five degrees west forty nine chains thirteen links, thence south forty five degrees west seventeen chains to a post the southeast corner of a tract confirmed to the claimant thence north one hundred and forty seven chains fifty two links to a post standing on the border of River Huron thence along the border of said river down stream south twenty degrees east nine chains thirty eight links, thence south forty six degrees east three chains eighty five links to the place of beginning, containing three hundred and ninety six acres seventy three hundredths of an acre. Confirmed to Joseph Campeau.

EXISTING CONDITIONS:

The reference monument position was established using found evidence from the following plats: "Riverside-Bay Gardens Subdivision" as recorded in Liber 3 of Plats, Page 23, M.C.R.; "Mallast's Subdivision No.1" as recorded in Liber 5 of Plats, Page 78, M.C.R.; "Mallast's Subdivision No.2" as recorded in Liber 18, Page 9, M.C.R.; "Warren Park Subdivision" as recorded in Liber 10, Page 56, M.C.R.; "Warren Park Subdivision No.1" as recorded in Liber 10 of Plats, Page 57, M.C.R.; "Supervisor's Plat No.5" as recorded in Liber 16, Page 26, M.C.R. and 1979 and 1985 surveys by Lehner Associates, Inc. The north end of Private Claim line 319/545 is clearly defined in "Supervisor's Plat No.5". Field evidence supported its location. Field evidence found in "Riverside-Bay Gardens Subdivision", "Warren Park Subdivision", "Mallast's Subdivision No.1" and "Mallast's Subdivision No.2", were used to control the southerly direction of the Private Claim line and its terminus at Lake St. Clair.

RECORDED & UNRECORDED SURVEYS, & FIELD NOTES:

1.	1810	Private Claim Notes	Aaron Greeley	
2.	1916	Riverside-Bay Gardens Subdivision	E.B. Williams, Engineer	L. 3, P.23
3.	1921	Mallast's Subdivision No.1	Walter J. Lehner #123	L.5, P.78
4.	1926	Warren Park Subdivision	H.F. Cushing #1427	L.10, P.56
5.	1926	Warren Park Subdivision No.1	H.F. Cushing #1427	L.10, P.57
6.	1934	Supervisor's Plat No.5	Walter J. Lehner #123	L.16, P.26
7.	1937	Mallast's Subdivision No.2	Walter J. Lehner #123	L.18, P.9
8.	Undated	Sketch of Survey, P.C.545	Claud Postiff	L.249, P.203
9.	1979	Sketch of Survey Lots 25-35, S.P.#5	Lehner Associates, Inc.	Unrecorded
10.	1985	Sketch of Survey Lot 35, S.P.#5	Lehner Associates, Inc.	Unrecorded

FIELD MEASUREMENTS BETWEEN CORNERS:

FROM CORNER FOR SOUTHEAST PC 319 COMMON WITH SOUTHWEST CORNER PC-545 (PC-037)
TO NORTHEAST CORNER PC 319 COMMON WITH NORTHWEST CORNER PC-545 (PC-036)

9736.32' (147 Chains 52 Links Private Claim Notes)

8912.51' from reference monument PC-036 (measured Stecker #30103, 2013)

823.81' from reference monument to PC-037 (in Lake St. Clair).

RECOMMENDATIONS:



Place a reference monument with a 4" diameter concrete monument, 36" long with a 1/2" iron rod having a 2" diameter aluminum cap stamped:

Macomb County Monument, MI Act 345, 30103, REF. PC-037

WITNESSES: PC-037 REFERENCE MONUMENT

S44°E	35.14'	Set nail and Macomb County Witness tag in South face of 24" Cottonwood tree
S72°E	52.92'	S.W. corner of concrete for pavilion.
N76°E	54.84'	N.W. corner of concrete for pavilion.
N77°E	243.11'	Set nail and Macomb County Witness tag in North face 10" Sycamore tree.
N87°W	185.17'	Set nail and Macomb County Witness tag in 12" Cottonwood tree.
N28°W	138.43'	Cut 'X' in curb in parking lot.

SKETCH OF PRIVATE CLAIM 545



P.C. 545
Confirmed to Joseph Campeau

Commencing at a post standing on the north border of River Huron between this tract and a tract confirmed to Louis Campeau thence south sixty two chains to a post the southwest corner of said tract confirmed to Louis Campeau thence south ninety six chains seventy five links to a post standing on the border of Lake St. Clair thence along the border of said lake north forty five degrees west forty nine chains thirteen links, thence south forty five degrees west seventeen chains to a post the southeast corner of a tract confirmed to the claimant thence north one hundred and forty seven chains fifty two links to a post standing on the border of River Huron thence along the border of said river down stream south twenty degrees east nine chains thirty eight links, thence south forty six degrees east three chains eighty five links to the place of beginning, containing three hundred and ninety six acres seventy three hundredths of an acre.

Detroit July 18, 1810

Aaron Greeley Surveyor
of private claims

SKETCH OF PRIVATE CLAIM 319



P.C. 319

Confirmed to Joseph Campeau

Commencing at a post standing on the border of River Huron, between this tract and a tract confirmed to the claimant, thence south one hundred and forty seven chains fifty two links to a post standing on the border of Lake St. Clair thence along the border of said lake west thirteen chains forty eight links to a post the southeast corner of a tract confirmed to Louis Chapoton Junior thence north one hundred and fifty four chains sixty links to a post standing on the border of River Huron thence along the border of said River down stream south eighty three degrees east six chains eighteen links thence south fifty nine degrees east seven chains fifty one links thence south twenty degrees east two chains sixty two links to the place of beginning, containing two hundred and five acres and nine tenths of an acre.

Detroit July 18, 1810

Aaron Greeley Surveyor
of private claims

S 83° E 6
CHAINS,
18 LINKS
(407.88')

S 59° E 7
CHAINS,
51 LINKS
(495.66')

S 20° E 2
CHAINS,
62 LINKS
(172.95')

N.E. CORNER
P.C. 319
COMMON WITH
N.W. CORNER
P.C. 545

LOUIS CHAPOTON JUNIOR
TRACT

JOSEPH CAMPEAU
TRACT

JOSEPH CAMPEAU
TRACT

NORTH 154 CHAINS, 60 LINKS (10,203.60')


SOUTH 147 CHAINS, 52 LINKS (9736.32') (ORIGINAL SURVEY)

P.C.
319

P.C.
545

WEST 13 CHAINS,
48 LINKS 889.68'
LAKE ST. CLAIR


GRAPHIC SCALE




(IN FEET)
1 inch = 1000 ft.

SKETCH OF PRIVATE CLAIM 238/319/545

RIVER HURON




GRAPHIC SCALE



(IN FEET)
1 inch = 1000 ft.

Township N. II North, Range N. XIV East of the Mer. (Mich. Ter.)




Quantity exclusive of Private's claim. ^{Acres} 226-39

A true Copy from the Original on file in this Office

Surveyor General's Office
 July 20 - 1878

Edward Tupper
 Surveyor General

POOR COPY



Map of
HARRISON
 TOWNSHIP
 T.2 N. R.14 E.

1875

CHESTERFIELD TWP

TWP

ANCHOR BAY

CLAIR

CLAIR

ST. CLAIR

POINT HURON



Part of Fractional Township 2 North, Range 13 East and
Fractional Township 2 North, Range 14 East
of the Michigan Meridian.

1916

Scanned By
METCO
Engineers, Architects & Surveyors




CLINTON


CLINTON PARK SUBD.
CLINTON PARK SUBD.
CLINTON PARK SUBD.

HARRISON

T. 2N. - R. 14E.



See CHESTERFIELD Page 31




See CLINTON Page 23

LAKE ST. CLAIR

LAKE ST. CLAIR

2006




Conservation Districts


Macomb Conservation District
 75701 M-19, Richmond, MI 48062
 Phone: 586-727-2666 Fax: 586-727-2621
 E-mail: macombcd@klondyke.net
 Website: www.macombcd.com

Assistance available for :

Tree Sales Forestry Native Plants
 Conservation Education





*Celebrating
 55 Years of
 Managing
 Macomb County's
 Natural Resources*



12-28B


12-28D

Date of Photography: April 2004
 100 50 0 100 200 Feet
 1:1,200




HARRISON TWP SHEET INDEX

31A	12-200A	12-19-19A	12-18E	12-18A	12-07A	12-06E	12-06A	31B	12-200B	12-19-19B	12-18F	12-18B	12-07B	12-06F	12-06B
32A	12-200C	12-19-19C	12-18G	12-18C	12-07C	12-06G	12-06C	32B	12-200D	12-19-19D	12-18H	12-18D	12-07D	12-06H	12-06D
33A	12-200E	12-19-19E	12-18I	12-18E	12-07E	12-06I	12-06E	33B	12-200F	12-19-19F	12-18J	12-18F	12-07F	12-06J	12-06F
34A	12-200G	12-19-19G	12-18K	12-18G	12-07G	12-06K	12-06G	34B	12-200H	12-19-19H	12-18L	12-18H	12-07H	12-06L	12-06H
35A	12-200I	12-19-19I	12-18M	12-18I	12-07I	12-06M	12-06I	35B	12-200J	12-19-19J	12-18N	12-18J	12-07J	12-06N	12-06J
36A	12-200K	12-19-19K	12-18O	12-18K	12-07K	12-06O	12-06K	36B	12-200L	12-19-19L	12-18P	12-18L	12-07L	12-06P	12-06L
37A	12-200M	12-19-19M	12-18Q	12-18M	12-07M	12-06Q	12-06M	37B	12-200N	12-19-19N	12-18R	12-18M	12-07N	12-06R	12-06N
38A	12-200O	12-19-19O	12-18S	12-18O	12-07O	12-06S	12-06O	38B	12-200P	12-19-19P	12-18T	12-18N	12-07P	12-06T	12-06P
39A	12-200Q	12-19-19Q	12-18U	12-18Q	12-07Q	12-06U	12-06Q	39B	12-200R	12-19-19R	12-18V	12-18O	12-07R	12-06V	12-06R
40A	12-200S	12-19-19S	12-18W	12-18Q	12-07S	12-06W	12-06S	40B	12-200T	12-19-19T	12-18X	12-18O	12-07T	12-06X	12-06T
41A	12-200U	12-19-19U	12-18Y	12-18Q	12-07U	12-06Y	12-06U	41B	12-200V	12-19-19V	12-18Z	12-18O	12-07V	12-06Z	12-06V
42A	12-200W	12-19-19W	12-18AA	12-18Q	12-07W	12-06AA	12-06W	42B	12-200X	12-19-19X	12-18AB	12-18O	12-07X	12-06AB	12-06X
43A	12-200Y	12-19-19Y	12-18AC	12-18Q	12-07Y	12-06AC	12-06Y	43B	12-200Z	12-19-19Z	12-18AD	12-18O	12-07Z	12-06AD	12-06Z
44A	12-200AA	12-19-19AA	12-18AE	12-18Q	12-07AA	12-06AE	12-06AA	44B	12-200AB	12-19-19AB	12-18AF	12-18O	12-07AB	12-06AF	12-06AB
45A	12-200AC	12-19-19AC	12-18AG	12-18Q	12-07AC	12-06AG	12-06AC	45B	12-200AD	12-19-19AD	12-18AH	12-18O	12-07AD	12-06AH	12-06AD
46A	12-200AE	12-19-19AE	12-18AI	12-18Q	12-07AE	12-06AI	12-06AE	46B	12-200AF	12-19-19AF	12-18AJ	12-18O	12-07AF	12-06AJ	12-06AF
47A	12-200AG	12-19-19AG	12-18AK	12-18Q	12-07AG	12-06AK	12-06AG	47B	12-200AH	12-19-19AH	12-18AL	12-18O	12-07AH	12-06AL	12-06AH
48A	12-200AI	12-19-19AI	12-18AM	12-18Q	12-07AI	12-06AM	12-06AI	48B	12-200AJ	12-19-19AJ	12-18AN	12-18O	12-07AJ	12-06AN	12-06AJ
49A	12-200AK	12-19-19AK	12-18AO	12-18Q	12-07AK	12-06AO	12-06AK	49B	12-200AL	12-19-19AL	12-18AP	12-18O	12-07AL	12-06AP	12-06AL
50A	12-200AM	12-19-19AM	12-18AQ	12-18Q	12-07AM	12-06AQ	12-06AM	50B	12-200AN	12-19-19AN	12-18AR	12-18O	12-07AN	12-06AR	12-06AN
51A	12-200AO	12-19-19AO	12-18AS	12-18Q	12-07AO	12-06AS	12-06AO	51B	12-200AP	12-19-19AP	12-18AT	12-18O	12-07AP	12-06AT	12-06AP
52A	12-200AQ	12-19-19AQ	12-18AU	12-18Q	12-07AQ	12-06AU	12-06AQ	52B	12-200AR	12-19-19AR	12-18AV	12-18O	12-07AR	12-06AV	12-06AR
53A	12-200AS	12-19-19AS	12-18AV	12-18Q	12-07AS	12-06AV	12-06AS	53B	12-200AT	12-19-19AT	12-18AW	12-18O	12-07AT	12-06AW	12-06AT
54A	12-200AU	12-19-19AU	12-18AX	12-18Q	12-07AU	12-06AX	12-06AU	54B	12-200AV	12-19-19AV	12-18AY	12-18O	12-07AV	12-06AY	12-06AV
55A	12-200AW	12-19-19AW	12-18AZ	12-18Q	12-07AW	12-06AZ	12-06AW	55B	12-200AX	12-19-19AX	12-18BA	12-18O	12-07AX	12-06BA	12-06AX
56A	12-200AY	12-19-19AY	12-18AA	12-18Q	12-07AY	12-06AA	12-06AY	56B	12-200AZ	12-19-19AZ	12-18BB	12-18O	12-07AZ	12-06BB	12-06AZ
57A	12-200BA	12-19-19BA	12-18AB	12-18Q	12-07BA	12-06AB	12-06BA	57B	12-200BB	12-19-19BB	12-18AC	12-18O	12-07BB	12-06AC	12-06BB
58A	12-200BC	12-19-19BC	12-18AD	12-18Q	12-07BC	12-06AD	12-06BC	58B	12-200BD	12-19-19BD	12-18AE	12-18O	12-07BD	12-06AE	12-06BD
59A	12-200BE	12-19-19BE	12-18AE	12-18Q	12-07BE	12-06AE	12-06BE	59B	12-200BF	12-19-19BF	12-18AF	12-18O	12-07BF	12-06AF	12-06BF
60A	12-200BG	12-19-19BG	12-18AG	12-18Q	12-07BG	12-06AG	12-06BG	60B	12-200BH	12-19-19BH	12-18AH	12-18O	12-07BH	12-06AH	12-06BH
61A	12-200BI	12-19-19BI	12-18AH	12-18Q	12-07BI	12-06AH	12-06BI	61B	12-200BJ	12-19-19BJ	12-18AI	12-18O	12-07BJ	12-06AI	12-06BJ
62A	12-200BK	12-19-19BK	12-18AJ	12-18Q	12-07BK	12-06AJ	12-06BK	62B	12-200BL	12-19-19BL	12-18AA	12-18O	12-07BL	12-06AA	12-06BL
63A	12-200BM	12-19-19BM	12-18AK	12-18Q	12-07BM	12-06AK	12-06BM	63B	12-200BN	12-19-19BN	12-18AB	12-18O	12-07BN	12-06AB	12-06BN
64A	12-200BO	12-19-19BO	12-18AL	12-18Q	12-07BO	12-06AL	12-06BO	64B	12-200BP	12-19-19BP	12-18AC	12-18O	12-07BP	12-06AC	12-06BP
65A	12-200BQ	12-19-19BQ	12-18AM	12-18Q	12-07BQ	12-06AM	12-06BQ	65B	12-200BR	12-19-19BR	12-18AD	12-18O	12-07BR	12-06AD	12-06BR
66A	12-200BS	12-19-19BS	12-18AN	12-18Q	12-07BS	12-06AN	12-06BS	66B	12-200BR	12-19-19BR	12-18AE	12-18O	12-07BR	12-06AE	12-06BR
67A	12-200BT	12-19-19BT	12-18AO	12-18Q	12-07BT	12-06AO	12-06BT	67B	12-200BS	12-19-19BS	12-18AF	12-18O	12-07BS	12-06AF	12-06BS
68A	12-200BU	12-19-19BU	12-18AP	12-18Q	12-07BU	12-06AP	12-06BU	68B	12-200BT	12-19-19BT	12-18AG	12-18O	12-07BT	12-06AG	12-06BT
69A	12-200BV	12-19-19BV	12-18AQ	12-18Q	12-07BV	12-06AQ	12-06BV	69B	12-200BU	12-19-19BU	12-18AH	12-18O	12-07BU	12-06AH	12-06BU
70A	12-200BW	12-19-19BW	12-18AR	12-18Q	12-07BW	12-06AR	12-06BW	70B	12-200BV	12-19-19BV	12-18AI	12-18O	12-07BV	12-06AR	12-06BV
71A	12-200BX	12-19-19BX	12-18AS	12-18Q	12-07BX	12-06AS	12-06BX	71B	12-200BW	12-19-19BW	12-18AJ	12-18O	12-07BW	12-06AS	12-06BW
72A	12-200BY	12-19-19BY	12-18AT	12-18Q	12-07BY	12-06AT	12-06BY	72B	12-200BX	12-19-19BX	12-18AK	12-18O	12-07BX	12-06AT	12-06BX
73A	12-200BZ	12-19-19BZ	12-18AU	12-18Q	12-07BZ	12-06AU	12-06BZ	73B	12-200BY	12-19-19BY	12-18AL	12-18O	12-07BY	12-06AU	12-06BY
74A	12-200C0	12-19-19C0	12-18AV	12-18Q	12-07C0	12-06AV	12-06C0	74B	12-200BZ	12-19-19BZ	12-18AM	12-18O	12-07C0	12-06AV	12-06C0
75A	12-200C1	12-19-19C1	12-18AW	12-18Q	12-07C1	12-06AW	12-06C1	75B	12-200C0	12-19-19C0	12-18AN	12-18O	12-07C1	12-06AW	12-06C0
76A	12-200C2	12-19-19C2	12-18AX	12-18Q	12-07C2	12-06AX	12-06C2	76B	12-200C1	12-19-19C1	12-18AO	12-18O	12-07C2	12-06AW	12-06C1
77A	12-200C3	12-19-19C3	12-18AY	12-18Q	12-07C3	12-06AY	12-06C3	77B	12-200C2	12-19-19C2	12-18AP	12-18O	12-07C3	12-06AY	12-06C2
78A	12-200C4	12-19-19C4	12-18AZ	12-18Q	12-07C4	12-06AZ	12-06C4	78B	12-200C3	12-19-19C3	12-18AQ	12-18O	12-07C4	12-06AY	12-06C3
79A	12-200C5	12-19-19C5	12-18BA	12-18Q	12-07C5	12-06BA	12-06C5	79B	12-200C4	12-19-19C4	12-18AR	12-18O	12-07C5	12-06AZ	12-06C4
80A	12-200C6	12-19-19C6	12-18BB	12-18Q	12-07C6	12-06BB	12-06C6	80B	12-200C5	12-19-19C5	12-18AS	12-18O	12-07C6	12-06BA	12-06C5
81A	12-200C7	12-19-19C7	12-18BC	12-18Q	12-07C7	12-06BC	12-06C7	81B	12-200C6	12-19-19C6	12-18AT	12-18O	12-07C7	12-06BB	12-06C6
82A	12-200C8	12-19-19C8	12-18BD	12-18Q	12-07C8	12-06BD	12-06C8	82B	12-200C7	12-19-19C7	12-18AU	12-18O	12-07C8	12-06BC	12-06C7
83A	12-200C9	12-19-19C9	12-18BE	12-18Q	12-07C9	12-06BE	12-06C9	83B	12-200C8	12-19-19C8	12-18AV	12-18O	12-07C9	12-06BD	12-06C8
84A	12-200CA	12-19-19CA	12-18BF	12-18Q	12-07CA	12-06BF	12-06CA	84B	12-200C9	12-19-19C9	12-18AW	12-18O	12-07CA	12-06BE	12-06C9
85A	12-200CB	12-19-19CB	12-18BG	12-18Q	12-07CB	12-06BG	12-06CB	85B	12-200CA	12-19-19CA	12-18AX	12-18O	12-07CB	12-06BF	12-06CA
86A	12-200CC	12-19-19CC	12-18BH	12-18Q	12-07CC	12-06BH	12-06CC	86B	12-200CB	12-19-19CB	12-18AY	12-18O	12-07CC	12-06BG	12-06CB
87A	12-200CD	12-19-19CD	12-18BI	12-18Q	12-07CD	12-06BI	12-06CD	87B	12-200CC	12-19-19CC	12-18AZ	12-18O	12-07CD	12-06BH	12-06CC
88A	12-200CE	12-19-19CE	12-18BJ	12-18Q	12-07CE	12-06BJ	12-06CE	88B	12-200CD	12-19-19CD	12-18BA	12-18O	12-07CE	12-06BI	12-06CC
89A	12-200CF	12-19-19CF	12-18BK	12-18Q	12-07CF	12-06BK	12-06CF	89B	12-200CE	12-19-19CE	12-18BB	12-18O	12-07CF	12-06BJ	12-06CC
90A	12-200CG	12-19-19CG	12-18BL	12-18Q	12-07CG	12-06BK	12-06CG	90B	12-200CD	12-19-19CD	12-18BC	12-18O	12-07CF	12-06BJ	12-06CC
91A	12-200CH	12-19-19CH	12-18BM	12-18Q	12-07CH	12-06BL	12-06CH	91B	12-200CE	12-19-19CE	12-18BD	12-18O	12-07CG	12-06BK	12-06CC
92A	12-200CI	12-19-19CI	12-18BN	12-18Q	12-07CI	12-06BL	12-06CI	92B	12-200CF	12-19-19CF	12-18BE	12-18O	12-07CH	12-06BL	12-06CC
93A	12-200C														



Date of Photography: April 2004
 100 50 0 100 200 Feet
 1:1,200



HARRISON TWP SHEET INDEX

12-16A	12-16B	12-16C	12-16D	12-16E	12-16F	12-16G	12-16H	12-16I	12-16J	12-16K	12-16L	12-16M	12-16N	12-16O	12-16P	12-16Q	12-16R	12-16S	12-16T	12-16U	12-16V	12-16W	12-16X	12-16Y	12-16Z
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

DESCRIPTION OF PERMANENT REAL ESTATE INDEX NUMBER
13-19-302-018

Legend

- Platted Area Boundary Line
- Property Line
- Property Split Line
- Property Combined Line
- Township Boundary Line
- Traverse Line
- Dimension Extent Marks
- Dimension Start Marks

12-16G

HARRISON TWP.
 W.1/2 S.E.1/4 SEC.16 T.2N. R.14E.

Source: Macomb County Department of Planning and Economic Development
 - 2004 Digital Orthophotography Project
 - Parcel Conversion Project

Note:
 Digital Orthophotography horizontal positioning accuracy is 3 feet. Parcel boundary lines should be considered a graphical representation and not in any way a legal survey or engineering document. In general, the horizontal positioning and length accuracy is within 15 feet.


This map is intended for general planning purposes. Site specific evaluation should be verified by field inspection. This is a work in progress and may contain errors and omissions. Please report any potential revisions to (586)469-5285.



GIS MACOMB COUNTY
 Planning and Economic
 Development Department

6-26-2013 PC-037
RS BS JR

S.E. CORNER OF PC 319
COMMON WITH THE S.W.1.
CORNER OF PC 545



SET TEMPORARY 1/2" IRON AT
PROPOSED LOCATION

SET WITNESS MONT. FOR
PC-037

WITNESSES

- S. 44° E, 35.14 ft. SET NAIL & TAG IN SOUTH FACE OF 24" COTTONWOOD
- S. 72° E, 52.92 ft. S.W.1. CORNER OF CONC. FOR PAVILION
- N. 76° E, 54.84 ft. N.W.1. CORNER OF CONC. FOR PAVILION.
- N. 77° E, 243.11 ft. SET NAIL & TAG IN NORTH FACE 10" SYCAMORE.
- N. 87° W, 185.17 ft. SET NAIL & TAG IN 12" COTTONWOOD
- N. 23° W, 138.43 ft. CUT "X" IN CURB IN PARKING LOT

P.C. 16

For desc. & Sketch of P.C. 545
See L 249-P303

HURON CLINTON METROPOLITAN AUTHORITY


550 Acres - Claimed
816 Acres - Estimated from Plats & Plates.

545

METROPOLITAN BEACH

LAKE ST CLAIR

HARRISON TOWNSHIP T2N, R14E SCALE 1"=400' Part of P.C.'s. 238, 319 & 545



ADMINISTRATIVE No. 218, 89
264, 61
Easement Grant
H.C.M.A. To
County Road
Comm. L. 1248 P. 346
MALLISTS
SUBDIVISION No. 1
L.S. 192
MALLISTS
SUBDIVISION No. 1
L.S. 192

P.C. 238

P.C. 319

- (F240) Albert & Oxford 30x80
- (F239) Remy & M Michiels 30x80
- (F238) Frank X Zech 60x80

545
12/1/75

(F251Y) Newly created
Harr. Plat. & Ass.
AS E 40178 do2.
14. St Clair Haven St

LAKE

ST
CLAIR

LAGOON

BOAT
BASIN

BOAT
HARBOR

BLACK
CREEK

RIVERDALE DR

HURON
POINT

CIRCLE

ST CLAIR HAVEN No. 2

GROSS RD

LAKE
SHORE

DRIVE

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

LAKE
CLAIR

N. 464 "

South side of River Huron

Description N. 314 Confirmed to Joseph
Barrepeau commencing at a post stand-
ing on the border of River Huron between
his tract and a tract Confirmed to the
Blainviret thence south one hundred
and forty seven chains fifty two links, to
a post standing on the border of Lake
St. Clair thence along the border of said
Lake west thirteen chains forty eight
links, to a post the South east corner of
tract Confirmed to Louis Chapoton
Senior. thence north one hundred and
fifty four chains sixty links, to a post
standing on the border of River Huron
thence along the border of said River down
stream south eighty three degrees East six
chains eighteen links thence south fifty nine
degrees East seven chains fifty one links,
thence south twenty degrees East two chains
sixty two links, to the place of beginning
Containing two hundred and five acres
and nine tenths of an acre.

Detroit July 18. 1810

Arnon Greeley Surveyor
of private claims

No. 464

No. 319 Confirmed to
Joseph Campeau

SOUTH SIDE OF RIVER HURON

Description No. 319 Confirmed to Joseph Campeau commencing at a post standing on the border of River Huron, between this tract and a tract confirmed to the claimant, thence south one hundred and forty seven chains fifty two links to a post standing on the border of Lake St. Clair thence along the border of said lake west thirteen chains forty eight links to a post the southeast corner of a tract confirmed to Louis Chapoton Junior thence north one hundred and fifty four chains sixty links to a post standing on the border of River Huron thence along the border of said river down stream south eighty three degrees east six chains eighteen links thence south fifty nine degrees east seven chains fifty one links thence south twenty degrees east two chains sixty two links to the place of beginning ___ containing two hundred and five acres and nine tenths of an acre ___

Detroit July 18, 1810

Aaron Greeley Surveyor
of private claims

N. 463. — South Side of River Huron
Description N. 545 Confirmed to
Joseph Caspéan, Commencing at a post
standing on the border of River Huron
between his tract and a tract con-
firmed to Louis Caspéan, thence South
fifty two chains, to a post the southwest
corner of said tract confirmed to
Louis Caspéan; thence East forty
chains seventy four links, to a post
the south East corner of said Louis
Caspéan's tract; thence South and
sixty six chains seventy five links, to a
post standing on the border of Lake
St. Clair thence along the border of
said Lake north forty five degrees
west forty nine chains thirteen links
thence South forty five degrees west
seventeen chains to a post the south
East corner of a tract confirmed to
the Claimant thence north one hun-
dred and forty seven chains fifty
two links, to a post standing on the
border of River Huron thence along
the border of said River down stream
South twenty degrees East nine chains
thirty eight links thence South forty six
degrees East three chains eighty five
links to the place of beginning con-
taining three hundred and ninety
six acres seventy three hundredths of
an acre. —

Detroit July 18. 1810

Aaron Greeley Surveyor
of private Claims.

No. 463

No. 545 Confirmed to
Joseph Campeau

SOUTH SIDE OF RIVER HURON

Description No. 545 Confirmed to Joseph Campeau commencing at a post standing on the border of River Huron between this tract and a tract confirmed to Louis Campeau thence south sixty two chains to a post the southwest corner of said tract confirmed to Louis Campeau thence east forty chains seventy four links to a post the southeast corner of said Louis Campeaus tract thence south ninety six chains seventy five links to a post standing on the border of Lake St. Clair thence along the border of said Lake north forty five degrees west forty nine chains thirteen links, thence south forty five degrees west seventeen chains to a post the southeast corner of a tract confirmed to the claimant thence north one hundred and forty seven chains fifty two links to a post standing on the border of River Huron thence along the border of said river down stream south twenty degrees east nine chains thirty eight links, thence south forty six degrees east three chains eighty five links to the place of beginning, containing three hundred and ninety six acres seventy three hundredths of an acre ____

Detroit July 18, 1810

Aaron Greeley Surveyor
of private claims

(1)

Surveyed July 9, 1914
 J. H. Henry



RIVERSIDE-BAY GARDENS

Examined and Approved
 July 9, 1914
 J. W. Hume

SUBDIVISION

OF A PART OF PRIVATE CLAIMS 238 AND 319
 HARRISON TWP MACOMB CO. MICH.

SCALE: 1 IN = 200 FT.



Note: All distances given in feet and decimal thereof.


MACOMB COUNTY
 PLAT OF
 Riverside Bay Gardens
 10
 16 3
 3
 23
 Charles H. Chest

Filed for Auditor General & Rec'd
 July 11, 1914
 J. W. Hume

Note: Boulevard Parks marked
 (A) are described as follows:
 Symmetrical with Boulevard N 62° 24' W
 Centre line, Extreme length 100 ft.
 Extreme width 40 ft. Curves at
 ends are 150 ft. radius.

(B) Symmetrical with Avenue Center
 line, Extreme length 25.76 ft.
 Extreme width, 20 ft. Curves
 at ends are 150 ft. radius.

(C) as shown, Curve at ends
 are 150 ft. radius.



DESCRIPTION:
 Beginning at an iron stake at the intersection of the South property
 line of Riverside Bay Drive, so-called, and the center line of East
 Jefferson Ave. or West line of Private Claim 238.
 Thence along said center line of East Jefferson Ave
 South 382.40' to an iron stake.
 Thence East 1565.9' to an iron stake.
 Thence North 3302.4' to an iron stake on South property line of Riverside
 Bay Drive, so-called, at 15° 30' 24" W. 150' to an iron stake.
 Thence along said property line N 62° 24' W. 175.38' to an iron stake.
 Thence along said property line N 62° 24' W. 120.52' to an iron stake.
 Thence along said property line N 62° 24' W. 282.51' to an iron stake.
 Thence along said property line N 72° 25' 40" W. to point of beginning.

This is to certify that there are no Tax Liens or Titles held
 by the State or any individual against and that all taxes on lands
 described in the annexed instrument have been paid five years
 prior to the date thereof, according to the records of this office.
 Dec. 30, 1915

Wm. H. Hulse
 County Treasurer.

This plat was approved by the County Board at its meeting
 held December 30th, 1915

Neil E. Reid, Judge of Probate
 Geo. H. Doober, County Clerk
 William H. Gross, County Treasurer

KNOW ALL MEN BY THESE PRESENTS, that the Detroit
 Macomb Land Co., a Michigan corporation,
 George W. Hume, Secretary and
 Charles H. Chest, Treasurer,
 do hereby certify that the above described lands are the property of the
 said Detroit Macomb Land Co. and that the same have been duly
 surveyed and subdivided in accordance with the provisions of the
 Act in that behalf passed by the Legislature of the State of Michigan,
 approved March 27th, 1914, and that the same are now being offered
 for sale to the public.

Witness my hand and seal of office this 10th day of July, 1914.
 Geo. W. Hume, Secretary
 Charles H. Chest, Treasurer

I hereby certify that the plat herein delineated is a correct one and that permanent
 monuments, consisting of iron pipes, have been placed at points marked thus: O
 as thereon shown at 71 or 52 in the boundaries of the land shown, and at all inter-
 sections of lines or streets and alleys.
 J. H. Henry, Surveyor

9286

MALLAST SUB #1

P.C. 151


77-746

1021
WALTER
L & P S


MALLAST'S SUBDIVISION NO. 1
A part of P. C. 151 T. 2 L. R. 14 E. Harrison Township
Macomb County, Michigan

5-78

See Resolution for change of street names. See also 503 of sheets - Page 5-27



3



JEFFERSON AVE

N 88° 44' 40" E
42.00 FT

604 & 151

WARREN PARK SUBDIVISION

HARRISON TWP. MACOMB CO. MICHIGAN

All dimensions are given in feet or decimals thereof.

SCALE 1" = 100' FEET

All corners
marked with
iron pipes
set in concrete

SURVEYOR'S CERTIFICATE

I hereby certify that the plat hereon delineated is a correct one, and that permanent monuments consisting of 1" x 15" pipes, set in concrete bases 4" in diameter and 48" in depth, have been placed in the ground at all points marked thereon (O) as shown thereon at all angles in the boundaries of the land platted, and at all intersections of streets, of alleys, or of streets and alleys, or of streets or alleys with the boundaries of the plat.

H. F. Cushing
Registered Surveyor.

DEDICATION

KNOW ALL MEN BY THESE PRESENTS: that we, Warren J. Hopwood, a single man, Henry Meyerling Jr. and Helen J. Meyerling, his wife as proprietors and The Detroit-Macomb Land Co. a Michigan corporation by R. M. Richards, Vice-President and C. M. Burton, Secretary, as mortgagee, have caused the land embraced in the annexed plat to be surveyed, laid out and platted to be known as WARREN PARK SUBDIVISION of part of PRIVATE CLAYS 604 & 151, Harrison Twp. Macomb Co. Michigan, and that the streets and alleys shown on said plat are hereby dedicated to the use of the public.

SIGNED AND SEALED IN
PRESENCE OF

J. E. ...
Witness

Edward J. ...
Notary Public

STATE OF MICHIGAN }
COUNTY OF WAYNE } SS:

On this 11th day of February, 1926 before me, a Notary Public, personally came the above named Warren J. Hopwood, a single man, Henry Meyerling Jr. and Helen J. Meyerling, his wife, known to me to be the persons who executed the above dedication and acknowledged the same to be their free act and deed.

Edward J. ...
Notary Public, in and for Wayne County, Michigan.

My commission expires
Aug 5, 1929

STATE OF MICHIGAN }
COUNTY OF MACK } SS:

On this 11th day of Feb, 1926 before me, a Notary Public in and for said County, personally came the above named R. M. Richards and C. M. Burton, to me personally known, who being each by me duly sworn, did say that they are the Vice-President and Secretary respectively, of The Detroit-Macomb Land Co. a Michigan corporation, and that the seal affixed to said instrument is the corporate seal of said corporation, and the said instrument was signed and sealed in behalf of said corporation by authority of its Board of Directors, and the said R. M. Richards and C. M. Burton, acknowledged said instrument to be the free act and deed of said corporation.

Edward J. ...
Notary Public, in and for Wayne County, Michigan.

My commission expires
Aug 5, 1929


CERTIFICATE OF TOWNSHIP BOARD

I hereby certify that this plat has been approved by the Township Board of the Township of Harrison at a session held Jan 26, 1926.

DESCRIPTION

The land embraced on the annexed plat of "Warren Park Subdivision" of part of Private Clays 604 & 151 Harrison Twp. Macomb Co., Michigan, is more particularly described as follows: Beginning at an iron in the intersection of Riverside Bay Drive and Jefferson Ave., which is also the East line of P.C. 151, thence South 3806.27 ft. to a point, thence S 87° 21' W 501.2 ft. to a point, thence N 0° 33' E 638.8 ft. to a point, thence N 89° 23' W 795.17 ft. to a point, thence S 89° 23' W 501.2 ft. to a point, thence S 89° 23' W 803.12 ft. to a point, thence northerly along the line between P.C.'s 151 & 604 N 0° 33' E 261.74 ft. to the South bank of the Clinton River, thence S 70° 55' E 310.0 ft. to a point, thence S 1° 11' W 352.0 ft. to a point, thence S 73° 24' E 300.0 ft. to a point, thence South 35.73 to the place of beginning.

Warren J. Hopwood
Warren J. Hopwood
Secretary



REGISTER'S OFFICE
County of Macomb
Received for Record this 20th day
of March, A.D. 1926, at
9:55 o'clock A.M. and Entered
in Liber 100 of Plats
on Page 35

L. 10
P. 57


WARREN PARK SUBDIVISION N°1

OF PART OF
PRIVATE CLAIMS 238 & 319

HARRISON TWP. MACOMB CO. MICHIGAN.

All dimensions are given in feet or decimals thereof.
SCALE 1 INCH = 150 FEET

H.F. Cushing
Registered Surveyor
1205 Lafayette Bldg.
Detroit.



SURVEYOR'S CERTIFICATE:

I hereby certify that the plat hereon delineated is a correct one, and that permanent monuments consisting of 1" x 15" pipes, set in concrete bases 4" in diameter and 48" in depth have been placed in the ground at all points marked thus (O) as shown thereon at all angles in the boundaries of the land platted, and at all intersections of streets with the boundaries of the plat.

H.F. Cushing
Registered Surveyor.

5

SUPERVISOR'S PLAT NO. 5

OF PARTS OF P.C.S. 151, 238, 319,
& 545, HARRISON TOWNSHIP
MACOMB COUNTY, MICH.

SCALE 1"=100'

WALTER J LEHNER
MT CLEMENS MICH

DEED.

BEFORE ME, the undersigned authority, on this day personally appeared Floyd W. Rosso, Supervisor of the Township of Harrison Macomb County, Michigan, known to me to be the person whose name is subscribed to the foregoing plat, and he acknowledged to me that he executed the same for the purposes and consideration therein expressed.

Witness my hand and the seal of my office this 1st day of May, 1933.

Floyd W. Rosso
Supervisor for Harrison Twp.

STATE OF MICHIGAN,)
COUNTY OF MACOMB,) SS.

On this first day of May A.D. 1933 before me a Notary Public in and for said County personally came the above named Floyd W. Rosso, Supervisor of Harrison Twp., known to me to be the person who executed the above dedication and acknowledged the same to be his free act and deed as such supervisor.

Carl A. J. J.
Notary Public in and for
Macomb County.
My Commission expires March 1937

TOWNSHIP APPROVAL.

This plat was approved by the Township Board of the Township of Harrison at a meeting held May first, 1933.

Carl A. J. J.
Township Clerk.

CERTIFICATE OF APPROVAL BY COUNTY BOARD

This plat was approved on the 16th day of November, 1933

Frederick C. Wiley
Judge of Probate
James B. Crokin
County Clerk
F. J. Kensch
County Treasurer

Examined and Approved

September 14, 1934
W. J. Lechner
County Auditor General

RECORDED IN BOOK NO. 151 PAGE 151
INDEXED IN BOOK NO. 151 PAGE 151
FILED IN BOOK NO. 151 PAGE 151
RECORDED IN BOOK NO. 151 PAGE 151
INDEXED IN BOOK NO. 151 PAGE 151
FILED IN BOOK NO. 151 PAGE 151

DESCRIPTION.

THE LAND SHOWN ON THE ATTACHED PLAT OF SUPERVISOR'S PLAT NO. 5, OF PARTS OF P.C.'S. 151, 238, 319, & 545, HARRISON TOWNSHIP, MACOMB COUNTY, MICH., IS DESCRIBED AS FOLLOWS:

Beginning at the intersection of the northerly side line of Riverside Bay Drive, so called, and the easterly line of P.C. 151, and thence extending N.73°-24'W. 299.8 ft; thence S.1°-11'E. 351.80 ft; thence S.71°-47'-30"E. 308.24 ft. along the southerly bank of Clinton River; thence S.0°-12'W. 324.48 ft; thence S.75°-13'-30"E. 485.40 ft; thence S.73°-25'E. 432.45 ft; thence S.66°-37'E. 291.05 ft; thence S.64°-25'E. 124.23 ft; thence S.62°-30'E. 148.29 ft; thence S.54°-40'-30"E. 76.83 ft; thence N.0°-04'-30"W. 461.46 ft; thence S.13°-16'-30"E. 463.00 ft; thence N.60°-00'-30"W. 120.68 ft; thence S.0°-04'-30"W. 80.96 ft; thence S.63°-27'-15"E. 95.14 ft; thence S.58°-19'E. 100.00 ft; thence S.49°-33'-15"E. 111.78 ft; thence S.0°-04'-30"W. 25.0 ft; thence N.58°-19'W. 393.17 ft; thence N.62°-30'W. 148.71 ft; thence N.64°-25'W. 132.94 ft; thence N.68°-37'W. 288.29 ft; thence N.73°-23'W. 919.76 ft. to the place of beginning.

SURVEYOR'S CERTIFICATE.

I hereby certify that the plat hereon delineated is a correct one and that permanent metal monuments of not less than one inch in diameter and fifteen inches in length set in concrete base at least four inches in diameter and forty eight inches in depth have been placed at points marked thus (C) as shown at all angles in the boundaries of the land platted, and at all intersections of streets with the boundaries of the plat as shown on said plat.

Walter J. Lechner
REGISTERED CIVIL ENGINEER,

JEFFERSON AVE

RIVERSIDE BAY DRIVE

CANAL

BLVD.

DETROIT


CLINTON RIVER

2-04-151

MALDEN SUBDIVISION No. 2
 A Part of P. C. 152 T. 2 N. R. 13 E. & 14 E.
 Harrison Township, Macomb County, Michigan
 18-9

LB WALTER
 P 9
 1937

See Resolution for change of street name: See Letter 563 of Books - Page 527





191

SKETCH OF SURVEY PRIVATE CLAIM 545 HARRISON TWP., MACOMB CO., MICH.

No SCALE

CLAUD POSTIFF,
CIVIL ENGINEER REG.,
1007 AMERICAN STATE
BANK BUILDING,
DETROIT.





SKETCH OF SURVEY

Lot 35
 Supervisor's Plat No. 5
 Part of P.C.'s 151 & 238 T.2 N., R.14 E.
 Harrison Township, Macomb County, Michigan

SCALE: 1" = 10'
 DATE: DEC 20, 1985

LEHNER ASSOCIATES, INCORPORATED
 ENGINEERS & SURVEYORS
 22900 WELLINGTON CRESCENT
 MT. CLEMENS MICHIGAN 48843
 (313) 483-4884

10

WALTER, KLARK 35-786